DoD-4100.39-M-VoL-I VOLUME 1

Replaces A 29/175 and Changes
1 through 4 A301318
A301064 ENT OF A30138

A301064

LOGISTICS INFORMATION

SYSTEM

Volume 1

FEDERAL

DESTRUCTION WATERLANT A

Approved for public releases

Distribution Unitarited

FLIS PROCEDURES MANUAL

GENERAL AND ADMINISTRATIVE INFORMATION

APRIL 1996

19960624 230

DIES GUALITY INSPIRATED A

SUPPLEMENTARY

INFORMATION





DEFENSE LOGISTICS AGENCY DEFENSE LOGISTICS SERVICES CENTER 74 WASHINGTON AVE N BATTLE CREEK MI 49017-3084



CHANGE NO. 1 DoD 4100.39-M CH 1 DoD 4100.39-M Volume 1

ERRATAS

DLSC-VPH 1 July 1996

FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) PROCEDURES MANUAL

I. Volume 1, DoD 4100.39-M, 1 October 1994, change as follows: Remove pages listed below and insert revised pages. Additions and changes are indicated by **bold-face italic** type. Deletions are indicated in the Significant Changes paragraph below.

	REMOVE OLD	INSERT NEW
Glossary	xv and xvi,	xv and xvi,
Chapter 3	xxi thru xlv 1.3-1 thru 1.3-27	xxi thru xlv 1.3-1 thru 1.3-27
Appendix 1-4-A Appendix 1-4-D	1 and 2 1 and 2	1 and 2 1 and 2
Appendix 1-4-D Chapter 8	1.8-5 thru 1.8-24, 1.8-53 and 1.8-54,	1.8-5 thru 1.8-24, 1.8-53 and 1.8-54,
	1.8-53 and 1.8-54, 1.8-61 thru 1.8-64,	1.8-61 thru 1.8-64

II. SIGNIFICANT CHANGES

- A. The page changes are effective upon receipt.
- B. Changes for the entire manual this quarter and the applicable change number for each affected volume are: Change 1 to volume 1, change 5 to volume 3, change 5 to volume 4, change 4 to volume 5, change 7 to volume 6, change 8 to volume 8, change 8 to volume 9, change 10 to volume 10, change 9 to volume 11, and change 2 to volume 13.

III. This change sheet will be filed in front of volume 1 for reference purposes after changes have been made.

BY ORDER OF THE DIRECTOR:

RANDALL B. HAGLUND

Colonel, USMC Commander

Defense Logistics Services Center

DISTRIBUTION: Defense Logistics Agency: 41, 42

Army: To be distributed in accordance with Special Distribution List.

Navy: To be distributed in accordance with Special Distribution List maintained at NPFC.

Stocked: Commanding Officer Naval Publications and Forms Center 5801 Tabor Avenue

Philadelphia, PA 19120

Air Force: Distribution "X"



DEFENSE LOGISTICS AGENCY DEFENSE LOGISTICS SERVICES CENTER 74 WASHINGTON AVE N BATTLE CREEK MI 49017-3084

CH 4 DoD 4100.39-M Volume 1

DLSC-VPH

1 April 1996

FOREWORD

This is one of the volumes (see backside of cover for listing) which comprise the FLIS Procedures Manual. It is published under the authority of Department of Defense Directive 4100.39, Federal Logistics Information System (FLIS), and contains information on system concepts and maintenance and an overview of system content and use.

Volume 2 contains information and procedural guidance for several system features that are used throughout the FLIS and are not limited to any one logistics area.

Volume 3 contains technical and administrative information concerning submittal of data for inclusion in the item naming and classification systems and maintenance of cataloging guidance for input and processing of Item Identification transactions.

Volume 4 contains procedural guidance for the entry and maintenance of an item in the Federal Catalog System, including item classification and reference number review criteria.

Volume 5 provides technical and administrative information for the use of several general and special purpose data extraction features that make item and system data available in various formats.

Volume 6 contains procedures for the submittal and use of data required for inventory control and supply support of items entered into the Federal Catalog System through the Item Identification processes.

Volume 7 contains procedures for collecting administrative data from commercial and Government entities for use in the reference number and Provisioning Screening processes in support of the Item Identification and Supply Management functions.

Volumes 8 and 9 provide element-by-element representations of selected Item Identification, Interrogation/Search, Supply Management, Organizational Entity, Provisioning Screening, and Materiel Management Decision Rule Table segments and input/output transactions.

The data code tables and cross-references contained in volume 10 aid in the preparation of input and analysis of output for all FLIS logistics areas.

Volume 11 lists criteria for the acceptance and processing of transactions by DLSC.

Volume 12 identifies and describes all item-of-supply and management data elements, terms, and acronyms in the FLIS that have been assigned a Data Record Number (DRN). With the exception of the supplementary dictionary pages/partial pages containing the data elements identified by Data Record Numbers (DRNs) 1253-1257, 1282-1287, 1687-1696, 1702-1725, 2631-2634, 2636-2639, 2641-2644, 5100-5728, 5616, 5849-5867, 5869-5933, 5970-5999, 6174-6208, 6291-6458, 7171, 7807, 7869, 8180-8191, 8208-8228.

Volume 13 lists Federal Supply Classification assignments, rules reflecting Item Identification and Supply Management responsibilities and inter-relationships, and criteria for the control and dissemination of such data.

This document supersedes Volume 1, DoD 4100.39-M, October 1994 and changes 1 thru 4.

Volume 14 contains technical and administrative information and sample pages for selected statistical summaries of system operation and conditions in the areas of Item Identification, Supply Management, Organizational Entity, Provisioning Screening, Transaction Processing (DICs), and Materiel Management Decision Rules.

Volume 15 contains technical and administrative information, sample pages, and examples of usage for Classification, Item Identification, Supply Management, and Organizational Entity publications, which reflect the content of the FLIS data base.

Volume 16 is a user's guide to accessing the data base through input/output devices available at participating activities. It currently contains information for Search/Interrogation and will be updated as remote capability is implemented for other FLIS functions.

Volume 17, reserved.

Volume 18 contains information on the Automated Mailing Labels Systems (AMLS).

All interface actions between the Defense Logistics Services Center (DLSC) and the Military Services/Agencies will be submitted in accordance with the procedures contained in chapter 1.4.

Changes to this volume will be provided through FLIS Advance Change Notices (ACNs) and/or quarterly numbered changes in accordance with section 1.1.4.

This volume is prepared and maintained by the Defense Logistics Services Center, Federal Center, Battle Creek, Michigan 49017-3084. Responsible program manager directorates for all narrative are listed in the Table of Contents for Total Manual; program manager directorates for tables are listed in volume 10, section 10.3.1. When a point of contact cannot be determined, technical questions may be directed to the DLSC Customer Service Office in accordance with chapter 1.6, or administrative comments and inquiries may be directed to DLSC-VPH.

Service/Agency distribution is handled through established channels; Defense Logistics Agency publication supply officers may direct inquiries concerning requirements for and/or receipt of volumes and changes to DLSC-VPH.

Content changes appearing in this volume are entered in **bold-face italic** type. Deletions will be mentioned in the Foreword/quarterly change sheet or indicated by italic type in the remaining context, if possible. The major change to this volume is the deletion of the System Management Release (SMR) Process. System updates are now done on a weekly basis eliminating the need for the SMR process.

BY ORDER OF THE DIRECTOR

RANDALL B. HAGLUND

Colonel, USMC Commander

Defense Logistics Services Center

DISTRIBUTION: Defense Logistics Agency: 41, 12

Army: To be distributed in accordance with Special Distribution List.

Navy: To be distributed in accordance with Special Distribution List maintained at NPFC.

Stocked: Commanding Officer Naval Publications and Forms Center 5801 Tabor Avenue Philadelphia, PA 19120

Air Force: Distribution "X"

GENERAL AND ADMINISTRATIVE INFORMATION TABLE OF CONTENTS

Chapter/ Section	Title	Page/Appendix
1.1	INTRODUCTION TO FLIS	
1.1.1	Scope	1.1-1
1.1.2	FLIS Objectives	1.1-1
1.1.3	Frequency and Media of Changes	1.1-2
1.1.4	Numbering System	1.1-4
1.2	RESPONSIBILITIES	·
1.2.1	General	1.2-1
1.2.2	Defense Logistics Agency	1.2-1
1.2.3	DoD/Federal Functional Manager	1.2-2
1.2.4	Military Services/DoD and Civil Agencies	1.2-2
1.3	FLIS CONCEPT AND PRINCIPLES	
1.3.1	DIC Concept and Principles	1.3-1
1.3.2	Provisioning and Other Preprocurement Screening	1.3-3
1.3.3	Types of Output Distribution .	1.3-3
1.3.4	Record Formats	1.3-10
1.3.5	Sequence of Processing	1.3-13
1.3.6	Suspense Files	1.3-14
1.3.7	Unprocessable Transactions	1.3-14
1.3.8	Error Processing	1.3-15
1.3.9	Processing Malfunction	1.3-15
1.3.10	Segment Z Availability	1.3-15
1.3.11	Catalog Tools Processes	1.3-17
1.3.12	Mass Change Processing	1.3-21
1.3.13	Mass Data Retrieval	1.3-23
1.3.14	Reports Generator	1.3-24
1.3.15	Simplified File Maintenance	1.3-24
1.3.16	Record Establishment and Maintenance Actions	1.3-25
1.3.17	Automated Design Guidance	1.3-25
1.4	FLIS CHANGE PROCEDURES	
1.4.1	General	1.4-1
1.4.2	Changes of Procedural Matter	1.4-1
143	Preparation and Processing SCDs	1.4.2

Volume/ Chapter/ Section	Title	Page/Appendix
·		
1.4.4	Status Reports	1.4-5
	Service/Agency Contact Points	1-4-A
	Service/Agency-Controlled Tables	1-4-B
•	Guidance for Preparing DD Forms 2021 and 2021-1 Activities to Receive Information Copies of SCRs and SANs	1-4-C 1-4-D
	FLIS Functional Managers	1-4-E
	Quarterly Change Publication Schedules	1-4-F
	NATO Activities to Receive Information Copies of SCRs and SANs	1-4-G
1.5	REIMBURSEMENT PROCEDURES	
1.5.1	Policy	1.5-1
1.5.2	Services	1.5-1
1.6	CUSTOMER SERVICE OFFICE	
1.6.1	General	1.6-1
1.6.2	Procedure for Inquiries	1.6-1
1.6.3	Limitations	1.6-1
1.7	STANDARD INTERFACE TEST CAPABILITY	
1.7.1	Purpose and Scope	1.7-1
1.7.2	Concepts and Principles	1.7-1
1.7.3	Procedures for STDB Participants	1.7-2
1.7.4	Maintenance of the STDB	1.7-2
1.7.5	Preparation and Transmittal of Input Data for STDB Maintenance	1.7-2
1.7.6	Transmittal of Output Data and STDB	1.7-3
1.7.7	Requirements for Interface Testing	1.7-4
1.7,8	Procedures for Requesting a Full Scale Interface Test	1.7-4
1.7.9	Procedures for Requesting a Mini Interface Test	1.7-4
1.7.10	Reporting of Interface Test Effectiveness	1.7-5
1.7.11	Interface Test Coordinators	1.7-5
1.8	ALPHABETIC INDEX FOR TOTAL MANUAL	1.8-1

GLOSSARY PART I - ACRONYMS

		Volume(s)			Volume(s)
AAC	Acquisition Advice Code	6,14,15	APSN	Association Package Sequence Number	
ACN	Advance Change Notice, FLIS	1,2	AQL	Acceptable Quality Level	2,14
ADC	Air Dimension Code	15	AR	Army Regulation	2,6,13
ADP	Automatic Data Processing	1,3,4,7	ARC	Accounting Requirements Code	15
ADPEC	Automatic Data Processing Equipment Identification Code	6,15	ASCII	American National Standard Code for Information Inter-	2
ADPP	Automatic Data Processing Point	15	ASD	change Assistant Secretary of	
ADPS	Automatic Data Processing System	1	ASPR	Defense Armed Services Pro-	7
AEDA	Ammunition, Explo-	10		curement Regulation	
•	sive, and other Dan- gerous Articles		CAGE	Commercial and Government Entity	1,2,4,5, 6,7,14,15
AFFC	Air Force Fund Code			Code	
AFLC	Air Force Logistics	6.13	CAC	Civil Agency Catalog	1,5
4 F3 6	Command		CAO	Contract Administration Office	1,15
AFM	Air Force Manual	6,13	CIT	Consumable Item	4
AIN	Approved Item Name		CII	Transfer	6
AINRP	Approved Item Name Reclassification Pro-	6	СВ	Change Bulletin	15
	gram		CCAL	Certified Contractor	15
AMC	Acquisition Method	6,14		Access List	
	Code		CDA	Catalog Data Activity	6
AMSC	Acquisition Method Suffix Code	6,14	CIC	Card Identification Code,	4,6,14
ANSI	American National Standards Institute,	2,3,7		Item Management Coding	2
	Inc.			Content Indicator Code	2

		Volume(s)			Volume(s)
	Continuation Indicator Code		DHCO	Departmental Head- quarters Catalog	2,14
CMD [*]	Catalog Management Data	1,2,4,5, 6,7,14,15	DIA	Office Defense Intelligence	13
COM-RI	Communications Routing Identifier	2, 6	DIC	Agency Document Identifier	1,2,4,6,7,
CSS	Cataloging Statistical Series	2,14	DIPEC	Code Defense Industrial	13,14,15 1,2,6,7,13
DA	Description Available	15		Plant Equipment Center	
DAAS	Defense Automatic Addressing System	1,2,6	DISC	Defense Industrial Supply Center	2,14
DAASO	Defense Automatic Addressing System Office	1,2,4, 5,6,14	DLA	Defense Logistics Agency	1.2,4,5,6, 13,14,15
DAC	Document Availability Code	4	DLAH	Defense Logistics Agency Handbook	
DCN	Document Control Number	1,4	DLAR	Defense Logistics Agency Regulation	6,13
DCSC	Defense Construction Supply Center	2,14	DLSC	Defense Logistics Services Center	All
DCSN	Document Control Serial Number	6	DM	Descriptive Method (Item Identification)	2,14
DD Form	Department of Defense Form	1,2,3, 4,5,7,15	DNA	Defense Nuclear Agency	2, 4, 6, 13, 14
DEMIL	Demilitarization	4,15	DNACA	Defense Nuclear	4
DESC	Defense Electronics Supply Center	2,14		Agency Cataloging Activity	
DFSC	Defense Fuel Supply Center	2,14	DoD	Department of Defense	All
DGSC	Defense General Supply Center	2,14	DoDAAC	Department of Defense Activity Address Code	

,						
			Volume(s)			Volume(s)
	PSMAT	Provisioning Screening Master Address	1,5,7	ROFC	Remote Output Format Code	16
	PSN	Table Package Sequence Number	1,2,4,5,7	RPDMRC	Reference/Partial Descriptive Method Reason Code	1,2,4
	PSOS	Pseudo Source of Supply	6	S/A	Military Service/Civil Agency	2,13,14
	PVC	Price Validation Code	•	SAC	Secondary Address	3,4
	Q/R	Query Response,			Code	
		Electronic Data Transmission		SADC	Service/Agency Designator Code	2,4,15
	QUP	Quantity Unit Pack	2,6,15	SAIC	Secondary Address	
	RCS	Reports Control Sym-	2,14	0.37	Indicator Code	
	DD.	bol		SAN	System Advisory Notice (FLIS)	1
	RD	Restricted Data	4	SCN	System Control Num-	1 4
ì	RIC	Routing Identifier Code	1,2,6		ber	•,•
	RM	Reference Method (Item Identification)	2,4,14	SCR	System Change Request (FLIS)	1,6,15
		Retail Manager	6	SFM	Simplified File Maintenance	1,2
	RNAAC	Reference Number Action Activity Code	1,2,4	SIC	Statistical Indicator Code	
	RNCC	Reference Number Category Code	2,4,5,6,15	SICA	Secondary Inventory Control Activity	1, 2, 5, 6,
	RNFC	Reference Number Format Code	4,5	SICC	Service Item Control Center	13, 14 2,6,13,14
	RNJC	Reference Number Justification Code	1,4	SIN	Submittal Identifica- tion Number	
	RNSC	Reference Number Status Code	4	SLC	•	2,6,15
	RNVC	Reference Number Variation Code	5,6,15	SMIC	Special Material Identification Code	15

Unit Price

U/P

		Volume(s)			Volume(s)
SMR	System Management Release, FLIS	1	USCG	United States Coast Guard	1,2,6
SNOCA	Service Nuclear Ord- nance Cataloging Activity	4			
SoS	Source of Supply Code	1,2,4,6, 4,15			
SoSM	Source of Supply Modifier Code				
SPSN	Submitted Package Sequence Number				
SR	Standard Require- ment	4			
SSR	Supply Support Request	1,2,6.13			
	System Support Record	1,2,5,6, 7,13,14,15			-
STDB	Standard Test Data Base	1			
TACOM	U.S. Army Tank- Automotive Com- mand	2,6,13,14			
TIC	Terminal Identifier Code				
TSN	Terminal Serial Number				
UFC	Uniform Freight Classification (Code)	1,7,15			
U/I	Unit of Issue	2,6,15			
U/M	Unit of Measure				

15

Volume(s)

GLOSSARY PART II - TERMS

Acceptable Quality Level (AQL). The maximum percent defective that, for purposes of sampling inspection, can be considered satisfactory.	2,4,14
Accounting Requirements Code (ARC). See DRN 2665, volume 12.	15
Acquisition Advice Code (AAC). See DRN 2507, volume 12.	2,6,14,15
Acquisition Method Code (AMC). See DRN 2871, volume 12.	6,14
Acquisition Method Suffix Code (AMSC). See DRN 2876, volume 12.	6,14
Activity Code. A two-character code assigned by DLSC, upon request, for use in the Federal Catalog System to identify an activity for cataloging, standardization, or other management purposes.	2,3,4,5,6
Adopt Coding. Application of the approved IMC criteria by an ICP to items of supply currently managed by a IMM, wherein the ICP or another activity within the same Service is not currently recorded as a user in the FLIS Data Base and desires to add user interest and obtain supply support from the appropriate IMM.	6
Advance Change Notice - See FLIS Advance Change Notice	
Air Commodity/Special Handling Code. See DRN 9215, volume 12.	1,2,15
Air Dimension Code (ADC). See DRN 9220, volume 12.	1,2,15
Air Force Fund Code. See DRN 2695, chapter 12.2.	
American National Standard Code for Information Interchange (ASCII). The bit configuration standard subset requirement for FLIS and all Government computer systems.	2
Applicability Key. The code used to reference the applicability of a requirement to an item name in a FIIG.	3
Approved Item Name (AIN). The name which is selected (approved by the Directorate of Item Identification, DLSC, as the Official designation for an item of supply), and delimited where necessary, to establish a basic concept of the item of supply to which the item belongs and with which it should be compared. It may be a basic name, or a basic name followed by those modifiers necessary to differentiate between item concepts having the same basic name. Approved item names, basic names, and colloquial names are published in Cataloging Handbook H6. When two or more names are applicable to an item, the name which is most commonly used by the Government and industry shall be selected as the item name. The other name(s) shall be cross-indexed to the selected name.	3,4,6,15

Approved Item Name Reclassification Program (AINRP). A DoD-directed program designed to (1) identify item names (by five-digit code) which represent large quantities of consumable items originally classified in FSC classes for the next higher assemblies; (2) take action to reclassify such items from the next higher assembly FSC to the "home" FSC class; and, (3) apply IMC procedures to items migrating from weapons system oriented to commodity oriented FSC classes.	6
Association Code. A code number assigned by DLSC, for internal use, to a corporate complex which has two or more divisions, branches, subsidiaries, etc., each of which has been assigned a different Commercial and Government Entity Code (CAGE). This code number is used by DLSC in screening operations for determining duplication and possible duplication when the reference number is the same but the CAGE Code is different.	1,4,5,14
Association Package Sequence Number (APSN). See DRN 8252, volume 12.	
Authorized Item Identification Collaborator Code. See DRN 2533, chapter 12.2.	2,6
Automatic Data Processing Equipment Code (ADPEC). See DRN 0801, volume 12.	8,9,10,15
Cancelled Federal Item Identification. A Federal item identification which is no longer authorized for use to identify an item of supply.	2,4,6
Card Identification Code, Item Management Coding. See DRN 0099, volume 12.	1,2,6,14
Catalog Management Data (CMD). The total range of information compiled and published in Management Data Lists including requisitioning, stock, and financial management and other management control data; and including various referenced relationships to other items, documents, or material management conditions.	1,2,4,5, 6,7,14,15
Cataloging Handbook H2. A handbook containing Federal Supply Classification data in various sequences:	3,4,15
This handbook consists of the structure of the Federal Supply Classification showing all groups and classes in the four-digit FSC code numbering system. Where appropriate, the main inclusions and exclusions which delimit the coverage of a particular class are shown.	3,15
Cataloging Handbook H6. Federal Item Name Directory for Supply Cataloging.	3,4,15
Cataloging Statistical Series (CSS). A series of informational type documents which provide statistical data in support of the Federal Cataloging Program.	2,14
Category A Single Submitter. Where management responsibility includes all items of supply in a given FSC, the IMM is the sole submitter of cataloging actions related to items of supply in the applicable class. The IMM is the sole submitter of cataloging actions, both new or changed data and new, reinstatement, or revised item identifications, for items managed in the applicable class. This also includes proposals for new or revised cataloging tools related to FSCs under the activity's cognizance.	2, 4

Category B Single Submitter. Where management and cataloging responsibility is established on a by item basis within a given FSC, the IMM is the sole submitter of proposed catalog data changes against existing item identifications representing items of supply under the management cognizance of that activity. This includes cataloging action, both new or changed data, and new, reinstatement, or revised item identifications, for items managed under the activity's cognizance.	2
Central Catalog File. See FLIS Data Bank.	2,4
Certified Contractor Access List. Contains all active and registered private sector entities, which have been designated as eligible to receive export-controlled technical data from the Department of Defense (DoD).	1,15
Change Bulletin. Publications issued following a basic edition for updating purposes. The data content is cumulative. Change bulletin is synonymous with the terms "advance notice" and "supplement".	15
Change Coding. The method of changing data elements previously furnished as a result of IMC. Excluded are changes from Service management to Integrated Materiel Management or vice versa. Such latter changes shall be accomplished under initial, maintenance, retroactive, or return coding as appropriate.	6
Change Indicator. See DRN 0122, volume 12.	
Characteristics Reply. The total reply to a FIIG requirement in MILSTICCS format. It consists of the primary address code and may consist of a secondary indicator code, along with a secondary address code (if applicable), or it may consist of a double dollar symbol (\$\$) to identify the AND condition or a single dollar symbol (\$) to identify the OR condition. These symbols will be used to chain materials and the like which do not govern other requirements. Also included is the mode code and the item characteristics (either clear text or coded or a combination of the two as specified in the FIIG) followed by the record separator symbol.	3,4
Civil Agency Catalog. Provides specially tailored information for interested Civil Agencies and is the means by which the Defense Logistics Agency (DLA) provides information on National Stock Numbers (NSNs) for supply support of the Civil Agencies.	1,15
Codification Project Code. A two-character alphabetic code assigned by the Defense Logistics Services Center (DLSC) to identify catalog data related to a codification project for NATO or other foreign countries.	4
Collaborating Activity. An activity designated by a Military Service or participating agency to review proposed item logistics changes.	2,4
Collaborator Code. See DRN 2533, volume 12.	2,13

4

2

Commercial and Government Entity Code (CAGE). Any reference number entered into the Federal Catalog System will have a CAGE Code assigned to it prior to entering the central catalog file. The CAGE Code is a five character data element assigned to establishments which are manufacturers or have design control of items of supply procured by the Federal Government. The first and last positions of a CAGE Code will be numeric. Under certain conditions revision actions shall be initiated by DLSC: When a CAGE Code is cancelled and replaced by a code assigned to a single manufacturer; or when DLSC cannot determine, without collaboration, which items formerly manufactured by a defunct organization are now manufactured by the acquiring organization(s).

Where the applicable CAGE Code cannot be determined under the conditions cited above, recorded cataloging activities shall initiate appropriate action to update the central catalog file. DLSC will not cancel a CAGE Code until all numbers of that manufacturer have been withdrawn.

Commodity Materiel Management Category Code - DoD. See DRN 2611, volume 12.

Compiler. A term used to denote the activity responsible for the preparation and maintenance of a catalog.

Concept Change. A concept change is determined to exist when the identification characteristics expressed by the proposed revision of a Federal item identification differ in content from those expressed by the Federal item identification, and both item identifications represent possible items of supply.

Condition Codes. A condition code is assigned to Approved Item Names to indicate whether the name may be classified in single or multiple FSC(s) as follows:

- Code 1 The AIN may be classified in only one specific FSC.
- Code 2 The AIN may be classified in two or more specific classes of the FSC structure.
- Code 3 The AIN may be classified in any logical class of the FSC structure.

Consumable Item Transfer (CIT). A special project transferring consumable items now managed by military services to DLA or GSA.

Content Indicator Code. The Content Indicator Code (CIC) consists of four alphabetic
characters which appear in positions 5 through 8 of an Automatic Digital Network
(AUTODIN) message header and End of Transmission (EOT). It is designed primarily for
use by the receiving communications terminal as an aid in determining distribution of data
messages. All catalog data being transmitted requires a CIC.

Continuation Indicator Code (CIC). See DRN 8555, volume 12.	1,4
---	-----

Contract Administration Office Code (CAO). See DRN 8870, v	volume 12. 1,15
--	-----------------

Controlled Inventory Item Code (CIIC). See DRN 2863, Volume 12.	1	5
---	---	---

Conversion. The transformation of a value to an equal or equivalent value in a different term or scale.	3
Coordinating Activity. An activity having the responsibility for inter-Service/Agency coordination.	
Criticality Code. See DRN 3843, volume 12.	1,4,5,15
Data Chain. A name given to the use of two or more logically related data elements. For example, the data chain Document Control Number (DRN 1015) is composed of data elements: Originating Activity Code (DRN 4210), Submitting Activity Code (DRN 3720), Date Transaction (DRN 2310), and Document Control Serial Number (DRN 1000).	4,5
Data Changes. All revisions of published Federal Item Logistics Data Records (FILDRs); all transfers between the descriptive method and the reference method; all reference number changes, item status code changes, withdraw or add owner actions, and cancellations regardless of type of item identification; and item (or part) name and FSC changes for type 2 item identifications.	2,4,6
Data Code. A number, letter, character, symbol, or any combination thereof used to represent a data item. For example, the data codes JV, KX, and XB represent the data items: Strategic Systems Project Office; Defense Personnel Support Center; and Field Command, Defense Nuclear Agency, respectively, under the data element: Submitting Activity Code (DRN 3720).	1
Data Element. A grouping of informational units which has a unique meaning and sub-units (data items) of distinct value. Examples of data elements in FLIS are State/U.S. Possession Abbreviation (DRN 0186), Submitting Activity Code (DRN 3720), and DoD Activity Address Code (DRN 3755).	1,4,5,6, 7,15
Data Element Dictionary (DED). An authoritative reference containing the definition and related features of data elements, data chains, and data use identifiers. See volume 12.	1
Data Element Terminator Code. See DRN 8268, volume 12.	1,4
Data Exchange. The submittal of data, not requiring collaboration, through the single submitter to the Defense Logistics Services Center (DLSC).	2
Data Item. A sub-unit of descriptive information or values classified under a data element. For example, the data element Submitting Activity Code (DRN 3720) contains data items such as U.S. Army Electronics Command, Naval Training Device Center, and San Antonio Air Logistics Center.	
Data Range Criteria. Information providing the means (manual or mechanical) for determining item equivalency and substitutability relationships for each item characteristic.	3
Data Record Number (DRN). See DRN 0950, volume 12.	1,2,4,5, 6,7,15

Defense Retail Interservice Support (DRIS) Program. A program designed to use inter-service transfers of material and logistics services to achieve the greatest possible effectiveness and economy in the operations of DoD activities.	
Deletion Reason Code. See DRN 4540, volume 12.	6,14
Demilitarization. The act of destroying the military offensive or defensive advantages inherent in certain types of equipment or materiel. The term comprehends mutilation, dumping at sea, scrapping, melting, burning, or alteration designed to prevent the further use of equipment and materiel for its originally intended military or lethal purpose.	4,15
Department of Defense Activity Address Code (DoDAAC). See DRNs 0395 and 6550, volume 12.	
Department of Defense Activity Address Directory (DoDAAD). The file of all Department of Defense customers clear-text addresses, address codes, and billing codes for use in preparation of bills to customers.	
Department of Defense Ammunition Code (DoDAC). See DRN 3767, volume 12.	3,15
Department of Defense Interchangeability and Substitutability (I&S) Family. A grouping of items which possess such physical and functional characteristics as to provide comparable functional performance for a given requirement.	
Depot Source of Repair (DSOR). An organic or contract activity designated as the source to provide depot maintenance of equipment. Only each Service's Maintenance Interservice Support Management Office (MISMO) assigns DSOR codes through the PICA Service cataloging function.	6
Design Control Reference. The primary number used to identify an item of production, or a range of items of production, by the manufacturer (individual company, firm, corporation, or Government activity) which controls the design, characteristics, and production of the item by means of its engineering drawings, specifications, and inspection requirements.	2,4
Document Availability Code (DAC). See DRN 2640, volume 12.	
Document Control Serial Number. See DRN 1000, volume 12.	1,5,6
Document Control Number. See DRNs 1015 and 3920, volume 12.	4,5,6,15
Document Identifier Code (DIC). See DRN 3920, volume 12.	1,2,4, 5,6,7, 13,14,15
DoD/Federal Functional Manager. The organizational element responsible for specific functions such as the Federal Catalog Program (DLA-SC), Item Management Coding (DLA-OP), Freight Classification Data (MTMC).	1

Volume(s)

DOE Controlled Commercial Items. End items, assemblies, components, and parts (including testing and handling equipment) which are standard commercial items used on or with nuclear weapons. Due to the nuclear weapons reliability concept, they require special testing or DOE control for quality assurance. These items are available only from the DOE through DNA and are all of "war-reserve quality" or "single quality". They are not security classified and are not commodity classified in FSC group 11. Item identifications for these items will each reflect a reference number coded with CAGE 87991.	
DOE Special Design Items. End items, assemblies, components, and parts (including testing and handling equipment) designed or manufactured by DOE or design controlled by DOE for use specifically in the nuclear ordnance field. These items are available only from the DOE through the Defense Nuclear Agency (DNA) and may be categorized as "war reserve quality", "training quality", or "single quality".	
Drop Table. Used by DLSC, when requested by Service/Agency activities, to eliminate distribution of unneeded data.	
Economic Feasibility. The determination of the cost effectiveness of a data system change. Design, development, programming, implementation, and appropriate Automatic Data Processing (ADP) equipment costs (including separate indication of ADP and non-ADP costs) should be related to the value of the automated data system change under development.	
Effective Date (ED). The year and Julian day denoting the date that a predetermined condition or action becomes effective in the defense logistics system. This date will always be the first day of a month; e.g., 83121 is 1 May 1983. An effective date will be either a "future" effective date or a "standard" effective date.	,6,13
Electronic Data Transmission. This is a world-wide Department of Defense computerized general purpose communications system which provides for the transmission of narrative and data pattern traffic on a store-and-forward (message switching) basis and subscriber (circuit switching) basis. (Formerly, Automatic Digital Network (AUTODIN)).	4,5,6,7
Electronic Data Transmission Message Control. A procedure that may be used by interested users to identify and verify receipt of FLIS data transmitted electronically for a fixed time period. See volume 8, DIC KWA.	
Electrostatic Discharge Code. A code to indicate whether an item is susceptible to 8,9, electrostatic discharge or electromagnetic inteference damage.	,10,15

End of Transmission (EOT). An ADP term indicating the conclusion of a transmission.

Equivalency Criteria. Criteria contained in section II of the FIIG consisting of data range conversion formulas and decision rules criteria used to determine characteristic equivalency and substitutability. Replies are equivalent when they are identical or become equivalent through the application of section II criteria. Replies NOT RATED and ANY ACCEPTABLE in the data base are not to be considered equivalent with respect to other definitive replies to a specific input requirement. Equivalent items are always "offered" to the processing activity requesting NSN assignment from DLSC for review and possible acceptance.	3
Estimated Demand. See DRN 0727, volume 12.	
Estimated or Actual Price. See DRN 0731, volume 12.	
Expendability, Recoverability-Reparability Code (ERRC). See DRN 2655, volume 12.	
Extra Long Characteristics Description (ELCD). Characteristics description data which consists of 5,000 characters or more.	2,3,4
Extra Long Reference Number (ELRN). A reference which exceeds the allowed field of 32 positions and must be carried forward to additional cards.	2,3,4
Federal Catalog System. A Federal program administered by DoD in conjunction with GSA. It shall name, describe, classify, and number each item repetitively used, bought, stocked, or distributed by the Federal Government so that only one distinctive combination of letters or numerals (or both) identifies the same item throughout the Federal Government.	1,3,4,6, 14,15
Federal Cataloging Program Statistical Series. A series of statistics required to reflect information pertaining to all Federal Cataloging Program transactions recorded in FLIS files against items which are managed by DoD activities, Civil Agencies, or foreign countries participating in the Federal Cataloging Program.	14
Federal Item Identification (FII). A description of an item of supply which consists of minimum data essential to establish those characteristics which give an item its unique character, and differentiate it from every other item of supply within the Federal Catalog System, and required related management data.	2,4,6
Federal Item Identification Guide (FIIG). A guide prescribing standard requirements, formats, and machine oriented coding structure for the collection of item characteristics and other item-related logistics data.	1.2.3.4. 5,7,14,15
Federal Item Name Director (FIND). Published as Cataloging Handbook H6 Series; provides item name data to Services/Agencies for use in development of item identifications.	4,15
Federal Logistics Data on Compact Disc. FED LOG utilizes a Personal Computer to access data stored on a Compact Disc - Read Only Memory (CD-ROM) providing a fast and efficient tool to research items currently in the supply system. Designed to replace microfiche, the information contained on this product is equal to seven major microfiche publications (MCRL, ML-C, DoD I&S, FILDR, H4/H8, H2, and selected portions of the H6). In addition to the FLIS data, FED LOG contains service unique data from the Army, Navy and Air Force.	17

Federal Logistics Information System (FLIS). An ADP system designed to provide a	All
centralized data bank in support of the Department of Defense, Federal Civil Agencies, and foreign countries participating in the integrated logistics support program.	All
Federal Supply Classification (FSC). Permits the classification of all items of personal property used by participating activities. Groups and classes have been established for the universe of commodities with emphasis on the items known to be in the supply systems of participating activities. This classification system with its present structure of groups and classes represents those groupings and relationships which are based on current, as well as anticipated, management needs. The Federal Supply Classification structure is modified, as the needs of management change, by the addition of newly developed groups and classes, the subdivision of existing classes, and the revision of definitions of classes. The uniform Federal Supply Classification is governed by daily management requirements and provides uniform management categories throughout military activities and Civil Agency organizations, functions, operations, and supply pipelines. It permits greater uniformity within and between Military Services and Civil Agencies in the operations of reporting, accounting, financial management, inventory control, and budgeting.	1,2,3,4, 5,6,13, 14,15
Federal Supply Classification Group 11, Nuclear Ordnance. A Federal Supply Classification group which includes those nuclear ordnance items which are not specifically commodity classified elsewhere.	4
Federal Supply Group (FSG). See DRNs 3994 and 3996, volume 12.	1,5,6, 13,14,15
File Maintenance Sequence Number (FMSN). See DRN 1515, volume 12.	4,6
Financial Inventory Accounting (FIA). Establishment and maintenance of inventory accounts in monetary terms and the rendition of reports thereon. Covers materiel in storage, in process, on hand, in transit, and on consignment.	
FLIS Advance Change Notice. A notification, to users of DoD 4100.39-M, of changes that must be implemented in the period between quarterly publication of changes and revisions.	1
FLIS Data Bank. A totally integrated logistics information repository, including graphics, necessary to support the various logistics functions. The central data bank is organized in two segments, the FLIS Data Base segment and the System Support Record segment.	1,2,3,4, 5,6,15
FLIS Data Base. The segment of the FLIS data bank containing the sum total of information (words, codes, and numbers) on an item required for identification and related data necessary to support various logistics functions. The FLIS data base is comprised of the following files: NIIN, Characteristics, Reference Number, and Graphics.	1,2,3,4, 5,6,7, 13,14,15
Foreign Countries (FC). (Changed from: Friendly Foreign Governments). A non-NATO nation participating in the Federal Cataloging Program through an agreement which provides for the furnishing of Federal catalog data and cataloging services by the United States on a reimbursable basis.	1,2,4,5, 6,7,15

series.

Freight Classification. The division of articles into groups according to physical characteristics for the purpose of transportation.	1,2,4,5, 6,15
Full Descriptive Method of Item Identification. The descriptive method of item identification establishes and delimits the concept of an item of supply by the delineation of the essential characteristics of the item which give the item its unique character and serve to differentiate it from every other item of supply. It may contain other characteristic data not used in the assignment of an NSN as specified in section III of the specific FIIG. The Full Descriptive Method (FDM) technique of item identification is a type 1 item identification which contains all essential characteristics of an item and differentiates it from every other item of supply.	2,4,14
Functional Description (FD). The FLIS FD provides:	1,8,9
a. The system requirements to be satisfied which will serve as a basis for mutual understanding between the user and the developer.	
b. Information on performance requirements, preliminary design, and user impacts including fixed and continuing costs.	
c. A basis for the development of systems tests.	
Functional Manager, DoD/Federal. See DoD/Federal Functional Manager.	
Functional/Operational Index (F/O). An index in grid form designed to assist the user in relating the item identification characteristics with the various logistic functions for data output products.	3,5,15
Gaining Inventory Manager (GIM). The inventory manager responsible for assuming wholesale material management functions.	2,6
Guide Number, Federal Item Identification Guide (FIIG). See DRN 4065, volume 12.	2,4
Hazardous Materiel Code (HMC). See DRN 2720, volume 12.	1,6,15
Hazardous Material Indicator Code. A code instructing the user on the type of hazardous material(s) used.	8,9,10,15
Immediate Response. The time elapsed from the point at which DLSC receives the last character of input data until DLSC transmits the first character of output data will not exceed one minute.	16
Industrial Plant Equipment (IPE). IPE is that part of DoD-owned plant equipment with an acquisition cost of \$1000 or more; used for the purpose of cutting, abrading, grinding, shaping, forming, joining, testing, measuring, heating, treating, or otherwise altering the physical, electrical, or chemical properties of materials, components, or end items entailed in manufacturing, maintenance, supply, processing, assembly, or research and development operations. IPE is further identified by noun name in joint DoD Handbooks, DLAH 4215	

Initial Coding. Application of the established IMC criteria by the ICPs to all National Stock Numbered items existing in FSC classes newly designated as commodity oriented.	6
Initiating Activity. An activity assigned the responsibility for the development, coordination, reconciliation, and submittal to DLSC of a completed FIIG and follow-up maintenance.	3
Integrated Materiel Manager (IMM). The DoD activity or agency that has been assigned wholesale integrated materiel management responsibility for the DoD and participating Civil Agencies. Integrated materiel management responsibilities include cataloging, requirements determination, procurement, distribution, overhaul repair and disposal of materiel. The terms Integrated Materiel Manager (IMM), Inventory Control Point (ICP) and Materiel Manager are synonymous.	1,2,4,6,
Interchangeability and Substitutability (I&S). Conditions which permit the exchange of one item for another without affecting design or performance beyond acceptable limits.	1,5.6.14
Inventory Account Code - Coast Guard. See DRN 0708, volume 12.	1
Inventory Control Point (ICP). An organizational unit within the supply system of a Military Service/Defense Logistics Agency which is assigned the primary responsibility for the management of a group of items, either within a particular Military Service or for the DoD as a whole. Responsibilities include computation of quantitative requirements; the authority to require procurement, repair materiel, or initiate disposal; development of world-wide quantitative and monetary inventory data; and the positioning and repositioning of materiel.	6,13,14
Item Characteristics. Physical, performance, and other item-related logistics data required to describe, differentiate, and manage items of supply.	3,4.
Item Identification (II). A collection and compilation of data to describe an item. The minimum data to develop an item identification are a combination of the item name, FSCM, manufacturers' identifying part/reference number, Reference Number Category Code (RNCC), and Reference Number Variation Code (RNVC). The maximum data required are the item name, all of the physical and performance characteristics data prescribed by a specific FIIG, and the manufacturers' identifying part/reference number. It may also include additional related reference numbers.	1.2.3.4, 5.6.13, 14,15
Item Intelligence. The sum total of data for a given item.	4
Item Intelligence Maintenance (IIM). A function in FLIS which provides for the processing of adjustments/revisions to established item identifications and characteristics in the FLIS Data Base.	
Item Logistics Data Transmittal (ILDT). The medium used for formatting data required to be transmitted to the data bank.	4

Item Management Coding (IMC). The process of determining whether items of supply in Federal Supply Classes assigned for Integrated Materiel Management qualify for management by the individual DoD components other than DLA or GSA. Coding is accomplished in accordance with DoD 4140.26-M, Defense Integrated Materiel Management Manual for Consumable Items.	1,2,6, 13,14
Item Management Coding Activity (IMCA). See DRN 2748, volume 12.	2,6,13,14
Item Management Statistical Series (IMSS). A series of informational type documents providing statistical data in support of the Federal Catalog System.	6,14
Item Name. See DRNs 5010 and 5020, volume 12.	1,3,4, 5,6,15
Item Name Code (INC). See DRN 4080, volume 12.	1,3,4, 5,6,14,15
Item of Production. Consists of those pieces or objects grouped within a manufacturer's identifying number and conforming to the same engineering drawings, specifications, and inspection.	4
Item of Supply. An item of supply may be a single item of production or two or more items of production that are functionally interchangeable or that may be substituted for the same purpose and that are comparable in terms of use. It is more meticulous (a selection of closer tolerance, specific characteristics, finer quality) than the normal item of production, or may be a modification (accomplished by the user or at request of the user) of a normal item of production.	2,3,4, 5,6,7, 14,15
Item Standardization Code (ISC). See DRN 2650, volume 12.	1,4,5, 6,14,15
Key Data Element(s). Data element(s) submitted to obtain the desired interrogation/search output as specified by the Output Data Request Code.	5
Language Media Format (LMF). A code used for AUTODIN transmission to the FLIS data bank. The code indicates source media and preferred output media.	2
Less Than Carload Rating Code (LCL). See DRN 2760, volume 12.	1,2,15
Less Than Truckload Rating Code (LTL). See DRN 2770, volume 12.	1,2,15
List. One of the types of catalogs within a series of publications (e.g., Identification List).	4,15
Losing Inventory Manager (LIM). The inventory manager responsible classes subject to IMC after initial IMC has been accomplished.	2, 6
Maintenance Action Code (MAC). See DRN 0137, volume 12.	6
Maintenance Coding. Application of the approved IMC criteria by the ICPs to all new or existing National Stock Numbered items which enter FSC classes subject to IMC after initial IMC has been accomplished.	6

Major Organizational Entity (MOE). The principal subdivision of Government organization under which component organizational entities are identified (e.g., Army, Navy, Air Force, Marine Corps, DLA, GSA, etc.).	1,2,3,4, 5,6,13, 14,15
Management Cognizance. The duties and responsibilities of a DSC, a Military Service activity, other DoD activity(ies), FAA, or GSA for management of an item of supply to the extent indicated by the MOE Rule.	2,6
Manufacturer (Mfr). A manufacturer may be an individual, company, firm, corporation, or Government activity that controls the design and production of an item, or produces an item from crude or fabricated materials or components, with or without modification, into more complex items.	4,7
Mass Change Processing. Mass change processing falls into two categories. Preprogrammed mass change is initiated by an SSR transaction which triggers or permits subsequent multiple actions to the DLSC and/or Service/Agency files. Special project mass change will require that original analysis and programming be accomplished to accommodate the requested actions.	1.2.6
Mass Data Retrieval. Mass data retrieval is designed to extract segment data from the FLIS Data Base or partial or complete files from the SSR based on the input of key data element(s). The content of the segments from the FLIS Data Base and the content of data elements from the SSR will be controlled through input of the appropriate Output Data Request Code DRN as indicated in volume 10, table 28 (Output Data Request Code/Access Key(s)).	1.5
Master Requirement Code (MRC). See DRN 3445, volume 12.	1,3,4,5,15
Master Requirements Directory (MRD). A publication containing the requirements, reply tables, Military Standard Item Characteristics Coding Structure (MILSTICCS), Master Requirement Codes (MRCs), and mode codes contained in published Federal Item Identification Guides (FIIGs).	1.3,5
Materiel Category Codes (MCC). See DRNs 2680 and 9256, volume 12.	
Materiel Condition Codes (MCC). See DRN 2835, volume 12.	
Materiel Management. Direction and control of those aspects of logistics which deal with materiel, including the functions of identification, cataloging, standardization, requirements determination, procurement, inspections, quality control, packaging, storage, distribution, disposal, maintenance, mobilization planning. Encompasses materiel control, inventory control, inventory management, and supply management.	2,6
Materiel Management Aggregation Code - AF (MMAC). See DRN 2836, volume 12.	1,13
Materiel Manager (MM). The director or organizational component responsible for performing the materiel management functions for assigned items.	1

processing.

Mechanization of Warehousing and Shipment Processing (MOWASP). A uniform data system designed to maintain consolidated freight location data and shipment handling information.	6
Military Engineering Data Asset Locator System. An automated system designed to quickly locate sources of engineering drawings stored in Military Engineering Data Asset Locator System. An automated system designed to quickly locate sources of engineering drawings stored in technical data repositories of DoD activities nationwide.	16
Military Service-Controlled Commercial Items. End items, assemblies, components, and parts (including testing and handling equipment) which, due to the nuclear weapons reliability concept, require special testing or control for quality assurance. The items or the data for the items are available only from the design controlling military activity; they may be categorized as "war-reserve quality" or "single quality". They are not security classified and are not commodity classified in FSC group 11. Item identifications for these items will reflect a reference number coded with CAGE Code 57991, 67991, or 77991.	4
Military Service Special Design Items. End items, assemblies, components, and parts (including testing and handling equipment), designed or manufactured by a Military Service or design controlled by a Military Service, for use specifically in the nuclear ordnance field. The items or the data for the items are available only from the design controlling military activity; they may be categorized as "war-reserve quality", "training quality", or "single quality". They may be security classified or nonsecurity classified and are not necessarily classified in FSC group 11.	-
Military Specification (MILSPEC). A procurement specification in the military series promulgated by one or more of the military agencies and used for the procurement of military supplies, equipment, or services.	3
Military Standard (MILSTD). An established or accepted level of performance in the military used as a yardstick in evaluating actual progress.	2.3.4.7
Military Standard Contract Administration Procedure (MILSCAP). MILSCAP will provide uniform procedures, rules, formats, time standards, and standard data elements for the interchange of contract-related information between and among DoD components and contractors. The provisions of the Armed Services Procurement Regulation are to be implemented in machine processable form, where feasible, in MILSCAP. The system administrator and the chairman of the ASPR Committee will assure compatibility between the two procedures.	1.7,15
Military Standard Item Characteristics Code Structures (MILSTICCS). The coding structure used to code characteristics data for item identifications transmission storage and	3,15

4

Military Standard Requisitioning and Issue Procedures (MILSTRIP). MILSTRIP will prescribe uniform procedures, codes, formats, documents, and time standards for the interchange of requisitioning and issue information for all materiel commodities (unless specifically exempted by the ASD (MRA&L)) between requisitioners and supply control/distribution systems in DoD and other participating agencies. MILSTRIP will include the applicable provisions of the Uniform Materiel Movement and Issue Priority System (UMMIPS).	6
Millstrap Standard Transaction Reporting and Accounting Procedures (MILSTRAP). MILSTRAP will prescribe uniform procedures, data elements, documents, and time standards for the flow of inventory accounting information pertaining to receipt, issue, and adjustment actions between inventory control points, stock control activities, storage sites/depots, and posts, camps or bases (unless specifically exempted by the ASD (MRA&L)). Card formats and data elements employed in MILSTRAP will be designed to complement the techniques prescribed in MILSTRIP and to provide the means for generating financial inventory data required for management and transaction reports and financial reports.	
Military Standard Transportation and Movement Procedure (MILSTAMP). The MILSTAMP DoD Regulation will contain all necessary forms, formats, codes, procedures, rules, and methods required by DoD components in the movement of materiel. It is a complete reference for policy and procedures governing data elements, documentation and information flow. Supplementing procedures are authorized only to the extent of assuring more detailed operating instruction required by action offices or to cover variances in capabilities.	6
Prescribed address-marking data elements, formats, and requirements are contained in MILSTAMP and will be reflected in MIL-STD-129, Military Standard Marking for Shipment and Storage, which is maintained by the Department of the Army. MILSTAMP will include the applicable provisions of the Uniform Materiel Movement and Issue Priority System (UMMIPS).	
Military Traffic Management Command (MTMC). A command under the Department of the Army responsible for procurement, use, cost, and control of commercial transportation services required in the movement of cargo and passengers for the DoD components.	1,2,4,6,15
MINIMIZE. A condition wherein normal message and telephone traffic is drastically reduced in order that messages connected with an actual or simulated emergency shall not be delayed.	2,4
MOE Rule Related Data. Consists of Item Management Status Data and the NIMSC Code, AF Materiel Management Aggregation Code, supplementary data collaborators/receivers, Item Management Code, the IMCA, and effective date.	2,4,6

National Codification Bureau (NCB) Code. See DRN 4130, volume 12.

National Item Identification Number (NIIN). See DRN 4000, volume 12.	All
National Motor Freight Classification Code (NMFC). See DRN 2850, volume 12.	1,2.6,15
National Stock Number (NSN). See DRNs 3960, 0126, 8525, 4120, 4150, 0260, 2895, 8875, 8869, 8878, and 8977, volume 12.	1,2,3,4, 5,6,13, 14,15
NATO Stock Number (NSN). An item of supply produced by a NATO member nation other than the U.S. identified by that nation by the assignment of a NATO Stock Number (e.g., 0000-21-000-0000). When such items enter the supply system of the U.S. Government, they will be identified by the NATO Stock Number if codification agreements have been extended to provide for acquisition of foreign item identification data through DLSC. For such items, the NATO Stock Number will be used and recognized as the National Stock Number in internal management of the item in the U.S.	1,4,6
NATO Supply Code for Manufacturers (NSCM). See DRN 4140, volume 12.	1.4.5, 7,15
Navy Cognizance Code. See DRN 2608, volume 12.	1.13
Next Higher Classifiable Assembly. This term is understood to mean the next higher assembly on or with which the item is used as a subassembly, part, attachment, or accessory. Also, the classification of the higher assembly is indicated specifically in Groups and Classes of the Federal Supply Classification (Cataloging Handbook H2-1) or is listed specifically as an entry in the Numeric Index (Cataloging Handbook H2-2). The term "higher assembly" is used for brevity and may actually include components, sub-assemblies, assemblies, and end items or systems.	4
Nominal Value. A value, excluding tolerance, used for the purpose of general identification usually expressed as a fraction, size number or letter, code number, gage number, or decimal number.	
Non-Approved Item Name (NAIN). See DRN 5020, volume 12.	3
Non-Duplicate (NDUP). When the item identification is sufficiently close to, but not an actual duplicate characteristically of, an existing Federal item identification and there are no matching reference numbers.	4
Normal Source of Procurement. See DRN 0721, volume 12.	
Nuclear Hardness Critical Item (NHCI). As defined in DoD-STD-100C. A hardware item at any assembly that is mission critical and could be designed, repaired, manufactured, installed or maintained for normal operation, and yet degrade system survivability in a nuclear environment if hardness were not considered.	
On Hand/Due In. See DRN 0722, volume 12.	
Operational Feasibility. The determination of whether a data system change will operate properly and be properly used once developed and implemented.	1

Operational Need Date. See DRN 0726, volume 12.	
Optical Character Recognition (Reader) (OCR). A data processing technique (device) which converts, by optical means, the characters placed on paper into a code suitable for input to a computer.	1,2,7
Organizational Entity (O.E.). An organizational element, segment, or entity for cataloging; DoDAAC, bidders, manufacturing, or nonmanufacturing activity or establishment, etc.; and attribute data ascribed in the entity for the purpose of intensifying its meaning, characteristics, responsibility, eligibility, and area(s) of authority.	1,3,4, 5,6,7, 14,15
Original Federal Item Identification. An item identification which has been approved by the Defense Logistics Services Center and assigned a National Stock Number, but which has not been revised, transferred, or cancelled.	4
Originating Activity. Any participating activity which originates proposed new or revised cataloging tools and/or proposed new or revised item identifications and related data for submittal directly or indirectly to DLSC for approval. It may be a managing activity which prepares its own catalog data for submittal or may be another activity functioning as a catalog agent for the managing activity. In those cases where the originating activity is authorized to submit proposals directly to DLSC rather than through an intermediate monitoring activity (e.g., Defense Supply Center; Defense Nuclear Agency), the originating activity assumes the status also of a submitting activity.	2,4,5,6
Originating Activity Code. See DRN 4210, volume 12.	1,4,5, 6,15
Output Data Request Code (ODRC). See DRN 4690, volume 12.	1,2,4,5,6
Package Sequence Number (PSN). See DRN 1070, volume 12.	1,2,4, 5,7,14
Partial Descriptive Method Item Identification (PDM). A Partial Descriptive Method (PDM) of item identification is a type 4 item identification which contains one or more characteristics in addition to the item name but does not contain all characteristics required for an FDM.	2,4,14
Permanent System Control Number (PSCN). See DRN 4250, volume 12.	1,2,4, 5,6,15

Volume(s)

1,2,6,15

Possible Duplicate Item-of-Supply Concepts. An item-of-supply concept expressed by an existing item identification shall be considered a possible duplicate of a concept expressed by a proposed item identification or another existing item identification when (1) there is enough similarity in descriptive data and/or (2) there is one or more common reference number(s) related to each item to indicate that the same item of production is involved, or that the one single concept is adequate or may be established to identify the item of supply. Such cases warrant reference to the managing activity(ies) for verification of descriptive and/or reference data. Reconciliation of such data normally will result in revision of one or both concepts to more clearly differentiate the items or in a proposal to cancel one of the item identifications as an actual duplicate, as invalid, or to use the other item identification (cancel-use).	4
Precious Metal Indicator Code (PMIC). A code indicating the presence of precious metals (Gold, Silver, Platinum or a combination).	8.9,10,15
Price Validation Code, Air Force (PVC). See DRN 0858, volume 12.	
Primary Inventory Control Activity (PICA). See DRN 2866, volume 12.	1,2,4,5, 6.13.14
Primary Reference Number. The number used to identify an item of production or a range of items of production by the manufacturer (individual company, firm, corporation, or Government activity) which controls the design, characteristics, and production of the item through its engineering drawings, specifications, and inspection requirements. The number is the "design control reference".	4
Priority Indicator Code (PIC). See DRN 2867, volume 12.	2.4,5.14
Production Lead Time. See DRN 0730, volume 12.	•
Proposed Original Item Identification. An item identification for an item in or entering a supply system which has not yet been approved by the Defense Logistics Services Center (DLSC) as a Federal item identification assigned a National Stock Number.	2.4
Provisioning Screening Master Address Table (PSMAT). See DRN 0232, volume 12.	1.5,7
Provisioning Supply Support Request. Indicated by Card Identification Code P to show that a Supply Support Request received by the IMM from an ICP is the origin of the request when the item is in an FSC class subject to IMC.	2.6
Qualitative Value. The portion of a reply that expresses quality such as color, shape, material, condition, etc.	3
Quantitative Value. The portion of a reply which expresses a numeric value for such characteristics as dimensions, measure, magnitude, electrical rating, etc.	3
Quantity Unit Pack (QUP). See DRN 6106, volume 12.	6,15
Day to a company to a	

Rail Variation Code. See DRN 4760, volume 12.

Reactivation Coding. Application of the approved IMC criteria by the ICPs to inactivated NSNs for which an IMM was the last manager, and the ICP is not currently recorded as a user.	6
Receiver Code. See DRN 2534, volume 12.	
Record Separator. The symbol used to indicate the completion of a characteristic reply or to indicate end of record.	16
Reference Drawing. Reference Drawing Groups (RDG) appear in Appendix B of the Federal Item Identification Guide (FIIG). The drawings will be isometric when possible, and will be configured with dimensional requirements necessary to describe basic item features.	
Reference Method of Item Identification (RM). The reference method of item identification establishes and delimits the concept of an item of supply by reference(s) to the item-identifying number(s) of one or more manufacturers denoting the item or items of production included under the concept. Thus, under the reference method the essential characteristics of the item of supply are not delineated in the item identification but are ascertainable by research of the data represented by the manufacturers item-identifying number(s).	2,4,6,14
Reference Number. A reference number is any number, other than an activity stock number, used to identify an item of production or, either by itself or in conjunction with other reference numbers, to identify an item of supply. Reference numbers include manufacturers part, drawing, model, type, source-controlling, or specification-controlling numbers and the manufacturers trade name, when the manufacturer identifies the item by trade name only; NATO Stock Numbers; specification or standard part, drawing, or type numbers. The submittal of all known reference numbers related to an item of production or an item of supply, with the applicable Reference Number Category Code, the applicable Document Availability Code, and the applicable Reference Number Variation Code, is mandatory.	2,4,5,14,15
Reference Number Action Activity Code (RNAAC). See DRN 2900, chapter 12.2.	1,4
Reference Number Category Code (RNCC). See DRN 2910, chapter 12.2.	2,4,5,6, 15
Reference Number Category Code Combination. Consists of the Reference Number Category Code (RNCC), Reference Number Variation Code (RNVC), and Document Availability Code (DAC) as expressed in volume 10, table 8.	
Reference Number Format Code (RNFC). See DRN 2920, chapter 12.2.	4,5
Reference Number Justification Code (RNJC). See DRN 2750, chapter 12.2.	1,4
Reference Number Status Code (RNSC). See DRN 2923, chapter 12.2.	
Reference Number Variation Code (RNVC). See DRN 4780, chapter 12.2.	2,4,5,15

Reference/Partial Descriptive Method Reason Code (RPDMRC). See DRN 4765, chapter 12.2.	1,2,4
Reinstated Federal Item Identification. A Federal item identification which has been cancelled but which has subsequently been reauthorized for use to identify an item of supply.	4,6
Remote Ouput Format Code. See DRN 0841, chapter 12.2.	16
Reparability Code - Coast Guard. See DRN 0709, chapter 12.2.	1
Reply. A reply (data item) is the answer to a specific requirement.	3,4
Reply Code. A code that represents an established reply to an approved requirement.	3,4
Reply Table. A listing of replies (data items) applicable to a requirement or group of requirements derived from a single data element. Each reply in the table is assigned a different reply code.	3,4
Report Control Symbol (RCS). Set of letters and numbers which identifies an approved report and authorizes its initiation and preparation.	2,14
Reports Generator. Designed to produce one-time listings or reports from the FLIS files.	1.5
Requirement. A definition of a required characteristic.	3,4
Requirement, Lead-In. A general requirement identifying and providing guidance for reply to a specific range of following requirements. A lead-in requirement is never assigned a PAC/MRC, nor does it ever require a reply.	3
Requirement, Major. A requirement which, in addition to requiring a reply, may necessitate replies to succeeding subordinate requirements (subrequirements) dependent upon the specific reply given to the major requirement (see definition of Requirement, Lead-In and Requirement, Subordinate).	3 ,
Requirement, Subordinate. A requirement for which the reply is dependent on a lead-in requirement or major requirement (also termed "subrequirement").	3
Retail Manager (RM). A materiel manager or another designated activity within a Military Service/Agency having retail responsibility for an item of supply where the wholesale materiel management functions are performed by an IMM, including DNA, NSA, and TACOM.	6
Retroactive Coding. Scheduled application of the approved IMC criteria by the ICPs to item(s) in FSC classes designated as commodity oriented which were previously coded for Service retention.	6
Return Coding. A request to effect the return of an item currently coded for Integrated Materiel Management to Service management by the application of IMC criteria.	6

Routine Reclassification Action. Indicated by Card Identification Code F to show that DLSC has reclassified an item from a weapons system oriented to a commodity oriented FSC class and IMC criteria must be applied.	6
Routing Identifier Code (RIC). A group of letters or numbers assigned to indicate the geographic location of a station, a fixed headquarters of a command, activity, or unit at a geographic location, and the general location of a tape relay or tributary station to facilitate the routing of traffic over the tape relay networks.	1,2,6
Secondary Address Code (SAC). See DRN 8990, chapter 12.2.	1,3,4
Secondary Address Indicator Code (SAIC). See DRN 9485, chapter 12.2.	3
Secondary Inventory Control Activity (SICA). See DRN 2938, chapter 12.2.	1.2.6. 13,14
Service/Agency Designator Code (SADC). See DRN 4672, chapter 12.2.	2.4.15
Service Item Control Center (SICC). An activity which: (1) serves as a Military Service focal point for resolution of support problems for required weapons systems oriented consumable items managed by another Military Service; (2) performs such residual technical functions as configuration control, item qualitative acceptability, allowance list preparation, and maintenance of internal program support responsibility; and (3) provides assistance to the IMM. as necessary, to support requiring Service users on a timely basis.	2.6.13.14
Shelf Life Code (SLC). See DRN 2943, chapter 12.2.	6,15
Simplified File Maintenance (SFM). FLIS output consisting of a monthly maintenance update, a cumulative monthly basic record, and semiannual basic replacement record for activity files shall be provided for Federal Item Identification Data and Catalog Management Data. It shall be distributed in NIIN sequence to authorized subscribing activities on magnetic tapes via mail. Data furnished from two or more functional areas shall be sequenced together.	1,2
Single Quality Items. Items (such as nuclear ordnance test and handling equipment) authorized for use on or with both war-reserve and training nuclear weapons.	4
Single Submitting Activity. See DRN 9255, chapter 12.2.	2,4
Source Controlled Federal Item Identification. A type 1, 1B, 2, 4, or 4B Federal Item Identification (original, revised, transferred, or reinstated) representing one or more specific manufacturer's items of production certified by an end item manufacturer, or by a Government activity, to be the only known items suitable for the specific application.	4
Source of Supply Code (SOS). See DRN 3690, chapter 12.2.	4,5,6, 14,15
Source of Supply Modifier Code (SOSM). See DRN 2948, chapter 12.2.	6

1,6,15

Specially Designed Item. The term "specially designed item" is an abbreviation of the term "specifically designed for specific use on or with specific individual types of equipment" as used in the notes in Cataloging Handbooks H2-1 and H2-2. In order to be accepted as specially designed, an item does not have to be designed specifically for use on a single piece or single model of equipment; the item may be designed for use with categories of equipment, such as all kinds of printing presses, all kinds of diesel engines.	4
Special Packaging Requirement. See DRN 0725, volume 12.	
Standard Requirement. A lengthy requirement which, because it is used repeatedly in many patterns, has been put in standardized form.	4
Standard Test Data Base (STDB). Maintained at DLSC with data input by Services/Agencies participating in the interface test program.	1
Statistical Indicator Code. See DRN 3708, volume 12.	
Submitted Package Sequence Number (SPSN). See DRN 8328, volume 12.	
Submitter Code. See DRN 2535, volume 12.	
	1,2,3,4, 5,6,7
Submitting Activity Code. See DRN 3720, volume 12.	1,4,5,15
Supply Management Data. Item data which do not affect NSN assignment but are necessary to support logistics functions.	3,6
Supply Support and Cataloging Action Request. Indicated by Card Identification Code V to show that an SSR other than provisioning received by the IMM from an ICP is the origin of the request when the item is in an FSC class subject to IMC.	6
Supply Support Request (SSR). A request submitted by the activity responsible for supporting an end item being provisioned to a Commodity Integrated Materiel Manager which manages some of the support items or is a potential manager of some new support items used in the end item.	2,6
Suspense File. The portion of the process control sector (SSR) which will serve as a temporary repository of unique information of functional value to the Service/Agency for the implementation of a logistics data transaction within DLSC.	1,4,5
System Advisory Notice (SAN). Notification to Services/Agencies of the SCRs scheduled for implementation in a given SMR. The SAN will be published approximately 300 days prior to a scheduled implementation date.	1

System Change Request (SCR). A formal request for modification of the FLIS.

System Control Number (SCN). See DRN 3735, volume 12.	4,6
System Management Release (SMR). Notification to Services/Agencies of a scheduled change that will be implemented. The SMR will be published approximately 240 days prior to a scheduled implementation date.	1
System Support Record (SSR). The segment of the FLIS data bank containing the sum total of information (guides, program subroutines, tables, rules, controls, statistics, codes, terms) required to support or specify the content and utilization of the FLIS data base. The SSR is comprised of the following files: Organizational Entity, Item Name, FSC, FIIG/DP/Guide, Table Look-Up, Graphics, Process Control, Mass Changes to FLIS Data Base, Mass Data Retrieval, and Tailored Data Interrogations.	1, 2, 5, 6 7, 13, 14 15
Technical Feasibility. The determination of whether the development of a data system change is possible within the limits of available technology.	1
Training Quality Items. Items designated for use on or with training nuclear weapons or on nuclear ordnance test and handling equipment but not authorized for use on war-reserve nuclear weapons.	4
Type of Cargo Code. See DRN 9260, volume 12.	1,2.15
Type of Financial Management Control. See DRN 0729, volume 12.	
Uniform Freight Classification Code (UFC). See DRN 3040, volume 12.	1,2.6.15
Unit of Issue (U/I). See DRN 3050, volume 12.	2,6,14,15
Unit of Issue Conversion Factor. See DRN 3053, volume 12.	6
Unprocessable Transaction. Transactions which did not contain the minimum essential control elements required for processing. These transactions are not queued for further processing and are not retained in the FLIS files.	1,2.4.6
Using Service Code. See DRN 0745, volume 12.	
Voluntary Standard. A product standard developed under procedures published by the Department of Commerce. Its adoption by a particular industry, company, or organization is voluntary. It is used as a standard for the procurement and production of a product.	6
War-Reserve Quality Items. Items authorized for use on or with war-reserve nuclear weapons but not designated for use on training nuclear weapons or test and handling equipment.	4
Water Commodity Code. See DRN 9275, volume 12.	1,2,15
Withdraw. The word "withdraw" in these procedures refers specifically to activity action to remove existing data from DLSC files.	2,6

CHAPTER 1 INTRODUCTION TO FLIS

1.1.1 Scope

The Federal Logistics Information System (FLIS) is a management system designed to collect, store, process, and provide item-related logistics information. The FLIS is open-ended and capable of being expanded to accommodate additional logistics data management concepts and applications. For the purposes of FLIS, logistics is the science of accomplishing the description, acquisition, storage, distribution, maintenance, and disposition of military materiel and civilian products for Government use.

a. The information in the FLIS data bank relates to military activities, Federal Civil Agencies, participating foreign countries, and private industry, and this manual applies to all users. It provides operating procedures for processing management information in the following major logistics areas:

Supply Management
Item Identification
Mass and Tailored Interrogations
DoD Interchangeability and Substitutability
(I&S) Family Data
Standardization

b. This manual provides *input* procedures for interfacing with FLIS and the types of response or output that will be provided by FLIS to the customer. Participants may, when required, issue implementing instructions to their activities relative to and consistent with the procedures contained herein; they must also be consistent with the principles and policies established by the Department of Defense (DoD).

1.1.2 FLIS Objectives

- a. Support and use logistics data of the Federal Catalog System.
 - b. Establish a central repository of logistics man-

agement information (clearly identified as to source, format, and function) based on the current availability or development of:

- (1) A world-wide network designed to transmit logistics data, as transactions occur, on a self-addressing basis, from and to all applicable management levels of the United States and selected foreign governments.
- (2) Standard coding of data elements common to FLIS and related logistics programs.
- (3) Adequate random access storage and retrieval capability which will provide both push and pull methods of information retrieval.
- c. Ensure that storage techniques used at the Defense Logistics Services Center (DLSC) central repository provide a completely integrated FLIS data base structured to provide data responsible to Service/Agency requirements. Ensure that the DLSC logistics data support capability be subjected, as required, to strict communications/ automatic data processing (ADP) disciplinary edits and controls. Avoid establishment of satellite files and data element redundancy.
- d. Design the data record and retrieval system so that it is open-ended and can provide for expansion and the advancement of a total system concept.
- e. Ensure the development of a management data reporting and/or information portrayal system based on the intelligence contained in the central repository and the justifiable requirements of materiel managers at all levels. It should provide the visibility needed to evaluate the progress and effectiveness of various logistics management programs and permit managers to pinpoint problem areas requiring immediate corrective action.

- f. Ensure implementation is accomplished by increments in scheduled phases designed to minimize disruption to the logistics support and management operations of participating Services/Agencies.
- g. Record, maintain, and distribute DoD information supporting item interchangeability and substitutability data systems.
- h. Provide positive control and surveillance over data contained in the system from time of receipt to time of ultimate purging to ensure integrity, validity, and currency.
- i. Establish system security for restricting the adding, deleting, or changing of individual data elements to only those activities authorized to do so as stated in this manual.

1.1.3 Frequency and Media of Changes

a. Additions/changes/deletions to this manual resulting from actions taken in accordance with chapter 1.3 are disseminated by one of the following methods:

(1) Revisions:

- (a) Represent a reprint of a volume of the manual. This is done when quarterly change page substitutions, in relation to the total page count for a given volume, reach:
 - 50 percent in one quarter, or
 - 125 percent in less than two years, or
- 40 percent (25 percent for volume 13) in not less than two years.
- (b) Include the content of the previous revisions, quarterly numbered changes, changes announced by FLIS Advance Change Notices, additions/changes/deletions that occur as a result of system changes, and/or other applicable changes

that occur in the time period. Supersede the previous basic/revision, quarterly changes, and FLIS Advance Change Notices. This supersession is clearly noted at the bottom of the Foreword.

- (c) Are effective on the date(s) cited on the Foreword. In the event that any paragraphs/pages are to be effective on a different date, this date will also be noted in the Foreword.
- (d) Disseminated in accordance with distribution requirements furnished by the S/As in response to DLSC solicitation. S/A distribution is reflected on the Foreword if requested by the Services/Agencies.
- (e) Published and distributed in the same manner as the initial publication. The only identification is the DoD number, date, and supersession notice at the bottom of the Foreword.

(2) Quarterly Numbered Changes:

- (a) Published every 90 days in accordance with schedules reflected in appendix 1-4-F and include the changes announced by FLIS Advance Change Notices, additions/changes/deletions that occur as a result of system changes, and/or other applicable changes that occur in the covered time period.
- (b) Prepared as page substitutions. Line entry(s)/paragraph changes are not permitted.
- (c) Forwarded under cover of a change sheet which indicates the significant changes and/or deletions, provides a cross-reference of replacement pages, and cites the effective date(s) for all changes. Any page(s) having an effective date different from the basic date cited for the change will be noted using special symbols and footnotes.
- (d) Disseminated in accordance with distribution requirements furnished by the S/As in re-

sponse to DLSC solicitation. S/A distribution is reflected on the change sheet if requested by the S/A.

- (e) Issued as single changes (not cumulative). Quarterly numbered changes will include changes published in the FLIS Advance Change Notices; superseded advance change notices will be identified at the bottom of the change sheet.
- (f) Sequentially numbered at the top of each page just above the DoD number:

CH 1 DoD 4100.39-M Volume 1

- (g) Prepared by volume, with change numbers for each volume assigned sequentially. (Since a quarterly change will be issued only for volumes that are affected, the latest change number may vary from volume to volume.)
- (h) Remain in effect until superseded by subsequent quarterly change, revision, or advance change notice.
 - (3) FLIS Advance Change Notices (ACNs):
- (a) Used to issue changes/additions/deletions that must be implemented during the period between quarterly publications and revisions.
- (b) Issued when one or more of the following conditions prevail:
- (1.) The identification of errors, conflicts, or voids in this manual that require immediate update because they affect input to or output from the FLIS.
- (2.) Changes required to reflect emergency type system changes.

- (c) Disseminated by DLSC in the form of notifications, except those for volume 13. Complete page changes will be issued for all changes to volume 13. For notifications, the following criteria apply:
- (1.) Minor changes will be issued in the form of word, sentence, or paragraph changes.
- (2.) Complete pages will be furnished in an ACN only when pages are added or extensive changes are made to a page. An extensive change is one which extends to more than fifteen percent of a page.
- (3.) Page replacements will be furnished for all changes in the next scheduled quarterly change or revision.
- (d) Sequentially numbered and issued by volume. The number will consist of the calendar year, the volume number, and a sequence number; e.g., 83-1-1, 83-1-2, etc., for volume 1. The sequence numbers are assigned serially by volume and begin at 1 for each calendar year. The subject and distribution lines will also indicate the affected volume of DoD 4100.39-M, FLIS Procedures Manual.
- (e) Expiration date will not exceed 180 days from date of the change notice.
- (f) Distributed to selected addressees who are recipients of FLIS ACNs. Requests for changes to addresses/copies of the FLIS ACN distribution lists will be directed to DLSC-VPH.
- b. Changes on replacement pages are indicated by bold-face italic type, or the special characters listed below. Significant deletions will also be mentioned in the Foreword or quarterly change sheet.
- (1) Replacement pages for advance change notices to volume 13 will use the following indicators for Major Organizational Entity (MOE) Rule/

Federal Supply Classification (FSC) changes (see volume 10, table 166, or volume 13, paragraph 13.1.3.d):

A - New D - Deleted C - Cancelled R - Revised

1.1.4 Numbering System

a. Volumes are numbered and subdivided as follows:

Volume 1 1.1 Chapter 1.1.1 Section Paragraph a. 1st Subparagraph (1) 2nd Subparagraph (a) 3rd Subparagraph (1.)4th Subparagraph (a.) 1. 5th Subparagraph

b. Pages are numbered consecutively for each

chapter. When changes require the addition of pages within a chapter, a point (.) and number will be added to the preceding even page number.

Example: 1.1-2.1
Volume 1
Chapter 1.1
Page 2
Page added .1

NOTE: Exceptions to this numbering system occur in volumes 8 through 11; each input/output Document Identifier Code (DIC), data code table, and edit/validation begins with page number 1. Pages may be added within volume 10 data code tables only.

c. Appendices are placed at the end of the applicable chapter. Appendices are identified with the volume number followed by a dash, the chapter number, a second dash, and an alpha designator (e.g., 1-1-A).

CHAPTER 3 FLIS CONCEPT AND PRINCIPLES

1.3.1 DIC Concept and Principles

- a. Three-position Document Identifier Codes (DICs) are used for FLIS transactions. The first position signifies input or output; the second position identifies the type of action. In many cases the third position identifies the functional area.
- (1) All input transactions to the DLSC will be identified with high order (first) position L. Output transactions from DLSC will contain the letter K. The input DIC will be reflected in the K output header for the convenience of the recipient.
- (2) Unique DICs have been assigned to identify all uncommon conditions. Significant codes were assigned where possible to relate the second position to the action represented by the transaction. Visibility has been incorporated into the second position of the DIC as follows:
 - A Add
 - B Reinstate
 - C Change
 - D Delete
 - K Cancel
 - *N New Submittal
 - Q Files Compatibility
 - *R Resubmittal
 - *S Screening/Search
 - *T Interrogation
- *Input DICs only
- (3) Other visibility has been incorporated into the third position of the DIC structure but does not always hold true because of certain limitations. For example, LAF represents an input transaction to DLSC to add freight; KCM represents an output transaction from DLSC to change management data.
- (4) All FLIS DICs are listed in volume 10, table 105.

- b. There is an input header, an output header, and segments containing several types of logistics data. In the FLIS a segment is a group of related data elements, functionally categorized, used to add or update a given record and to output required data from the data bank. Segments within an input DIC transaction package should be arranged in sequence by segment whenever possible. It is mandatory that each variable length format package begin with a header record.
- (1) FLIS data base segments are identified by a single numeric digit or alphabetic symbol; e.g., 1, 2, 3, A, B, C.
- (2) The System Support Record (SSR) portion of the FLIS uses three numeric digits to identify each SSR segment. The initial high order digit is always a numeric 8. The additional-two digits (the Supplemental Segment Code, e.g., 21) identify the specific SSR function. (Segment 821 identifies the name/

address data in the FLIS Organizational Entity record.)

- c. Any error detected in an input transaction which cannot be corrected mechanically will result in return for correction. All error conditions contained in the input transaction will be identified to the degree possible in the return transaction. In addition, certain transactions will be suspended at DLSC for subsequent corrective action by the submitter.
- d. A three-position Package Sequence Number (PSN) will be used to sequence and indicate the number of records in a FLIS input/output package.
- (1) The PSN will be constructed by entering A01 in the first segment record, A02 in the second segment record, A03, etc.
 - (2) The last segment record will contain the

letter Z in the first position of the PSN to designate the last record for a DIC. It will be suffixed by the next successive number(s) in positions two and three (e.g., A01, A02, A03, Z04).

- (3) An input/output package with only one record will contain a PSN of Z01.
- (4) If a transaction package exceeds PSN Y99, then PSN Y99 will be repeated until the final record which will be Z00.
- e. The data element oriented format identifies data fields through the use of a Data Record Number (DRN) as reflected in volume 12, or by a Master Requirement Code (MRC) as reflected in Federal Item Identification Guides (FIIGs) and the Master Requirements Directory (MRD). Several segments of this type are:

Segment 1

Segment M

Segment P

Segment Q

Segment R

Segment V

Segment Z

(See volume 8, chapter 8.3 or volume 9, chapter 9.3 for segment definitions and formats.)

- f. Multiple DICs will be used within a transaction package when multiple actions must be processed together to assure that predetermined concepts are retained. This condition will be identified in the input header by showing a primary DIC of LMD. Additional DICs will be included in the package (same Document Control Number (DCN)) indicating specific actions required.
- g. Multiple NSNs will be used within a transaction when two or more NSNs are required to be processed simultaneously as an entity to assure that

predetermined concepts are retained. This condition will be identified in the input header by showing a Primary DIC of LMX. Additional DICs will be included in the package (same DCN) indicating specific actions required.

- h. All variable length input/output packages will consist of a header record containing a DIC followed by additional segments when applicable, each identified by a segment code. Refer to section 1.3.3 and volume 8, chapter 8.3 for fixed record formats.
- i. Segment B must be used when adding or changing a Major Organizational Entity (MOE) Rule. However, other MOE Rule data elements are altered using a data element oriented record (segment R). When a data element oriented record is used to add, delete, or change data field(s) in a segment B record, the MOE Rule being affected must be cited in the transaction.
- j. Any add, delete, or change to data element(s) in segment C (Reference Number Segment) must be accomplished by using the segment C format in lieu of the data element oriented format. Data elements within the C segment which are not involved in the transaction will be omitted.
- k. DIC LCG (not LCD) will be used when a Federal Supply Class (FSC) change is to be processed by itself or in combination with item identification type, Item Name Code, or Reference/Partial Descriptive Method Reason Code (RPDMRC) changes.
- l. The return/action code is used in conjunction with a DIC to identify precise conditions. Return codes will be applied by DLSC to indicate the reason specific transactions are returned. Action codes will be applied by the submitter to advise DLSC of action to be taken with resubmissions. In both instances pertinent data elements may be identified by a DRN/MRC.

- m. Whenever a multiple transaction (DIC LMD) submitted to DLSC results in multiple maintenance type outputs (i.e., two or more update actions on the same item with the same DCN), DLSC will generate an output package with KMD as the primary DIC. The specific maintenance actions will be identified in the output package with the applicable DICs. For example, if an LMD was submitted to DLSC containing maintenance action DICs LCD, LCC, and LAR, the resulting output would reflect output DICs KCD, KTD, and KAR. These DICs would be included in one output package having the primary DIC KMD in the output header.
- n. DIC LCC is submitted to add, delete, or change characteristics data. DLSC will generate and forward a complete revision of the characteristics data in lieu of only those characteristics that were added, deleted, or changed. Output DIC KTD will be used.
- 1.3.2 Provisioning and other Preprocurement Screening. Provisioning and other Preprocurement Screening is the requirement to screen all known reference numbers associated with an item of supply against the FLIS database to reveal their association with existing NSNs. It is designed to:
- a. Limit the entry of new items in the DoD supply system to those necessary to support logistics requirements.
- b. Utilize available stocks of items already in the supply system to meet provisioning and other logistics requirements so as to avoid unnecessary procurements.
- c. Execute the mandatory requirement to screen reference numbers for all support items recommended or being considered for procurement.
- d. Facilitate the requirement on the contractor or government activity to furnish all known reference

numbers for each item to be screened prior to procurement or cataloging action.

- e. Provide for the screening of data files on releasable stocks, transferable retention stocks and DoD potential excess stocks for materiel utilization purposes.
- 1.3.3 Types of Output Distribution. Catalog Output Data will be distributed to data receivers authorized by the S/As. FLIS output generated by DLSC is either file maintenance or notifications. FLIS data base file maintenance is any add, change, or delete action reflecting data related to a National Item Identification Number/Permanent System Control Number (NIIN/PSCN) or establishment of a new National Stock Number (NSN). Notification data is output to inform designated recipients that the data has been received and processed. Information concerning mechanized file maintenance of SSR tables and files is contained in paragraph 1.3.3.f.(14) and section 1.3.11.
- a. The major distribution concept is to provide whatever output is required by the Services/ Agencies. Forward requests for original or revised distribution requirements through your respective head-quarters to:

Commander
Defense Logsitics Services Center (DLSC)
ATTN: DLSC-SB
Federal Center
Battle Creek, Michigan 49017-3084

- (1) Distribution will be made to S/A central points or individual activities as specified by the S/A.
- (2) Media and format will be as specified by the S/A for each data recipient. Format choice is either variable length or fixed length. Media choices include magnetic tape, Electronic Data Transmission

(message data), or Federal Item Logistics Data Records. Exceptions are that SSR output will be in fixed format only, and Simplified File Maintenance will be in a specific format and will be available only on magnetic tape.

- (a) See volume 2, section 2.3.2 for distribution of magnetic tape by mail.
- (b) When electronic data transmission is selected, the activity must indicate fixed or variable length and furnish a routing identifier code. An alternate output media (magnetic tape or punched cards) must also be furnished for use when electronic facilities are not available or an output transmission is restricted from electronic transmission.
- (3) Controls have been established to ensure that a specific activity does not receive the same output more than once.
- b. The sequence of FLIS data base file maintenance output transactions is NIIN/PSCN primary, File Maintenance Sequence Number secondary; SSR maintenance from DLSC will be output in Document Control Serial Number sequence. FLIS data base notification will be in Document Control Serial Number sequence; provisioning screening results will be in Submitter Control Number sequence. Simplified File Maintenance will be in NSN or NIIN sequence. (Simplified File Maintenance is distributed as an alternative to regular FLIS data base file maintenance only by special request. See volume 2, chapter 2.11 for additional information.)
- c. Tables are used to store information concerning S/A/activity distribution decisions. Some of the tables are multi-use, such as the MOE Rule Table and the Standard Federal Supply Classification (FSC) Table which are used to edit input as well as to determine output recipients. Other tables have been developed solely for use in the output process:

- (1) Drop tables are used by DLSC to eliminate distribution of file maintenance/notification data when an activity has specified that such data is not desired. The File Maintenance Drop Table will drop segments, DICs, and segments within DICs. The File Notification Drop Table will not drop segments individually but will drop DICs and segments within DICs (see volume 10, table 104, part 3).
- (a) The undesired data must be predetermined by the activity and registered in the DLSC drop table. Elimination (dropping) of data cannot be on an item-by-item basis, but must be applied either to all output, certain DICs, or other recognizable category. DLSC will suppress data element oriented (segment R) output maintenance data related to other segments that are dropped in accordance with the drop table.
- (b) For example, if an activity requested that segment G be dropped from its file maintenance data, it would not receive KAF, KCF, or KDF freight classification transactions. Any activity having a drop table request must provide the information in accordance with paragraph 1.3.3.a and table 104.
- (2) The Output Control Participating Activity Code Table consists of the following information:
- (a) Media prescribed for type of data being output.
 - (b) Format required, variable or fixed.
 - (c) Activity drop requirements.
- (d) The alternate media for electronic data transmission under MINIMIZE conditions.
- (e) Magnetic tape (mail output) configuration (density, blocking factor, etc.). (See volume 2, section 2.3.2.)
 - (f) Any other conditions which will influence

output data distribution to a particular activity.

- (3) Provisioning screening output is determined by the Provisioning Screening Master Address Table (volume 10, table 23) and DoD 4100.38-M, Provisioning and Other Preprocurement Screening.
- (4) The priority schedule for all FLIS transaction processing is reflected in volume 10, table 24.

d. File Compatibility.

- (1) At intervals of three months, a random sample of items within prescribed FSCs will be selected (DLSC will select for the Services; the DSCs will do their own selecting). Output will be to selected S/As which have been designed as participants in file compatibility checking. This data will be provided/received in NSN sequence, on magnetic tape or via electronically. Two basic categories of data have been designated for compatibility checking: Item Intelligence Data and Catalog Management Data (segment H). (See Volume 2, Chapter 2.10.)
- (2) Quality Assurance of the Defense Automatic Addressing System (DAAS) Source of Supply (SoS) Code and FLIS TBJ Records. At intervals of 120 days, DLSC will select a random sample of 2,000 NIINs to be used for comparison. These NIINs are to be provided to the DAAS on magnetic tape. Comparison of data is used to reveal discrepancies/differences and to initiate corrective action. (See Volume 2, Chapter 2.13.)

e. Data Recipients.

- (1) File maintenance data recipients will be categorized as follows:
- (a) Item Identification (II) data receivers as specified in the MOE Rule Table, the Standard FSC

Table, and supplementary activities in segment B on an item-by-item basis.

- (b) Central control points as specified by the S/As. These central control points can be in lieu of II data receivers or in addition to II data receivers.
- (c) Catalog management data recipients as identified by the S/As.
- (d) Freight data recipients as identified by the S/As for confirmed and nonconfirmed data.
- (e) SSR data recipients as identified by the S/As.
- (2) Notification data recipients will be categorized as follows:
- (a) The originating activity of the input transaction.
- (b) The submitting activity of the input transaction.
- (c) The destination activity specified in the Provisioning Screening Master Address Table (PS-MAT) (volume 10, table 23) for the Destination Activity Code, Screening.
- (d) The catalog management data activities designated by each S/A (see volume 6, appendix 6-2-A).
- (3) FSC distribution is predicated upon the recordation of FSC managers on the Standard FSC Table. File maintenance (excluding data suppressed by "drop" tables) and advance informative notifications (DIC KIE/KIF) are forwarded to FSC managers recorded in volume 13. If the FSC manager is recorded on the actual item, he will receive the above output as a result of his item recordation and not FSC distribution; output will not be duplicated. FSC distribution of advance informative notification

(KIE) will be output only as a result of FSC changes.

- f. Description by Function.
- (1) Item identification (II) data submitted to DLSC for processing in FLIS will generate output for use by the originator/submitter/receiver as follows:
 - (a) File Maintenance Update.
- (1.) Actions requesting stock number assignment or reinstatement are approved and result in records being established in the master file.
- (2.) Maintenance actions which add to, change, or delete established data. Maintenance actions may have been previously output as advance notifications in the case of effective dated actions.
 - (3.) Actions which cancel existing records.
- (b) There are four types of notifications within item identification.
- (1.) Notification to the originator and submitter that the input transaction has been approved.
- (2.) Notification to the originator and submitter that the input transaction has not passed specific edit/validation criteria. This can be either a reject or a notification of suspense.
- (3.) Advance notification to the data receiver of a future effective dated action.
- (4.) Notification to the originator/submitter that an input transaction has resulted in a match condition in the FLIS data base. Actual degree of item identification match is required for proper use of the Reference Number Justification Code and/or MRC 9001. Degree-of-match visibility is provided by use of the Degree of Match Code, DRN 0595, as depicted in volume 10, table 27.

NOTE: Distribution of item identification file maintenance update output will be to item identification data receivers as previously defined.

- (2) Item Management Coding (IMC) The submission to DLSC of transactions to provide IMC Data (segment 9) for NIINs in FSC classes subject to IMC. The IMC card data is to be submitted only if the item is coded for Integrated Materiel Manager (IMM) management. DLSC output will be as follows:
- (a) Notification to the submitter that the transaction has been approved or rejected.
- (b) Notification to the Item Management Classification Agency providing interrogation results. This consists of segments A, B (all except NATO), E, H, 9, applicable futures file data, and, if the input Card Identification Code is D, Output Data Request Code 0274 Data (SoS).
- (c) All notification will be output at the time the input transaction is processed.
- (3) Standardization The submission of transactions to add or delete standardization relationships and change standardization decision data (Item Standardization Code, originator, date) either in or not in a relationship. Output will be as follows:
- (a) File Maintenance Updated file data (segment E) will be provided to item identification data receivers.
- (b) Notification of approvals or rejects to the originator/submitter.
- (4) Item Status/Cataloging Responsibility The submission of transactions to add, change, or delete MOE Rule recordings with related data elements for individual NIINs. Output will be as follows:

(a) File Maintenance - Updated file data will be provided to item identification data receivers.

(b) Notifications:

- (1.) Notification to the originator/submitter that the transaction has been approved or rejected.
- (2.) Notification to the responsible activities that a transaction has been approved but has caused a conflict condition.
- (3.) Advance notification to II data receivers that a future effective dated action has been approved.
- (4.) Notification to the responsible activity that DLSC has not received the response to a notification of conflict or a notification of future effective dated action (follow-up).
- (5.) Notification to all authorized II data receivers that DLSC has deleted a logistics transfer from the futures file, as authorized by the DLA Logistics Reassignment Monitor (MMSP-CIMO).
- (c) Frequency of Distribution. File maintenance update for effective dated actions will be output on the effective date. File maintenance update for non-effective dated actions and all notifications will be output at the time the input transaction is received.
- (5) Catalog Management Data (CMD) The submission to the FLIS data bank of a transaction to add, change, or delete a complete segment H or specific CMD data elements for an assigned NSN. Resultant outputs are depicted in volume 6, appendix 6-2-A and are summarized as follows:
- (a) File Maintenance Update In contrast to MOE Rule registrations citing "data receivers" or "data submitters", CMD file maintenance output is based on management assignments applicable to an

item. Output requirements do differ depending on the MOE involved in or affected by CMD update action. The following output criteria apply:

- (1.) Defense Supply Centers (DSCs) will receive file update on the effective date for CMD actions initiated by the DSC. They will not receive maintenance when initiated by a retail Secondary Inventory Control Activity (SICA).
- (2.) The Navy will receive CMD updates in accordance with volume 6, appendix 6-2-A, from Navy zero effective dated CMD.
- (3.) The National Security Agency (NSA) and the Federal Aviation Administration (FAA), when functioning as either the wholesale (Primary Inventory Control Activity (PICA)) or the retail (SICA) activity, will receive updates as a result of zero effective dated CMD.
- (4.) The Marine Corps (MC) will receive updates only for those actions submitted by the MC with a zero date. Marine Corps submitter activity may be functioning either as a PICA or SICA.
- (5.) The Army will receive CMD file updates based on a data distribution look-up table. This table (volume 6, appendix 6-2-A) will identify those Army activities which will receive/maintain CMD without regard to PICA or SICA level of responsibility.
- (6.) Air Force CMD file updates will be furnished to activity code SA in response to AF zero effective dated CMD submittals.
- (7.) NATO will receive file maintenance update on the effective date of CMD input for NSNs on which NATO is recorded.
- (8.) The U.S. Coast Guard will receive CMD file updates based on volume 6, appendix 6-2-A.

- (b) Notification Data The following types of output notification pertinent to CMD maintenance actions will be provided:
- (1.) Notification to the submitter that transaction has been approved or rejected.
- (2.) Notification to designated activities that a future effective dated CMD update action has been approved (advance notification).
- (3.) Notification to recorded SICAs that the Integrated Materiel Manager (IMM)/Lead Service has updated its segment H record. Air Force and Marine Corps recipients of this notification are not required to update their CMD records if the record was updated automatically in accordance with Volume 6, Appendix 6-2-D. Navy recipients of this notification from IMM submittals are not required to respond with input, since their Service CMD record was updated automatically by the IMM input. (NOTE: DLSC does not update Navy SICA segment H from Lead Service submittals.)
- (4.) Notification to the Navy central cataloging activity (activity code GM) that a non-Navy IMM/Lead Service update has been processed by DLSC.
 - (c) Frequency of Distribution:
- (1.) File Maintenance The effective date for approved CMD update actions will govern when file maintenance data will be distributed. Output will be furnished on a monthly basis except for zero effective dated input which will be furnished immediately.
- (2.) Notification of approval or rejection of input transactions and notifications generated from input of approved future effective dated transactions will be forwarded on the processing date.
 - (3.) Notification to the retail Services that

- the wholesale manager updates have been processed will be output 45 days prior to the effective date for effective dated input or on the processing date of zero effective dated input (volume 6, appendix 6-2-A).
- (6) DAAS SoS Update The submission to the FLIS data bank of transactions to add, change, delete, or reinstate that portion of CMD which involve or affect SOS information maintained by the DAAS. Includes the submission of that data required to effect immediate SoS update to be used by DAAS. Output will be as follows:
- (a) File Maintenance Update The DAAS will be the only recipient of tailored SoS updates. Other CMD recipients, including submitter, will receive normal file update package through applicable CMD processing.
- (b) Notification Data Notifications resulting from normal CMD update (involves/affects SoS) will not be provided the DAAS.
- (c) Frequency of Distribution The DAAS will be furnished normal SoS file update based on effective date time frames. Critical SoS file updates will be furnished immediately.
- (7) Freight Classification Data Submission to the FLIS data bank of transactions to add, change, or delete Freight Classification Data by the Item Managers or Military Traffic Management Command (MTMC). Resultant outputs are:
- (a) File Maintenance Update Updated file data will be provided to Freight receives identified in volume 10, chapter 4, table 115.
- (b) Notification Data Notification to the originator/submitter that the transaction has been approved or rejected.
 - (8) DoD Interchangeability and Substitutabil-

ity (I&S) Family Data - The submission to the FLIS data bank of transactions to add, change, or delete the I&S Family data applicable to the Master or Related NSN. Output will be as follows:

(a) File Maintenance - Updated file data will be provided to I&S receivers.

(b) Notifications:

- (1.) Notification to the originator/submitter that the transaction has been approved or rejected.
- (2.) Advance notification to I&S receivers that a future effective dated action has been approved.
- (9) Search by Reference Number Search by NSN. All output will be a form of notification.
- (a) Notification of reject will be output to the activity identified by the Activity Code, Screening, except for provisioning screening.
- (b) The Provisioning Screening Master Address Table (volume 10, table 23) will be used to determine the activities to receive search results and the media and format for these activities.
- (c) Notifications and results in response to search by reference number transactions using the DCN in lieu of the Submitter Control Number will be based on the Submitting Activity Code.
 - (10) Search by Characteristics.
- (a) The input transaction will carry the Activity Code, Screening and Submitter Control Number.
- (b) Notifications of rejects will be distributed only to the submitting activity.
 - (c) Notifications of search results will be

distributed in accordance with the Provisioning Screening Master Address Table (volume 10, table 23).

- (11) FLIS data base Tailored Interrogation An extract of data based on the submitted NIIN/PSCN. The content may be an individual data element, groups of data elements from a segment, a complete segment of data elements, or a combination of various segments as designated by the submitting activity through the Output Data Request Code (ODRC). Notifications, either rejects or interrogation results, will be distributed only to the submitting activity.
- (12) FLIS Data Base Mass Data Retrieval A mass extract of multiple items from the FLIS data base based on the submitted key data element, such as the item name or INC, FSC, Federal Supply Group (FSG), Commercial and Government Entity Code (CAGE Code), NATO Supply Code for Manufacturers (NSCM) noun or noun phrase, or MOE Code. Input will be through the DLSC program manager who will control the scheduling. All output will be a form of notification. The content of the output data for each individual item extracted will be as designated by the ODRC.
- (a) Rejects will be returned to the program manager who will either correct the error or communicate with the submitter.
- (b) Interrogation results will be forwarded to the submitter. The output will be forwarded by mail in accordance with the Output Control Participating Activity Code Table. When the originating activity is an electronic data recipient, the output will be as designated by the Alternate Output Media Code.
- (c) Sequence of output will be by DCN for the overall package and by NSN within the package.
 - (13) Supply Support Record (SSR) Tailored

Interrogation - An extract of SSR data based on the submitted key data element, such as CAGE Code, NATO Supply Code for Manufacturers (NSCM), Cataloging Activity Code, item name or INC, FSC, or FIIG number. The content of the output will be designated by the submitters ODRC. All output will be a form of notification.

- (a) Rejects will be returned to the program manager who will either correct the error or communicate with the submitter.
- (b) Interrogation results will be forwarded to the submitter. The media will be specified by the program manager as magnetic tape, electronic data transmission, or machine listing.
- (c) Sequence of the output will be by DCN for the overall package. Within the package the data will be sequenced as designated by the ODRC or, if not indicated in the ODRC, by the sequence of the input key data element(s).
- Retrieval A mass extraction of SSR data for multiple records, such as all approved item names, colloquials, basic names, or index entry codes from the SSR Item Name/FSC Sector or related item name data applicable to a FIIG. The key data element on input would be the type of item name or the FIIG number, respectively. Input will be through the DLSC program manager who will control the scheduling. All output will be a form of notification. The content of the output data will be as designated by the submitter through the ODRC.
- (a) Rejects will be returned to the program manager who will either correct the error or communicate with the submitter.
- (b) Interrogation results will be forwarded to the submitter. The media will be specified by the program manager as magnetic tape, electronic data

transmission, or machine listing.

- (c) Sequence of the output will be by DCN for the overall package. Within the package the data will be sequenced as designated by the ODRC or, if not indicated in the ODRC, by the sequence of the input key data element(s).
- (15) SSR. DLSC will provide mechanized file maintenance of three SSR files to S/As:

Commercial and Government Entity Code (CAGE) (O.E. Master File).
MOE Rule Table.
Standard FSC Table.

Adds, deletes, or changes to these files within FLIS will result in external distribution of the following output:

- (a) SSR file maintenance is furnished to S/A activities recorded as SSR file maintenance recipients.
- (b) FLIS data base file maintenance occurring as a result of changes to the System Support Record will be distributed in accordance with the rules for item identification file maintenance.
- (c) Notifications of rejects or approvals will be forwarded to the originator/submitter.

1.3.4 Record Formats

a. Fixed length record formats have been designed primarily for use in the interchange of data. They allow a physical record to be maintained in a master file. Fixed length records used in FLIS are restricted to eighty (80) characters per record. Every effort has been made to standardize data positioning to minimize error, as well as to assure that each record contains enough control information for identification and/or filing purposes. Volume 8, Chapter 3 contains the fixed length formats

for each of the headers (Input and Output) and Segments which have been established for FLIS input/output data exchange.

- (1) Volume 8, Chapter 1 contains the fixed length input formats in Document Identifier Code (DIC) order. Following is a basic example of all fixed formats, those positions that are marked with asterisk (*) are mandatory field entries.
- * Positions 1-3 DIC
- * Positions 4-6 Package Sequence Number (PSN)

Position 7 Priority Indicator Code (PIC)

* Positions 8-26 Either the Document Control Number or Submitter Control Number

Positions 27-30 Federal Supply Class (FSC)

Positions 31-39 National Item Identification Number (NIIN) or Permanent System Control Number (PSCN)

* Position 40 Segment Code

Position 41-79 Applicable Segment Data

Position 80 Continuation Indicator Code (CIC)

- (a) Definitions for the Instructional Notes, associated with each RN in the DIC layout, can be found in Volume 8, Chapter 4. These notes provide information regarding such things as whether a data element is mandatory or optional for submittal (notes 0 and 02), how to format the PSN (note DA), etc.
- (b) Volume 10, Chapter 3, Section 10.3.5 contains instructions for submittal of the CIC in position 80.
 - (2) Volume 8, Chapter 2 contains the fixed

length output formats in DIC order. In addition to those data elements listed in paragraph 1.3.3(1) the File Maintenance Sequence Number (FMSN)/NATO File Maintenance Sequence Number (NFMSN) is output in positions 24-26 when applicable.

- (a) Definitions for the Instructional Notes, associated with each DRN in the DIC layout, can be found in Volume 8, Chapter 4. These notes provide information regarding such things as whether a data element is mandatory or optional for output (notes 01 and 02), PSN format (note DA), etc.
- b. Fixed Length Packages. Circumstances exist when all data for a given segment cannot be shown on a single 80-column record. When multiple records are required, they must contain PSNs assigned consecutively and in sequence. A oneposition Continuation Indicator Code (CIC), in column 80, identifies the specific format of a segment and/or signals that another record follows. This is required either to complete a lengthy data element value (e.g., segment V) or to accommodate segment data which cannot be contained on one record due to space limitations (as in segments B, C, G, H, and W). There are some Segments that can always be completed on one record, therefore, the CIC is not submitted (e.g., segment 3, 5, E, S, and T).
- (1) Volume 10, Chapter 3, Section 10.3.5 contains detailed instructions, by Segment Code, for submittal of the CIC in position 80.
- (2) Criteria and Examples (see also volume 2, section 2.3.2 and volume 10, section 10.3.5):
- (a) Screening by reference number (Segment 2) can normally be requested by submission of a single record. Two records will be required only when the DIC requires inclusion of the Item

Name Code or Item Name, Non-Approved, as part of requests submitted by NATO and foreign countries.

- (b) Segment 7, to be generated by DLSC as an item management coding advice notification document, will extend into multiple records if more than three MOE Rules apply to the NSN involved in the transaction.
- (c) Segment A, can be completed on one record if submitted by NATO/FG or if submitted under DIC LCC; all other Segment A submittals must contain two records.
- (d) The MOE Rule Data Segment (Segment B) can reflect up to three collaborators, three receivers, and two Depot Source of Repair (DSOR) codes on the first record without requiring a continuation record. However, a transaction with four collaborators, receivers, and/or DSORs would require submission of a second Segment B record.
- (e) The vast majority of logistics reference numbers can be contained in one Segment C record; however, the relatively small number of reference numbers which exceed 16 positions will require the use of a second record. (The 32 positions allotted for DRN 3570 have been equally divided between record 1 and record 2 of Segment C.)
- (f) The number of Segment H records needed to provide complete Catalog Management Data also varies. DIC LDM requires only one record; all other CMD DICs need a minimum of two records, with the use of additional records depending the number Related on of NSN/Technical Document Numbers. (Segment H is limited to a maximum of 50 Related NSN/Technical Document Numbers). With Segment H, an alpha character in column 80 (J, K, L) indicates the Segment continues to another record.

The numeric (1, 2, 3) in column 80 indicates the last record for that Segment. (e.g., A four record Segment H would contain the following codes in column 80 of each of the four records: J, K, L, 3).

- (g) The number of Segment W records needed to provide complete Packaging Data also varies. DIC LPD requires only one record; all other Packaging DICs can be completed in a maximum of 5 records. With Segment W, an alpha character in column 80 (J, K, L, or M) indicates the Segment continues to another record. The numeric (1, 2, 3, 4, or 5) in column 80 indicates the last record for that Segment.
- (h) Segments M, Q, R and V use the '-' in column 80 to indicate the Segment continues; a blank in column 80 signifies the end of the Segment.
- (1.) Segment M, Q, R, and V data groups of unpredictable length give rise to special requirements. To simplify processing, a convention requires that second and/or succeeding data groups which cannot be fully accommodated in the remaining unused positions on any given record will be started in the succeeding record, leaving the unused positions blank. Detailed instructions concerning the specific data groups and columns for each affected Segment are contained in volume 8, chapter 8.3.

EXAMPLE OF CORRECT SEGMENT R: (starting in column 40)
R2128 97001#0137 SS#7075 000008768# R2507 A#

EXAMPLE OF INCORRECT SEGMENT (starting in column 40)

R2128 97001#0137 SS#7075 000008768#2507 - RA#

(2.) The Data Element Terminator Code

(#) is required to signal the end of certain data elements, the length of which is unpredictable, when used in Segments designed specifically to accommodate a range of entries. Listed below are the FLIS Data Base Segments and DRNs for which this convention applies:

Segment	DRN	Title
M	0113	Master Requirement Code Clear Text Reply Field
$oldsymbol{arrho}$	9979	Submitted DRN/MRC Value/Reply
\boldsymbol{R}	9975	DRN Value
$oldsymbol{V}$	3317	Characteristics Data Group

- (3.) All entries of alphanumeric data elements for which maximum length fixed fields are provided will begin in the left-most positions, leaving unused positions blank in all cases. Data elements contained in each Segment are not required for DICs. When individual data elements are not required for inclusion in a specific DIC, the field will be left blank.
- c. Variable Length Format. Variable length formatted data requires the presence of one header followed by applicable Segments; header information is not repeated. The Segment length field indicates length of each Segment; it can exceed 80 characters.
- (1) When optional data or data not required appears at the end of a Segment, the Segment will be truncated, except for Segment V which will use the special character (#) as the Data Element Terminator Code to distinguish the end of a variable length field. Data fields occurring within Segments must be space filled.
- (2) Within the Segments, there may be variable length data elements (data elements that can vary in length) or instances where a fixed length field can occur a varying number of times. In both

cases counters are used to indicate length or number of occurrences.

1.3.5 Sequence of Processing

- a. Input transactions will be queued (after processing through input control) in logical processing groups (application queues) so that an operation, or string of operations, may be initiated to process the data contained in a queue. Input transactions fall into two categories: Dynamic scheduling by condition and fixed interval scheduling.
- (1) Dynamic Scheduling. A file will be maintained which will reflect the contents of the queues and their related response requirements priority; i.e., emergency NSN requests, interrogations, search, and provisioning screening. Based upon this queue status information and various optimum processing decision factors, the system controller will determine what application is to be initiated, and what priority it is to receive in relation to the applications currently in operation.

(2) Fixed Interval Scheduling.

- (a) Certain operations are not triggered as a result of the receipt of an input transaction but are required as the result of an event such as time passage (e.g., daily, weekly, annually). The system controller will recognize the need for the scheduling of these operations and determine if a specified condition has been reached.
- (b) FLIS data base update transactions, including NIIN assignment other than emergency, fall into the fixed interval category and are normally scheduled for once-a-day processing. Within the FLIS data base update group, item status transactions (i.e., LAU, LCU, LDU) are processed deletes first, followed by changes, followed by adds. All other FLIS data base update transactions are pro-

cessed deletions first, followed by adds, followed by changes.

- b. All transactions input through input control are assigned a processing control number when processed through input control. The control number includes the date (Julian day) that the control number is assigned. Transactions are queued for processing by control number. Queues containing FLIS data base update transactions are sorted prior to processing to achieve the sequence indicated in preceding paragraph. Electronic data transmission transactions are processed through input control in the order in which they are received. Likewise, mailed transactions are generally processed in the order received, but may be processed out of sequence if so required.
- 1.3.6 Suspense Files. The suspense file is that portion of the FLIS process which serves as a temporary repository for transaction information of functional value to the S/A. The suspense files contain information necessary to perform the following functions:
- a. To maintain a temporary record of all FLIS "L" and "K" transactions for 60 days after processing completion. This provides a S/A the ability to follow-up on the status of a submitted transaction for which final disposition was never received. Follow-up interrogations will be transmitted to DLSC using DIC LFU. The information on output DIC KFU will allow the requestor to determine what subsequent action, if any, must be initiated to implement the intent of the original transaction.
- b. To maintain a temporary record of conflict conditions for selected data pertaining to approved FLIS transactions. Periodically, as specified by the applicable condition, these records will generate follow-up notifications to the responsible activities. The DIC KFP transactions will reflect the need to correct the file inconsistencies. Corrective data will be sent to DLSC on transactions to add, change, or

delete the applicable FLIS data base data causing the conflict condition (e.g., DICs LCC, LDR, LAU, LCD).

1.3.7 Unprocessable Transactions

- a. Unprocessable transactions are those which did not contain the minimum essential control elements required for processing. These transactions are not queued for processing but are retained on the FLIS transaction history file for processing as specified in paragraph 1.3.6.b.
- b. Unprocessable transactions are returned under DIC KRU (to submitter) if this activity is mechanically identifiable. When the submitter is not mechanically identifiable, the transaction is dumped for manual review and further resolution within DLSC before return to the submitter. DIC KRU gives quick visibility to the submitter that the transaction was terminated without being subjected to all system edits, screens and other processes. It must be corrected and resubmitted in its entirety when specific error conditions are produced through the use of return codes.
- c. Unprocessable transactions terminate processing because the missing or invalid control data or conflicts with control data are such that the system cannot determine which processes, edits, guides or decisions the transaction should be subjected to or processed under.
- d. Some types of errors which cause transactions to be unprocessable are:

The submitter and the routing identifier codes conflict.

The originator and/or submitters are invalid or blank.

The controlling document number contains errors or blanks.

Invalid Document Identifier Codes.

Conflicts between DICs in an LMD transaction. Conflicts between DIC and mandatory/allowable segments; invalid segment codes.

Invalid Package Sequence Numbers.

Segment counters do not agree with data submitted.

Established lengths/occurrences exceed allowable limitations.

1.3.8 Error Processing.

- a. The FLIS concept of returning conditions which fail to pass the established edit/validation criteria (volume 11) involves the use of either a segment P or Q. If the value of the data element(s) is to be included with the return code, segment Q is used; otherwise segment P is used. See volume 10, chapter 10.2 for return codes.
- b. In addition, system errors are conditions encountered during processing which terminate any further processing of the input and suppress output notification to data receivers of the specific transaction. Some conditions that produce system errors are as follows:

FLIS data base imbalances. FLIS requirement voids. Computer operation errors.

- (1) When a system error is encountered during processing, DLSC will output notification by use of DIC KRE, segment P, return code TP, and any other errors that occur up to the point of system error. Return code TP is also defined in volume 10, chapter 10.2.
- (2) Normally, when return code TP is received, an activity should not generate DIC LFU; however, if an LFU is generated to DLSC, DIC KFU, follow-up status code BX, segment P, return code TP, will be output.

1.3.9 Processing Malfunction

- a. DIC KPM provides the FLIS with a method to notify participating activities that a malfunction has been discovered and DLSC has reprocessed input data after corrective action has been taken. Data to be reprocessed will be restricted to file maintenance actions.
- b. When a processing malfunction is discovered, DLSC will isolate the problem area and determine when the malfunction began and how far back in time the input image file must be searched to reestablish appropriate input transactions. FLIS transaction volumes require that recovery from a processing malfunction using the DIC KPM process be limited to a maximum of eight days.
- c. Reprocessing of the file maintenance actions will restore the item to its correct state, and the resulting output will be a DIC KPM with total file generated on a transaction-by-transaction basis. File data will be forwarded to all normal data recipients after reprocessing has occurred.
- d. Activities which received file maintenance data on an item during the malfunction and are not recorded after reprocessing has occurred will receive file data on the item. These activities should review the KPM transaction and take action to add their activity as a user and resubmit supply management data if an interest in the item exists. If the item is recorded in an activity's files for which an interest does not exist, and the activity wishes to remove the item from its files, that activity should take action based on the KPM transaction, as additional transactions will not be provided.

1.3.10 Segment Z Availability

a. Segment Z (Future Data) contains data which will be effective on a date in the future. This segment will be output by DLSC (when it is avail-

able) in	conjunction with the following DIC	s:	DIC KTA	Title Note Mass Data Retrieval Results 2
DIC	Title	Note	KIA	(FLIS data base)
TZ ATT	Add DUIG Date Date Date	1	KTS	Interrogation Results Minus Se-
KAT	Add FLIS Data Base Data	1 3		curity Classified Characteristics
KDZ	Delete Logistics Transfer			Data
KFA	Match Through Association	1		
KFC	File Data Minus Security Classified Characteristics Data	1	Note 1:	Output DICs other than Search and Interrogations - Segment Z data will be in-
KFD	FLIS Data Base File Data	1		cluded in the output package when (1)
KFE	FLIS Data Base File Data for Replacement of a Cancelled NSN/PSCN, Related Generic NSN, or Reference Number Screening Results	1		the segment Z data pertains to the segments normally furnished with this DIC or (2) the segment Z data pertains to an FSC change or a cancellation action.
KFR	File Data for Replacement NSN/PSCNs when not Authorized for Procurement	1	Note 2:	tions - Segment Z data will be included in the output package when (1) the seg-
KIE	Advance Informative FLIS Data Base File Data	1		ment Z data pertains to the segments normally furnished with this DIC, (2) the
KIF	Informative Data for Pending Effective Dated Actions	1		segment Z data pertains to an FSC change or a cancellation action, or (3)
KIR	Interrogation Results	2	•	the segment Z data is requested by the
KIS	Search Results of National Item	2		ODRC.
	Identification Number Screening		Note 3:	All segment B, H, and T records con-
KMA	Association Code Match (Screening)	2		tained in the futures file (segment Z) that are being deleted will be output.
KME	Exact Match (Screening)	2	1 771	C
KMG	Possible Match (Screening)	2		ne use of segment Z always requires the
KMH	Actual Match (Screening)	2 2		n in the output package of the actual seg-
KMP	Partial Match (Screening)	2	dated in	6, H, M, R, T, V) containing the effective formation as follows: (If segment B data is
KMO	Probable Match (Screening)	2		e dated, the segment Z will contain the entire
KMU	Exact Match with Errors in Submitted FII	1	B segme	,
KPE	Possible Duplicate with Errors in Submitted FII	1	Segme	
KPM	Processing Malfunction	1	B H	Add or change a MOE Rule. Add, change, or delete Catalog Man-
KRM	Notification of Exact Match (Submitter)	1	п	agement Data (CMD) (and/or DoD I&S family data).
KRP	Notification of Possible Duplicate	1	1/M	
	(Submitter)		R	Change FSC.

1/R Change data elements such as type of II,
 Federal Item Identification Guide Number, FIIG Criticality Code, INC and/or item name (segment A data).
 R Add, change, or delete segment H

R Add, change, or delete segment H (CMD) data elements.

T Deletion of a MOE Rule.

T Cancellation of an item identification.

2/V Coded characteristics.

1/ Change data elements for segment A data submitted through segment R and/or characteristics data output through segment M will be effective dated only when related to an FSC change.

2/ The segment V, coded characteristics, is output only when requested through interrogations and for NATO or other foreign countries search by reference number.

- c. When segment Z is included in the output, the current data will be output first in the appropriate segment sequence. The segment Z will follow at the end of the current data. In the variable format the segment of data which contains the future data will be included with the segment Z. In the fixed format the segment of data which contains the future data will follow the segment Z as a separate card record. All segment Z output will be sequenced by the effective date. The output of effective dated characteristics contains some exceptions to this process as described in the following paragraphs.
- (1) The only time characteristics data is established in the futures file is when characteristics maintenance actions are submitted in conjunction with an FSC change under DIC LMD. The KIF output resulting from an FSC change with characteristics maintenance action(s) will not contain the effective dated characteristics, and segment Z will only cite the DRN 9111 without value. A constant of LCC will always be contained in the Z segment input DIC field regardless of whether characteristics

were added, changed, or deleted.

- (2) Outputs other than KIF that contain futures data will include the effective dated characteristics within the current segment M data that precedes the segment Zs. A segment Z with the applicable effective date and segment M DRN 9111 will be output to indicate that the preceding segment M contains imbedded effective dated characteristics. The effective dated characteristics will not be output with the segment Z.
- (3) When segment V coded characteristics are requested by NATO/foreign countries through reference number search (DIC LSN), any effective dated characteristics will be output with the current segment V data. The Z segment with the effective date and referencing DRN 9118 only will be output at the end of the package. NOTE: This V segment will be decoded by the NATO or other foreign country to the applicable government's language.
- (4) When an interrogation (DIC LTI) requires segment V output, the current segment V will be output; a segment V with imbedded effective dated characteristics will also be output in the segment Z convention described in paragraph 1.3.10.c.

1.3.11 System Support Record (SSR) Processes

a. The SSRs are the tables, indexes, guides, files, etc., that interface with the FLIS data base in the processing of FLIS input transactions. These SSRs are maintained by specific DICs; content and vehicles for their update are set forth in the following paragraphs:

MOE Rule File Maintenance	1.3.11.c
Standard FSC Table	1.3.11.d
SSR Organizational Entity (OE) File	1.3.11.e
SSR Master Freight File Maintenance	1.3.11.f

- b. Input/Output Formats. The fixed length designs stated in section 1.3.4 for the FLIS data base apply, except for those that are unique to the OE SSR. Data chains have been constructed into segments for SSR processing as follows:
- (1) SSR Input Segment 800 (DRN 0231). This is a control data segment for input transactions to the FLIS SSRs.
- (2) Segment Code, Supplemental 801 SSR MOE Rule Maintenance Segment (DRN 0331). An input/output data chain required to control the processing of maintenance actions for SSR MOE Rule data based on input DIC.
- (3) Segment Code, Supplemental 802 SSR MOE Rule Data Element Segment (DRN 0330). A data chain consisting of homogeneous data elements pertinent to the SSR MOE Rule.
- (4) Segment Code, Supplemental 803 SSR MOE Rule Management Exception Rule Segment (DRN 0228). A data chain consisting of homogeneous data elements pertinent to the notes applicable to a given SSR MOE Rule and a card identification number.
- (5) Segment Code, Supplemental 804 SSR MOE Rule Cancel with Replacement Segment (DRN 0229). A data chain consisting of homogeneous data elements pertinent to the replacement SSR MOE Rule.
- (6) Segment Code, Supplemental 805 SSR Standard FSC Management Maintenance Segment (DRN 0241). An input/output data chain required to control the processing of maintenance actions for SSR Standard FSC Table in volume 13 based on input DIC.
- (7) Segment Code, Supplemental 807 SSR Master Freight Table Maintenance Segment (DRN

- 0240). An input data chain required to effect maintenance actions, other than deletes, to the SSR Master Freight Table.
- (8) Segment Code, Supplemental 812 Establish/Cancel INC Output Segment (DRN 0441). A data chain, output to the Military Traffic Management Command (MTMC) only, consisting of data pertinent to the establishment or cancellation of an INC in the FLIS INC Validation File.
- (9) Segment Code, Supplemental 821 OE Name/Address Data Segment (DRN 0249). A data chain consisting of the OE line segment numbers in combination with the clear text data required to identify an OE
- (10) Segment Code, Supplemental 822 OE Mail Routing Data Segment (DRN 0246). A data chain consisting of the OE line segment number 10 in combination with the applicable ZIP Code, Contract Administration Office (CAO) Code, Automatic Data Process Point (ADP) Code, and CAO/ADP Exception Processing Code.
- (11) Segment Code, Supplemental 825 OE File Maintenance Data Segment (DRN 0251). A data chain consisting of data elements required for output to update files of selected customers who have previously been furnished a basic file.
- (12) SSR Interrogation Output Segment 866 (DRN 0258). An output data chain consisting of homogeneous data elements pertinent to SSR interrogation results.
- (13) SSR Output Segment 890 (DRN 0242). A dual purpose output data chain consisting of the data required to return supplemental 800 segment data elements without value. In an abbreviated form it will be used as an output header for other types of SSR output. The abbreviated segment 890 will contain all elements up to and including DRN 0252,

Segment Code, Supplemental, Input.

c. MOE Rule File Maintenance.

- (1) All proposed file maintenance actions will be submitted by the DLSC program manager only. No provision for direct file access from external sources will be made. Procedures for manually requesting changes are outlined in volume 13.
- (2) All proposed file maintenance actions will be subjected to machine edit/validation to assure completeness and accuracy. Printed listings will be routed to the DLSC program manager reflecting results (rejected inputs) of processing.
- (3) A mechanized data distribution system will be used for S/A file maintenance. Specific data receivers for such updates will be determined by each requiring S/A. The following FLIS output DICs/data will be used to update S/A files:

DIC

Title

KUA Add SSR MOE Rule Record (Total rule record due to new MOE Rule or reinstatement.) KUB Cancel SSR MOE Rule with Replacement (Rule status code update with

replacement, segment 803.)
KUC Change SSR MOE Rule Record (Total rule record will be replaced.)

KUD Cancel without Replacement or Delete SSR MOE Rule Record (Delete rule record or status code update.)

(4) Effective date controls will be used and maintained against future effective dated transactions. Add MOE Rule record with future effective date must cite a status code of 4. Future dated cancel/delete actions will cause the retention of the current record/image along with the forthcoming futures record.

- d. The Standard FSC Table contains the FSCs listed in Cataloging Handbook H2-1, Federal Supply Classification, Groups and Classes. This part consists of the structure of the FSC, showing groups and classes in the four-digit FSC code numbering system. Arrangement of the FSCs in the table is in numerical order from the lowest to the highest. (See volume 13.)
- (1) Those entries within the table which identify materiel management responsibility assignments are reflected by an If and Then condition statement. Example: If FSC is subject to Integrated Materiel Management (IMM), then the IMM activity code will appear in the IMM column.
 - (2) The Standard FSC Table will be used to:

Validate functional assignments by FSC in accordance with published directives.

Validate FSC codes.

Determine which activities will receive output distribution on an FSC basis.

e. SSR OE Master File.

(1) Input from the Services and Agencies for adding, changing, or deleting OE type A CAGE Code, E NSCM records will be based on receipt of DD Form 2051. Correspondence and/or DD Forms 2051 received directly from the manufacturer will also be processed by DLSC.

(2) Types of Organizational Entities:

(a) Commercial and Government Entity Code (CAGE). A five-position all alphanumeric code (e.g., 2A123) assigned to U.S. and Canadian organizations which manufacture and/or control the design of items supplied to a Government military activity or Civil Agency. The CAGE Code file provides the data base for Cataloging Handbooks H4-2, H4/H8 CAGE Handbook, United States and

Canada and Handbooks H8-1/H8-2, Non- Government Organization Codes for Military Standard Contract Administration Procedures (MILSCAP).

- (b) North Atlantic Treaty Organization (NATO) Supply Code for Manufacturers (NSCM). A five-position alphanumeric code (e.g., (2345B) assigned to organizations located in NATO member nations (excluding U.S. and Canada) and other foreign countries which manufacture and/or control the design of items supplied to a Government military activity or Civil Agency. The NSCM file provides the data base for Cataloging Handbook H4-3, Commercial and Government Entity Code excluding U.S. and Canada.
- (3) Requests for new CAGE/NSCM code assignments and proposed maintenance affecting existing FLIS data bank OE records (name/location changes, etc.) may emanate from any U.S. activity/agency, NATO nation, or other foreign country. The specific procedures pertaining to OE input types A, E, and F are set forth in volume 7, chapter 7.1 Establishment/Maintenance, OE SSR CAGE/NSCM.
- (4) Prior to submission of a request for code assignment or maintenance action, activities/agencies which maintain mechanized H4/H8 file(s) (see volume 7, paragraph 7.1.1.e) will screen their files to ensure an CAGE/NSCM has not already been assigned or updated for that particular organizational entity. Activities/agencies which are not recipients of the mechanized files will screen against the latest H4/H8 publication. In addition, S/As should use DIC LHR, SSR OE Interrogation (Tailored), to make this determination.
- (5) All input transactions received by DLSC will be subjected to front-end machine edit/validation processing. They are then suspended for DLSC program manager review and certification of approval or return (rejection).

- (6) End processing of proposed input transactions will result in external distribution of the following types of OE output data:
- (a) Notification to the submitter that the proposed transaction has been processed and approved or rejected.
- (b) File maintenance to recipient S/As resulting from add, change, or delete transactions which have been processed and approved by DLSC.
- (c) Following approval/processing of an CAGE Code or NSCM which involves one or more reference numbers, DLSC will provide the applicable receivers appropriate file maintenance data for their National Item Identification Number (NIIN) records. Update actions for deletion of cancelled OE code and addition of replacement OE code will be accomplished by machine-generated DIC KDR and KAR transactions.
- (7) A mechanized data distribution system will notify submitting activities of DLSC approval or return (rejection) of proposed input transactions. Specific data receivers of OE file maintenance data and NIIN file maintenance update will be determined by each requiring S/A. The following FLIS output DICs will be used to forward output data to activities/agencies: (The procedures governing OE outputs are set forth in volume 7, section 7.1.9.)

DIC Title

KHS Notification of Unprocessable SSR Transaction Package (Forwarded to submitter as a result of proposed input failing initial input control edit/ validation processing; e.g., input DIC garbled, etc.)

KHN SSR OE File Maintenance Data KDR/ NIIN File Maintenance Update DIC Title

KAR (Forwarded to applicable receiving activities/agencies as a result of DLSC processing an approved input transaction in which one or more reference numbers were transferred from a cancelled OE code to a replacement OE code.)

(For DIC KHN, OE SSR File Maintenance Data, the normal output mode will be electronic data transmission. (The basic KHN file will be available only on magnetic tape. This basic file can be obtained on a bi-monthly replacement basis, if desired.))

(8) DLSC sends out computer-generated letters to coded contractors requesting verification of the organization's status, making one complete cycle of the file annually. This factor should be considered; however, an activity/agency should not withhold available information concerning an OE because of this process.

f. SSR Master Freight Table Maintenance.

- (1) All input transactions for maintenance of the SSR Master Freight Table must contain XZ activity code, both as originator and submitter. Processing this transaction through the SSR update procedure will include replacing the submitting activity with a DLSC activity code to indicate mass change as a result of SSR processing. This will also preclude the possibility of any rejects or notifications of approval through FLIS data base processing.
- (2) Under no conditions will the SSR file(s) or the FLIS data base file be updated until the program manager reviews the impact of the mass change and forwards a notification to the mass-change process to proceed with applying all changes and notifications. Under this concept incompatibilities will not

exist between the SSR Master Freight Table, and the FLIS data base.

- (3) If a National Motor Freight Classification (NMFC) Sub-Item Number/Uniform Freight Classification (UFC) is to be added to the SSR Master Freight File, input DIC LUT (Add New SSR Freight Classification Record) will be submitted.
- (4) If an NMFC/NMFC Sub-Item Number/UFC is to be replaced by an existing NMFC/NMFC Sub-Item Number/UFC, input DIC LUV (Replace SSR Freight Classification Record) will be submitted. This input will identify the NMFC/NMFC Sub-Item Number/UFC combinations involved and will identify the NIINs involved for a mass change. Upon approval by program manager, all actions will be applied and NIIN-oriented KCF output will be provided to all S/As receivers as applicable.
- (5) If an NMFC/NMFC Sub-Item Number/UFC is to be deleted from the SSR Master Freight File, input DIC LUX (Delete Total SSR Freight Classification Record) will be submitted. This input will identify the NMFC/NMFC Sub-Item Number/UFC combination involved and will identify the NIINs involved for a mass change. Upon approval by program manager, all actions will be applied and NIIN-oriented KCF output will be provided to all S/A receivers as applicable.
- (6) All changes of data elements relating to an established NMFC/NMFC Sub-Item Number/UFC will, after program manager approval, effect a NIIN-oriented output (KCF) to all S/A receivers.
- (7) If a transaction is suspended awaiting DLSC program manager notification, no subsequent input transaction will be authorized. Transaction will be rejected using return code 5F.
- (8) All input transactions to maintain the SSR Master Freight Table are provided for MTMC use

only.

DIC	Title
LUT	Add New SSR Freight Table Record (add total new record)
LUV	Replace SSR Freight Table Record (de- lete old from file, replacement must exist on file)
LUX	Delete Total SSR Freight Table Record (eliminate complete record)
*LUW	Change Data Element(s) on an SSR Freight Table Record

*May not change NMFC, NMFC Sub-Item Number or UFC using this DIC.

(9) A mechanized data distribution system will be used for S/A file maintenance update. Specific data receivers for such updates will be determined by each requiring S/A. The following FLIS output DICs will be used to update S/A files.

DIC	Title	
KAF KCF KDF	Add Freight Data Change Freight Data Delete Freight Data	

(10) The following FLIS output DICs will be used as notification of approval or reject to MTMC.

DIC	Title
KHP KHR	Notification of Approval Notification of Reject (includes output header, input DIC, input PSN, input supplemental segment, DRN in error, and return code)

1.3.12 Mass-Change Processing. Mass-change processes are initiated by maintenance actions to the

SSR; e.g., tables, guides, edits, cataloging tools, etc. Such mass changes involve changes to multiple FLIS data base items and/or to other sections of the SSR. Each mass- change request is submitted through, and/or initiated by, a DLSC program manager. This is done to minimize the possibility of inadvertent contamination or deterioration of the files and to retain ADP scheduling control for DLSC.

a. Two methods of mass change are used by DLSC: The pre-programmed mass change and the special project. In all cases the change criteria must be furnished by the S/A/DLSC program manager that requires the change. A pre-programmed mass change is one for which an established program exists at DLSC and no additional programming is required. A transaction that triggers a pre- programmed mass change as indicated in paragraph 1.3.12.c will cause the following actions to occur:

Identify the affected file items.

Complete the maintenance actions required on the items.

Generate the appropriate output.

NOTE: A request for a special project mass change will also require that the preceding actions take place; however, programming will have to be initiated to provide for those actions. Pre-programmed mass change and mass change will be considered synonymous terms for use in the remainder of this section.

(1) Pre-programmed mass changes are triggered by transactions input or requested by a S/A/DLSC program manager to update or revise a SSR. For example, a change in manufacturers code (CAGE Code) submitted in accordance with volume 7, paragraph 7.1.3.a or 7.1.3.c will cause reference number change transactions to be generated. The CAGE Code will be changed in the FLIS data base wherever it appears against a reference number.

- (2) An example of a special project mass change is the item management change from IMM to IMM for all the items under a specific FSC. The losing IMM is obligated to coordinate the management change with the gaining IMM. The gaining IMM is required to provide DLSC with the criteria necessary to generate LCU transactions to change all the affected MOE Rules on those items for which the losing IMM is recorded as manager. Under normal operating conditions DLSC would require ninety days to program this example.
- (a) The criteria DLSC would require to initiate this special project is as follows:

The identity of the items to be changed, e.g., all items under a specific FSC.

The superseding MOE Rule.

The action required on the supplemental collaborators and receivers.

(b) The item status codes and catalog management data recorded against affected items will not be changed. Required maintenance will be input by the responsible activity on a by-item basis.

b. Functional Areas/Data Elements:

	DRN
Commercial and Government Entity Code (CAGE)	9250
NATO Supply Code for Manufacturers (NSCM)	4140
National Motor Freight Classification Code (NMFC)	2850
National Motor Freight Classification Sub-Item Number	0861
Uniform Freight Classification Code (UFC)	3040
Freight Data Elements:	
Less Than Truckload Rating Code	2770
Freight Description	4020

	DRN
Assigned Federal Supply Class (FSC)	3990
FIIG Data Elements:	
Characteristics Data Group	3317
Master Requirement Code	3445
Coded Reply	3465
Clear Text Characteristic Reply	4128
Mode Code, Permissible	4735
AND Symbol	8950
OR Symbol	8951
Secondary Address Code	8990
Guide Number, FIIG	4065
Item Name Code 4080	

- c. Procedures and Formats.
- (1) CAGE/NSCM Mass-Change Processing: See volume 7, paragraphs 7.1.3.a and 7.1.3.c.
- (2) NMFC/NMFC Sub-Item Number/UFC Mass-Change Processing:

See volume 6, paragraph 6.4.8.a for NMFC/NMFC Sub-Item Number/UFC mass-change processing against the SSR Master Freight File. See volume 8, chapter 8.1, DICs LUT, LUV and LUX for input formats.

(3) Freight Data Element Mass-Change Processing: See volume 6, paragraph 6.4.8.a for the mass-change processing of the freight data elements listed in paragraph 1.3.12.b. Freight data element mass-change processing updates freight classification records previously established in the SSR Master Freight File. See volume 8, chapter 8.1, DICs LUW, and for input formats.

(4) FSC Mass-Change Processing:

(a) The change of MOE Rules and related data elements that becomes necessary as a result of

a forthcoming FSC mass change will be accomplished by the DLSC Directorate of Logistics Information Management on a special-project basis or input by the affected Departments/Agencies on a by-item basis. See volume 3, paragraph 3.6.1.b for information relative to FSC/MOE Rule processing.

- (5) FIIG Mass-Change Processing: Characteristic mass change will occur as a function of the FIIG revision process or as a result of a FIIG page change. Characteristic mass change is initiated by the DLSC Directorate of Logistics Information Management through the use of internal transactions. The mass-change actions will be internal and will act upon the FLIS data base characteristic records. A change to the technical content of the characteristic description will result in the output of updated FLIS data base data (DIC KTD).
- (a) See volume 4, chapter 4.12 for information on FIIG revision.
- (b) The mass-change processing that occurs as a result of a FIIG page change will cause characteristic file maintenance to authorized receivers when technical changes result in the output of updated FLIS data base data (KTD).
- d. All requests for special-project mass-change processing of data elements will be addressed through normal channels to DLSC. The requests will be prepared in letter form citing all criteria necessary to create the mass change.
- 1.3.13 Mass Data Retrieval. Mass Data Retrieval is designed to extract segment data from the FLIS data base or partial or complete files from the SSR based on the input of key data element(s).
- a. All requests for mass retrieval of FLIS data base data must be submitted by letter to the DLSC program manager. The letter should include the key data element(s) and value(s) to be interrogated and

an ODRC to designate the FLIS data base segments required. (See volume 10, table 28 for selecting the appropriate ODRC DRN and key data elements.) For example, if an activity requires all recorded freight classification data for all items within INC 10875, the request should include ODRC DRN 9952, key data element DRN 4080 and DRN Value 10875. If the activity desires to control or identify output on a project basis, a three-position project number such as PM1 should also be included; it will be perpetuated in the output Document Control Serial Number.

- b. The DLSC program manager will input the FLIS data base mass data retrieval transaction through the use of internal DIC LTM. The DCN will be constructed as follows: The activity code of the requester as the Originating Activity Code; the DLSC program manager code as the Submitting Activity Code; the induction date as the Date, Transaction; the requester's three-position project number; and a sequentially assigned four-position number. If the requester did not provide a project number, the last seven digits will be sequentially assigned for each different mass data retrieval input transaction.
- c. The mass data retrieval results will be output through DIC KTA which will include a header for each NIIN or PSCN and the requested segments applicable to each item. All headers applicable to a specific mass data retrieval transaction will include the same DCN. The Package Sequence Number (PSN) will be applied to the records for each NIIN/PSCN as a separate package.
- d. The output data will be sequenced by NIIN/PSCN within the DCN package.
- e. On mass data retrieval by FSG (DRN 3994) and FSC (DRN 3990) only, output of segment K for cancelled items will be optional at the request of the

- submitter. All other mass data retrievals will not include cancelled items.
- f. Due to the electronic data limitation of 39,840 characters per transaction, all mass data retrieval results will be forwarded to the interrogating activity by mail in a manner designated by the distribution table or as prescribed by the requester.
- 1.3.14 Reports Generator. Through a survey of products requested in the past, FLIS was able to include within the mass data retrieval processes the capability to produce most of them as normal pre-programmed FLIS outputs. They may be produced at the request of the FLIS customer, and particular attention has been given to products for which a requirement occurs repetitively. Periodically, however, requirements for products from the FLIS file which are nonrecurring in nature and satisfy a one-time need only are received. The Reports Generator is designed to produce these one-time listings or reports.
- a. Proper use of the mass data retrieval and Reports Generator capabilities will minimize requests that require special projects and programming, with their attendant delays, for production.
- b. Processing available to the customer through the Reports Generator consists of the following:
- (1) Extracts of data by DRN from a FLIS file, all data found or only that data within specified limits.
- (2) Counts of data by DRN from a FLIS file, all data found or only that data within specified limits.
- (3) Mathematical treatment of counts of data by DRN (add, subtract, multiply, divide) including summaries and vertical or horizontal totalling.

- (4) Sorting and formatting of processing results as specified.
- (5) Generation of the output in the media, mode, and number of copies desired.
- c. To use the reports generator, requests for special data extracts, including justification, shall be submitted to the program manager (DLSC-V). HQ DLA will exercise final approval authority for all special requests (Reports Generator) requiring in excess of 100 man-hours. Input is made to the Reports Generator by DLSC; the product is generated, examined for quality, and mailed to the customer.
- d. The utility and service rendered by the Reports Generator will be satisfactory provided all customers observe the rules of use. The Reports Generator will not be used if any other FLIS product will supply the necessary data. The Reports Generator will be used only for one-time output products.
- 1.3.15 Simplified File Maintenance (SFM). This type of data is furnished to selected customers who desire to receive maintenance data on a periodic basis in lieu of regular file maintenance. Those SFM recipients who elect to receive notification data will receive such data as it is processed. It is developed and distributed in accordance with volume 2, chapter 2.11.
- 1.3.16 Record Establishment and Maintenance Actions. These procedures provide instruction in the preparation of data required to establish or maintain item intelligence by S/As and participating governments for their logistics functions. The data will be forwarded to DLSC to be processed, distributed, and maintained by the FLIS.
- a. The use of this manual requires the following steps to be performed in data preparation.

- (1) Determine the transaction for the logistics function.
- (2) Refer to the applicable DIC in volume 8 or 9.
- (4) Prepare data in accordance with prescribed formats.
 - (5) Submit data to FLIS data bank.
- b. Data must be prepared in fixed length format or variable length format as determined by activity capability. Formats contain instructions for each method, as applicable.
- c. Collaborations must be performed in accordance with volume 2, chapter 2.2 prior to submittal to the FLIS data bank.
- d. Personnel should become thoroughly familiar with the tables of contents for the various volumes to develop an awareness of the scope of coverage included.
- e. Care should be taken in data preparation to avoid errors which may cause the return of transactions. The following guidelines are offered to assist in preparing acceptable data:
- (1) Ascertain that all item intelligence data required is included in the transaction.
- (2) Ascertain that the data has been properly formatted.
- (3) Verify completeness and correctness of data element values.
 - (4) Verify proper submittal mode selection.
- f. Manual quality control measures should be applied before submittal of worksheet for mechanization as follows:

- (1) Is the transaction in accordance with the latest logistics data tools?
 - (2) Are all the related segments included?
 - (3) Do the segments reflect the proper DICs?
- (4) Is an input header included with the transaction?
- (5) Is the data prepared in the appropriate mode fixed or variable length input?
- (6) Has the data required for fixed fields in all segments been properly positioned?
 - (7) Is the PSN properly applied?
- 1.3.17 Emergency Cataloging Support. The FLIS is designed to ensure effectiveness, reliability and survivability in time of war or emergencies. Regardless of emergency conditions the following Federal Catalog processes will continue on a noninterruptable basis:
- a. NSN assignment by use of the CAGE Code, logistics reference numbers, RNCC and RNVC.
- b. Provisioning and preprocurement screening basically by use of the same data.
- 1.3.18 Automated Design Guidance. The FLIS data bank is composed of two basic sectors: FLIS data base and the SSRs. The FLIS data base contains item oriented logistics management data; e.g., stock numbers, item characteristics, reference numbers, user recordation, standardization data, freight data, catalog management data. The SSR contains system oriented data; that is, data that is used in support of the FLIS data base. This sector includes tables or indexes of FSC Codes, MOE Rules, activity addresses, edit/validation tables, etc., and can be accessed to support FLIS data base processing. In addition, its content is updated directly by SSR

maintenance transactions, or by automatic interface of DLSC/FLIS programs.

CHAPTER 4 APPENDIX 1-4-A SERVICE/AGENCY CONTACT POINTS

Executive Director
Logistics Support Activity
ATTN: AMXLS-CM

Redstone Arsenal, AL 35898-7466

Commander, Cataloging & Standardization Center

ATTN: POM
Federal Center
74 Washington Ave N
Battle Creek, MI 49017-3094

Headquarters HQMC (LPP-2) 2 Navy Annex Washington, DC 20380-1775 DSN 226-1051/1052

GSA

Logistics Data Management Division

ATTN: FCSP

Washington, DC 20406

Federal Aviation Administration Material Management Division ATTN: ALM-300 800 Independence Ave., S.W. Washington, D.C. 20591

Director, Defense Logistics Agency ATTN: MMSLS, Room 4146 8725 John J. Kingman Road, Suite 2533 Fort Belvoir, VA 22060-6221

JLSC MMF 1864 Fourth Street STE 1 Wright-Patterson AFB, OH 45433-7131 Defense Medical Logistics Standard Support AIS Program Office 5109 Leesburg Pike Skyline 6 Suite 502 Falls Church, VA 22041

Commandant, U.S. Coast Guard ATTN: G-SLP 2100 2nd Street, S.W. Washington, DC 20593-0001

Commander
U.S. Naval Supply Systems Command
ATTN: SUP41242A
PO Box 2020
Mechanicsburg, PA 17055-0788

Commander, Field Command Defense Nuclear Agency ATTN: FCDNA/FCPNF 1680 Texas Street S.E. Kirtland AFB, NM 87117-5669

Director, National Security Agency ATTN: L114, SAB #4 9705 Stanford Road Fort George G. Meade, MD 20755-6000

Department of Veterans Affairs Hines Service and Distribution Item Management Division P.O. Box 27 Hines, IL 60141-0027

Commanding Officer
Naval Inventory Control Point
Code M0418
PO Box 2020
Mechanicsburg, PA 17055-0788

CHAPTER 4 APPENDIX 1-4-A SERVICE/AGENCY CONTACT POINTS

Chief, Int'l Codification Div

ATTN: DLSC-SD 74 Washington Ave N

Battle Creek, MI 49017-3084

HQ Defense Mapping Agency

Operations Directorate

Distribution Division

8613 Lee Highway

Mail Stop A12

Fairfax, VA 22031-2137

National Weather Service

Logistics Management Section SSMC2

W/OSO322

1325 East West Highway

Silver Springs, MD 20910

FOR PASSTHROUGH:

DLA Systems Automation Center

ATTN: DSAC-OLA

P.O. Box 1605

Columbus, OH 43216-5002

Defense Automated Add Sys Cmd

ATTN: Steve Norman 1080 Franklin Street

Dayton, OH 45444-5320

CASC/POM

ATTN: Mike Eddy

74 Washington Ave N

Battle Creek, MI 49017-3094

Executive Director

USAMA Logistics Spt Acty

ATTN: AMXLS-CM

Redstone Arsenal, AL 35898-7466

CHAPTER 4 APPENDIX 1-4-D ACTIVITIES TO RECEIVE INFORMATION COPIES OF SCRs AND SANs

Commander

U.S. Army Materiel Command

ATTN: AMCIO-TS

5001 Eisenhower Avenue

Alexandria, VA 22333-0001

Commander

USAMC Systems Integration and Management

Activity

ATTN: AMXAL-H

P.O. Box 1578

St. Louis, MO 63188-1578

Commander (Code 851)

Marine Corps Logistics Base

814 Radford Blvd

Albany, GA 31704-1128

Commander of DLA Systems Automation Center

ATTN: DSAC-OL

P.O. Box 1605

Columbus, OH 43216-5002

Defense Logistics Agency

MMSLP, Room 4240

8725 John J. Kingman Road, Suite 2533

Fort Belvoir, VA 22060-6221

Commanding Officer

Naval Inventory Control Point

Code 0424

P.O. Box 2020

5450 Carlisle Pike

Mechanicsburg, PA 17055-0788

Commanding Officer

Naval Inventory Control Point

Code 0421

700 Robbins Avenue

Philadelphia, PA 19111-5096

Commander, DLA Systems Automation Center

ATTN: DSAC-OFL

P.O. Box 1605

Columbus, OH 43216-5002

Director

Strategic Systems Programs

ATTN: SP206

1931 Jefferson Davis Highway

Arlington, VA 22241-5362

Director

Strategic Systems Programs

c/o Vitro Corporation

ATTN: Code MSD

45 West Gude Drive

Rockville, MD 20850-1160

Commander

Defense Electronics Supply Center

ATTN: DESC-EIST

1507 Wilmington Pike

Dayton, OH 45444-0001

Commander

Defense Supply Center Columbus

ATTN: DSCC-RPS

Columbus, OH 43215-5000

Commander

Defense Supply Center Richmond

ATTN: DSCR-RPM

Richmond, VA 23297-5000

Commander

Defense Industrial Supply Center

ATTN: DISC-LR

700 Robbins Avenue

Philadelphia, PA 19111-5096

CHAPTER 4 APPENDIX 1-4-D ACTIVITIES TO RECEIVE INFORMATION COPIES OF SCRs AND SANs

Commander

Defense Personnel Support Center

ATTN: DPSC-ZS

2800 South 20th Street

Philadelphia, PA 19101-8419

Defense Nuclear Agency

ATTN: DNA/LELD 6801 Telegraph Road

Alexandria, VA 22310-3398

NASA Headquarters

Logistics Management Office

Code JLG

Washington, DC 20546-0001

Commander

HO Air Force Materiel Command

ATTN: LGIM

Wright-Patterson Air Force Base, OH 45433-5006

Commanding Officer

U.S. Coast Guard Supply Center, Baltimore

ATTN: Code 320

707 East Ordnance Road

Baltimore, MD 21226-1791

Commanding Officer

U.S. Coast Guard Supply Center, Curtis Bay

ATTN: Code 4220

2401 Hawkins Point Road

Baltimore, MD 21226-1792

Commanding Officer

U.S. Coast Guard Aircraft

Repair and Supply Center

ATTN: ARSCDM

Elizabeth City, NC 27909-5001

Mike Monroney Aeronautical Center

ATTN: AAC-400

P.O. Box 25082

Oklahoma City, OK 73125-0082

National Weather Service

Logistics Mgmt Section SSMC2

W/OSO322

1325 East West Highway

Silver Springs, MD 20910

Commanding Officer

Navy Fleet Material Spt Ofc

ATTN: FMSO 9651

5450 Carlisle Pike

P.O. Box 2010

Mechanicsburg, PA 17055-0787

DLA Systems Design Center

DAASC

ATTN: DSDC-SSL

Gentile Station

1080 Franklin Street

Dayton, OH 45444-5320

Change in Logistics Management IMM to Military Service IMM to IMM (without FSC Change) Wholesale Manager to Wholesale Manager (and FSC) Wholesale Manager to Wholesale Manager (and FSC) Changes other than FSC or Logistics Management Changes other than FSC or Logistics Management By a Retail Service Collaboration
IMM to IMM (without FSC Change) Wholesale Manager to Wholesale Manager (and FSC) Wholesale Manager to Wholesale Manager (and FSC) FSC) Changes other than FSC or Logistics Management of LAM/LCG Changes other than FSC or Logistics Management of LAD/LCD/LCM/LDD Changes other than FSC or Logistics Management of LAD/LCD/LCM/LDD Changes other than FSC or Logistics Management of LAD/LCD/LCM/LDD Collaboration
IMM to IMM (without FSC Change) Wholesale Manager to Wholesale Manager (and FSC) Wholesale Manager to Wholesale Manager (and FSC) FSC) Changes other than FSC or Logistics Management Changes other than FSC or Logistics Management by a Retail Service Concurrent Submittal with Item Status Concurrent Submittal with Item Status Change
Wholesale Manager to Wholesale Manager (and FSC) FSC) Changes other than FSC or Logistics Management Changes other than FSC or Logistics Management Changes other than FSC or Logistics Management By a Retail Service Concurrent Submittal with Item Status Concurrent Submittal with Item Status Change Cha
Wholesale Manager to Wholesale Manager (and FSC) FSC) DICs LCU/ LAD/ LAM/LCG Changes other than FSC or Logistics Management Changes other than FSC or Logistics Management by a Retail Service Concurrent Submittal with Item Status Concurrent Submittal with Item Status Change Cha
FSC) Changes other than FSC or Logistics Management Changes other than FSC or Logistics Management Changes other than FSC or Logistics Management By a Retail Service Collaboration Collaboration Concurrent Submittal with Item Status Concurrent Submittal with Item Status Change
Changes other than FSC or Logistics Management 6 vols 8/9, DICs LAD/LCD/ LCM/LDD Changes other than FSC or Logistics Management by a Retail Service Collaboration 2 LAD/LCD/ LCM/LDD Collaboration 2 2 2-2-A Concurrent Submittal with Item Status 6 6-2-B vols 8/9, DIC LMD Data Element Add 6 vols 8/9, DIC LAD Change 6 vols 8/9, DIC LAD Change 6 vols 8/9, DIC LCD Delete 6 vols 8/9, DIC LCD Delete 6 vols 8/9, DIC LCD Data Flow Procedures 6 vols 8/9, DIC LDD Data Flow Procedures 6 vols 8/9, DIC LDM vols 8/9,
Changes other than FSC or Logistics Management Changes other than FSC or Logistics Management Changes other than FSC or Logistics Management by a Retail Service Collaboration Collaboration Collaboration Concurrent Submittal with Item Status Concurrent Submittal with Item Status Concurrent Concurr
LAD/LCD/ LCM/LDD Changes other than FSC or Logistics Management by a Retail Service Collaboration Collaboration Concurrent Submittal with Item Status Concurrent Submitta
Changes other than FSC or Logistics Management by a Retail Service
Changes other than FSC or Logistics Management by a Retail Service
by a Retail Service LAD/LCD/ LCM/LDD LCM/LDD Collaboration 2 2-2-A Concurrent Submittal with Item Status 6 6-2-B vols 8/9, Dic LMD Data Element Add Add Change Delete Delete Data Flow Procedures Delete CMD LAD/LCD/ LAD LAD/LCD/ E-2-B vols 8/9, DIC LAD LAD/LCD/ E-2-B vols 8/9, DIC LAD LAD/LCD/ E-2-B vols 8/9, DIC LAD/L LAD LAD/L LAD Vols 8/9, DIC LDM vo
Collaboration 2 2-2-A Concurrent Submittal with Item Status 6 6-2-B vols 8/9, DIC LMD Data Element Add 6 vols 8/9, DIC LAD Change 6 vols 8/9, DIC LCD Delete 6 vols 8/9, DIC LCD Data Flow Procedures 6 Delete CMD 6 vols 8/9, DIC LDM Vols 8/9, DIC LDD LDD Data Flow Procedures 6 Delete CMD
Collaboration 2 2-2-A Concurrent Submittal with Item Status 6 6-2-B vols 8/9, DIC LMD Data Element Add 6 vols 8/9, DIC LAD Change 6 vols 8/9, DIC LCD Delete 6 vols 8/9, DIC LCD Data Flow Procedures Delete CMD 6 vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC KDM
DIC LMD
Data Element Add 6 vols 8/9, DIC LAD Change 6 vols 8/9, DIC LCD Delete 6 vols 8/9, DIC LDD Data Flow Procedures Delete CMD 6 vols 8/9, DIC LDM vols 8/9, DIC KDM
Add 6 vols 8/9, DIC LAD Change 6 vols 8/9, DIC LCD Delete 6 vols 8/9, DIC LDD Data Flow Procedures 6 Delete CMD 6 vols 8/9, DIC LDM vols 8/9, DIC KDM
Change 6 vols 8/9, DIC LCD Delete 6 vols 8/9, DIC LDD Data Flow Procedures 6 Delete CMD 6 vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC KDM
Change 6 vols 8/9, DIC LCD Delete 6 vols 8/9, DIC LDD Data Flow Procedures 6 Delete CMD 6 vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC KDM
Delete 6 vols 8/9, DIC LDD Data Flow Procedures 6 vols 8/9, DIC LDD Delete CMD 6 vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC KDM
Delete 6 vols 8/9, DIC LDD Data Flow Procedures 6 vols 8/9, DIC LDM Delete CMD 6 vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC KDM
Data Flow Procedures 6 Delete CMD 6 vols 8/9, DIC LDM vols 8/9, DIC KDM
Delete CMD 6 vols 8/9, DIC LDM vols 8/9, DIC LDM vols 8/9, DIC KDM
LDM vols 8/9, DIC KDM
DIC KDM
Delete MOD Rule, Service Request
Edit Criteria for Service-Peculiar CMD vol 10, table 121
Effective Dated Actions, Pending, Informative 6 vols 8/9, DIC
Data for KIF
Effective Date Processing Criteria 2,6
File Maintenance Data Distribution 1.3.3.f(5) 1.3-7 6-2-A, 6-2-B
Goals/Objectives 6
I&S Interface 6
Input/Output DIC Chart 6 6-2-A Integrated Materiel Management Procedures 2

TITLE	VOLUME	PAGE	OTHER REFERENCES
Logistics Reassignment	6		6-2-B
Maintenance Action Codes	6		
Management Data List	2,15		15-10-A,B,C,D
Multiple DIC Input-Concurrent Submittal	6		6-2-B vols 8/9, DIC LMD
NATO - File Maintenance Output	6		
New/Reinstated Items	6		6-2-B
NIIN/PSCN Status/Index	6		vols 8/9, DIC KFS
Notifications - See Outputs Nuclear Ordnance	6		
Outputs			6-2-A
CMD as a Result of IMM/Lead Service Input	6		vols 8/9, DIC KIM
DIPEC - To	6		
File Maintenance Sequence Number in	6		
Generation from IMM/Lead Service Input	· ·		vol 10, table 122
Identification of Errors	6		vols 8/9, DIC KRE
Informative Data for Pending Effective Dated Actions	6		vols 8/9, DIC KIF
Effective Dated Actions NATO/Foreign Countries	6		KII
NIIN/PSCN Status/Index	6		vols 8/9, DIC
	U		KFS
Notification of Approval	6		vols 8/9, DIC KNA
Notification of Return (Submitter)	6		vols 8/9, DIC
			KRE
Notification of Unprocessable Package (Submitter)	6		vols 8/9, DIC KRU
Processing Indicator Codes			vol 10, table 125
PSCN, Converted to NSN	4		6-2-B
Purge Action	6		0 2 B
Reactivation of DoD Wholesale Manager Interest	6		vols 8/9, DIC
reductivation of DoD wholesaid wantager morest	· ·		LAU/LAM
Reinstate CMD	6		vols 8/9, DICs
	•		LAM, KAM
Segment H	1.3.4. <i>b</i> (2)(<i>f</i>)	1.3- 12	vols 8/9
Service Request to Delete MOE Rule	6	1.5 12	vols 8/9, DIC
			LDU

TITLE	VOLUME	PAGE	OTHER REFERENCES
SICA Follow-Up DIC KIM	6		
Simplified File Maintenance	2		2-11-G,H
Source of Supply Codes			vol 10, table 103
Source of Supply, DAAS	6		6-2-B
Statistics, IMSS-20	14		14-13-A
Unit of Issue Change	6		
Withdrawal of Wholesale Management	6		vols 8/9, DICs LDU, LDM/ LCM/LAD
CATALOGING ACTIONS			
General Considerations for	4		
Procedures Under Emergency Conditions	4		
Special Procedures	4		
CATALOGING DATA			
Quality Review of	2		
Reject Credits	2		
Security Classified, Processing	2		
Transmittal - See Transmittal of Data			
CATALOGING HANDBOOKS - See Handbooks			,
CATALOGING PROCEDURES UNDER	4		
EMERGENCY CONDITIONS	_		
CATALOGING PUBLICATIONS, OE DATA BASE FOR	7		
CATALOGING STATISTICAL SERIES (CSS)	14		
CENTRAL CATALOG FILE			
Quality Assurance/File Compatability	2		
Review of Reference Number by Manufacturer (GIRDER)	4		
CENTRALLY PROCURED ITEMS, RESPONSIBILITY	2 .		
C/G LETTERS - See DLSC Distribution			
CHANGE			
Data Elements	4		vols 8/9, DICs LCD, KCD
Data in Manufacturers Records (Organizational Entity)	7		vol 8, DIC LHP
DEMIL Code for Inactive Items	4		vols 8/9, DIC LCD

TITLE	VOLUME	PAGE	OTHER REFERENCES
FSC	4		vols 8/9, DICs LCG, KCG
Freight Data	6		vol 8, DICs LCF, KCF
NIIN/PSCN Status Code	4		vol 8, DIC LCI
PSCN to a NIIN	4		vols 8/9, DICs LCP,KCP
Reference Number Related Codes	4		vols 8/9, DICs LCR,KCR
Standardization Decision Data in a Standardization Relationship	4,6		vols 8/9, DICs LCS,KCS
Total Manufacturers Record (OE)	7		vol 8, DIC LHY
CHANGE BULLETINS	15		
CHANGES TO PUBLCIATIONS	15		
CHARACTERISTICS CODE (MILSTICCS)	3		
CHARACTERISTICS DATA MAINTENANCE	4		
Add Data Elements	4		vols 8/9, DIC LAD
Change Characteristics Data ·	4		vols 8/9, DIC LCC
Change Data Elements	4		vols 8/9, DIC LCD
Change FSC, Item Name, Type of II, or RPDMRC	4		vols 8/9, DIC LCG
For FIIG Revisions, Off-Line File			
Adjustments - Add, Change, or Delete	4		vols 8/9, DIC LCH
Item Preparation	4		
Segment M - Clear Text Characteristics	1.3.4.b(2)(h)	1.3- <i>12</i>	vols 8/9
Segment V - Coded Item Characteristics	1.3.4b(2)(h)	1.3- <i>12</i>	vols 8/9
Submittal of Maintenance	4		
CHARACTERISTICS SCREENING FOR STOCK NUMBER ASSIGNMENT	3		
CHARACTERISTICS SEARCH - See Search See Remote Terminals			
CHARACTERISTICS SEARCH PROCEDURE (FIIG APPENDIX E) IMM	3		3-3-A, parts 19-23
Assignments	2		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Change of FSC Class	2		
Collaboration	2		
Deletion of Invalid Logistics Transfer	2		
Item Cancellations	2		
Management Responsibility for Establishing/	2		
Withdrawing Items of Supply	2		
Reactivation of Items	2		
Registration of Activity Interest	13		
Withdrawal of Military Activity and IMM Interest	2		
Withdrawing IMM Responsibility	2		
CIVIL AGENCIES, DLA CATALOG FOR	15		15-9-A
CLASSIFICATION - See FSC			
CLEAR TEXT REPLIES, CHARACTERISTICS	4		
CMD - See Catalog Management Data			
COAST GUARD			
Inventory Account Codes			vol 10, table 127
Reparability Codes			vol 10, table 128
Serial Number Control Code			vol 10, table 150
CODIFICATION AGREEMENTS FOR INTERNA-	4		701 10,, 14010 100
TIONAL CATALOGING	,		
COLLABORATION/DATA EXCHANGE	2		2-2-A,B
COLLABORATION WITH FOREIGN COUNTRIES	2,4		,-
COLLOQUIAL NAMES	3		
COMMERCIAL AND GOVERNMENT ENTITY CODE	1.3.11.e	1.3-19	
ORGANIZATION/FUNCTIONS ELIGIBLE FOR ASSIGNMENT	7		
COMMERCIAL AND GOVERNMENT ENTITY STATUS CODES			vol 10, table 19
COMMODITY INTEGRATED MATERIEL			
MANAGER - See CIMM			
COMPTROLLER STATISTICAL SERIES (FSS)	14		•
CONFLICT NOTIFICATION	4		vols 8/9, DIC
	•		KNI vol 10,
			table 109
CONSOLIDATED FSCM/FSCNM/NSCM FILE.	7		107
MASTER	•		
CONSOLIDATED MANAGEMENT DATA LIST	15		15-10-A

TITLE	VOLUME	PAGE	OTHER REFERENCES
CONTENT INDICATOR CODES (CIC)	2		
CONTROLLED INVENTORY ITEM CODE (CIIC)			vol 10, table 61
CONVERSION CHART OF MOE CODES TO			
SERVICE/AGENCY DESIGNATOR CODES (I&S) CONVERSION FORMULAS - FIIG	2		
COPYRIGHTED NAME	3		
CORRECTING REFERENCE DATA (GIRDER)	4		
CREDITS FOR REJECTS - See Reject Credits	•		
CRITERIA FOR LOADING SOURCE OF SUPPLY			vol 10, table 114
CHANGES IN DAAS IMM RECORD CRITICALITY	4		,
CODE JUSTIFICATION			
CROSS REFERENCE OF INPUT TO OUTPUT DICs			vol 10, sect
			10.3.3
Catalog Management Data			6-2-A
Concurrent Submittal (DIC LMD) MINIMIZE/Degradation AUTODIN Transmittal	2		6-2-B 2-3-B
Search/Interrogation	2		2-3-В 5-1-А -
CRYPTOLOGIC DESIGN CONTROLLED ITEMS.	2		J-1-74 -
CATALOGING OF	_		
CRYPTOLOGIC ITEMS, MOE RULES FOR			vol 10, table 156
DoD SERVICE-MANAGED			
CUSTOMER SERVICE OFFICE AT DLSC	1.6	1.6-1	
D			
DAAS			
Criteria for Loading Source of Supply Changes in			vol 10, table
DAAS			114
IMM Record			•
Critical Source of Supply Update	6		vols 8/9, DIC
FLIS Quality Assurance	2		LSS 2-13-A (DAAS
1210 Quality Incuration	~		DICs QUE,
			QUR)
Follow-Up	6		
Navy Source of Supply Code		•	vol 10, table 111
Reference Number Data Screening	5		vol 8, DICs
			LSD, KSD

TITLE	VOLUME	PAGE	OTHER REFERENCES
Segment 4	1.3.4	1.3-10	vol 8
Reference Number Requisition NSN Selection Decision	1.3.10	1.3-15	vol 10, table 75
Reference Numer Requisition Return Code			vol 10, table 76
Service/Agency Notification to Users	6		
Source of Supply Update	1.3.3.f(6) 6	1.3-8	vol 8, DIC KSS
Segment 6	1.3.4	1.3-10	vol 8
DAASO SEARCH BY REFERENCE NUMBER	5		vol 10, tables 41, 75, 76
DATA BANK (FLIS Data Base)	4,5		
DATA BASE MAINTENANCE PROJECTS DATA ELEMENT(S)	2		
Add - See appropriate functional area	·		vols 8/9, DICs LAD, KAD
Change - See appropriate functional area			vols 8/9, DICs LCD, KCD
Delete - See appropriate functional area			vols 8/9, DICs LDD, KDD
Oriented with Value and Return Action Code, Segment Q	1.3.4.b(2)(h)	1.3 -12	vols 8/9
Oriented with Value, Segment R	1.3.4.b(2)(h)	1.3- 12	vols 8/9
DATA ELEMENT DICTIONARY			vol 12, chap 2
DATA ELEMENT/IDENTIFIER NAME			vol 12, chap 1
DATA EXCHANGE	2		
DATA RANGE CRITERIA - FIIG	3		
DATA RECORD NUMBER (DRN)			vol 12
DATA RECORD NUMBER/DATA CODE TABLE			vol 10, sect
CROSS REFERENCE	1 2 2 -	1 2 5	10.3.2
DATA RECIPIENTS (FILE MAINTENANCE)	1.3.3.e	1.3-5	vol 10 toble 20
DATA REQUEST CODES, INTERROCATION			vol 10, table 28
DATA REQUEST CODES, INTERROGATION OUTPUT			vol 10, table 34
DATA TRANSMISSION CONTROL CODES	2		vol 10, table 101
DATA WORKSHEETS/FORMS, OE	7		7-1-A, B, C, D
DD FORM - See Forms DECENTRALIZED FIEMS - See Locally Procured			
DECENTRALIZED ITEMS - See Locally Procured Items			
DEFECT (QUALITY ASSURANCE)	2		

TITLE	VOLUME	PAGE	OTHER REFERENCES
DEFECTIVE UNIT (QUALITY ASSURANCE) DEFENSE AUTOMATIC ADDRESSING SYSTEM - See DAAS	2		
DEFENSE COMMUNICATIONS SYSTEMS (DCS) AUTOMATIC DIGITAL NETWORK (AUTODIN) - See AUTODIN			
DEFENSE LOGISTICS AGENCY (DLA)	1.2.2	1.2-1	
DEFENSE NUCLEAR AGENCY (DNA)	4		1-4-A, C
Source of Supply Criteria	6		
DEFENSE NUCLEAR AGENCY CATALOGING ACTIVITY (DNACA)	4		
DEFINITIVE REPLY CODES	3		
DEGREE OF MATCH CODES DELETE			vol 10, table 27
Data from Manufacturers Records (Organizational Entity)	7		vol 8, DIC LHQ
Freight Data	6		vol 8, DICs- LDF, KDF
Reference Number Data	4		vols 8/9, DIC KDR
Standardization Relationship	4,6		vols 8/9, DIC KDS
Total Manufacturers Records (OE)	7		vol 8, DIC LHV
DELETION REASON CODES			vol 10, table 25
DELIMITATION OF ITEM NAMES	3		
DEMAND INDICATOR CODES			vol 10, table 141
DEMILITARIZATION CODES	4		vol 10, table 38
Change for Inactive Items	4		vols 8/9, DIC LCD
Publication	15		15-14-A
DEPARTMENT LISTING (IMSS)	14		
DEPARTMENT OF DEFENSE AMMUNITION CODE			
MAINTENANCE - See DoD Ammunition Code			
DEPARTMENT OF ENERGY (DOE) - See DOE			
DESCRIPTIVE METHOD FEDERAL ITEM			
IDENTIFICATION			
Revision	4		
Action by Submitting Activity	4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Add Reference Number	4		vols 8/9, DIC LAR
Change Reference Number Related Codes	4		vols 8/9, DIC LCR
Delete Reference Number	4		vols 8/9, DIC LDR
Nonconcurrence	4		
Proposed Revision	4		vols 8/9, DIC LCC
DESCRIPTIVE METHOD ITEM IDENTIFICATIONS AND TRANSFERS, CSS-4	14		14-18-A
DESCRIPTIVE METHOD REINSTATEMENT PROPOSAL	4		
DESTINATION CODE, PSMAT	7		
DESTINATION CODES, SCREENING	5		
DIC SUMMARIES, CSS-2	14		14-16-A
DICs AUTHORIZED FOR SUBMITTING	14		vol 10, table 104
ACTIVITES			voi 10, table 104
DIFFERENTIATION CHARACTERISTICS FOR A	4		
MANUFACTURERS REFERENCE NUMBER			
DISTRIBUTION OF PUBLICATIONS	15		
DISTRIBUTION OF REPORTS	14		
Justification of User Need	14		
DLA CATALOG FOR CIVIL AGENCIES	15		15-9-A
DLSC CHANGE DATA (SEGMENT 1)	4,5		vols 8/9
DLSC DISTRIBUTION C/G LETTERS	3		
DLSC/FOREIGN GOVERNMENTS RESPONSIBLE			vol 10, table 134
FOR ASSIGNMENT/MAINTENANCE OF OE			
CODES			
DOCUMENT AVAILABILITY CODE AND			vol 10, table 15
REFERENCE NUMBER CATEGORY CODE	4		,
COMBINATION TABLE DOCUMENT CONTROL			
DOCUMENT CONTROL NUMBER			
Use of for Outputs	1.3.3.b	1.3-4	
FLIS Data Base Mass Data Retrieval	1.3.3.f(12)	1.3-9	
SSR Mass Data Retrieval	1.3.3.f(14)	1.3-10	
SSR Tailored Interrogations	1.3.3.f(13)	1.3-9	
DOCUMENT IDENTIFIER CODES (DIC) (INPUT)			

TITLE	VOLUME	PAGE	OTHER REFERENCES
LAB Add U.S. National/NATO Stock Number as Informative Reference			vols 8/9/11
LAD Add Data Element(s)	4,6		vols 8/9/11
LAF Add Freight Data	6		vols 8/9/11
LAM Add Catalog Management Data	4,6		vols 8/9/11
LAR Add Reference Number and Related Codes	4		vols 8/9/11
LAS Add Standardization Relationship	6		vols 8/9/11
LAU Add MOE Rule Number and Related Data	4,6		vols 8/9/11
LBC Reinstate Partial Descriptive Method II (NIIN Only)	4,6		vols 8/9/11
LBKReinstate Reference Method II	4,6		vols 8/9/11
LBR Reinstate Full Descriptive Method II with Reference Number	4,6		vols 8/9/11
LBW Reinstate Full Descriptive Method II without Reference Number	4		vols 8/9/11
LCC Change Characteristics Data	1.3.l.n 4	1.3-3	vols 8/9/11
LCD Change Data Element(s)	4,6		vols 8/9/11
LCF Change Freight Data	6		vols 8/9/11
LCG Change FSC, Item Name, Type of Item	1.3.1.k	1.3-2	vols 8/9/11
Identification, or RPDMRC	4,6		
LCH Add, Change or Delete Characteristics Data for FIIG Revisions Off-Line File Adjustments	4		vols 8/9/11
LCI Change NIIN/PSCN Status Code (DLSC only)	4		vols 8/11
LCM Change Catalog Management Data	4,6		vols 8/9/11
LCP Change PSCN to a NIIN	4,6		vols 8/9/11
LCR Change Reference Number Related Codes	4		vols 8/9/11
LCS Change Standardization Decision Data for a Replaced NSN, Standardization Relationship	6		vols 8/9/11
LCU Change MOE Rule Number and Related Data	4,6		vols 8/9/11
LCZ Change Item Standardization Decision Data not in a Standardization Relationship	6		vols 8/9/11
LDD Delete Data Element(s)	4,6		vols 8/9/11
LDF Delete Freight Data	6		vols 8/9/11
LDM Delete Catalog Management Data	6		vols 8/9/11
LDR Delete Reference Number(s)	4	•	vols 8/9/11
LDS Delete Standardization Relationship	6		vols 8/9/11
LDU Delete MOE Rule Number	4,6		vols 8/9/11

TITLE	VOLUME	PAGE	OTHER REFERENCES
LDZ Delete Logistics Transfer (DLSC only)	6		vol 8
LFN Follow-up Interrogation, NATO Only	4		vol 8
LFU Follow-Up Interrogation	1.3.8 2	1.3-15	vols 8/9/11
LHN Add OE Data to Existing SSR	7		vols 8/11
LHP Change OE Data in Existing File	7		vols 8/11
LHQ Delete OE Data from Existing SSR	7		vols 8/11
LHR SSR OE Interrogation (Tailored)	1.3.11.e,5,7	1.3-19	vols 8/11
LHT Add Total O.E. SSR	7		vols 8/11
LHU Reinstate Total OE SSR	7		vols 8/11
LHV Delete Total OE SSR	7		vols 8/11
LHX MRC Summary/Detail (Mass Data Retrieval) (DLSC only)	5		
LHY Change Total OE SSR	1.3.11.e,7	1.3-19	vols 8/11
LKD Cancel-Duplicate	4,6	1.5-17	vols 8/9/11
LKI Cancel-Inactive (DLSC only)	4.6		vols 8/9/11
LKU Cancel-Use	4,6		vols 8/9/11
LKV Cancel-Invalid	4,6		vols 8/9/11
LMD Multiple DIC Input	1.3.1.m	1.3-3	vols 8/9/11
21.22 1.24.1.p. 2.10 p. 1.	4.6		
LNC Request for NIIN Assignment (Partial	4,6		vols 8/9/11
Descriptive Method)			
LNK Request for NIIN Assignment	4,6		vols 8/9/11
(Reference Method)			
LNP Request for PSCN Assignment (Full Descriptive Method with Reference Numbers)	6		
LNR Request for NIIN Assignment	4,6		vols 8/9/11
(Full Descriptive Method with Reference Numbers)	4,0		VOIS 0/ // 11
LNW Request for NIIN Assignment (Full Descrip-	4,6		vols 8/9/11
tive Method without Reference Number	7,0		VOIS 0/ // 11
LQS FSC Sample IID and CMD Compatibility Check	2		vols 8/9/11
LRC Remote Terminal (Category 1) Search by Characteristics Data	16		vol 9
LRF Remote Terminal (Category 1) Search by NIIN	16		vol 9
LRI Remote Terminal (Category 1) Interrogation by NIIN/PSCN	16		vol 9
LRN Resubmittal to Correct Error of Suspended	4		vols 8/9/11

VOLUME	PAGE	OTHER REFERENCES
16		vol 9
4		vols 8/9/11
4		vols 8/11
4		vols 8/9/11
5.7		vols 8/9/11
		vols 8/11
		vols 8/9/11
4,5		vols 8/9/11
4,5,7		vols 8/9/11
6		vols 8/9/11
5		-
4,5		vols 8/9/11
5		,
5	,	
5	ţ	
5		
6		vols 8/11
6		vols 8/11
6		
7		vol 8
7		vol 8
7		vol 8
1.3.11.f.6	1.3-21	vols 8/11
		vols 8/11
1.3.11.f,6	1.3-21	vols 8/11
	16 4 4 4 5,7 5 4,5,7 4,5 4,5,7 6 5 5 5 6 6 6 7 7 7 1.3.11.f,6 1.3.11.f,6	16 4 4 4 5,7 5,7 5 4,5,7 6 5 4,5,7 6 5 5 7 7 7 1.3.11.f,6 1.3-21 1.3.11.f,6 1.3-21

TITLE	VOLUME	PAGE	OTHER REFERENCES
LUX Delete Total SSR Master Freight Table Record	1.3.11.f,6	1.3-21	vols 8/11
LVA IMC Data	6		vols 8/9/11
LVE Extract and Edit Coded Item Characteristics	5		vols 8/9/11
Data by NSN LWC Remote Terminal (Category 2)	16		vol 9
Search by Characteristics Data			
LWF Remote Terminal (Category 2) Search by NIIN	16		vol 9
LWI Remote Terminal (Category 2) Interrogation	16		vol 9
by NIIN/PSCN	1.6		1.0
LWN Remote Terminal (Category 2)	16		vol 9
Search by Reference Number for Other Than Pro-			
visioning and Preprocurement	16		vol 9
LWR Remote Terminal (Category 2) Search by Reference Number	16		V01 9
Reference Number			
DOCUMENT IDENTIFIER CODES (DIC) (OUTPUT)			
KAD Add Data Element(s)	4,6		vols 8/9
KAF Add Freight Data	1.3.11.f,4,6	1.3-21	vols 8/9
KAM Add Catalog Management Data	6		vols 8/9
KAR Add Reference Number and Related Codes	1.3.11.e,4	1.3-19	vols 8/9
KAS Add Standardization Relationship	4,6		vols 8/9
KAT Add FLIS Data Base Data	4,6		vols 8/9
KAU Add MOE Rule Number and Related Data	6		vols 8/9
KCD Change Data Element(s)	4,6		vols 8/9
KCF Change Freight Data	1.3.11.f,6	1.3-21	vols 8/9
KCG Change FSC	4		vols 8/9
KCI Change NIIN/PSCN Status Code	4		vol 8
KCM Change Catalog Management Data	6		vols 8/9
KCP Change PSCN to NIIN	4	•	vols 8/9
KCR Change Reference Number Related Codes	4		vols 8/9
KCS Change Standardization Decision Data in a Standardization Relationship	4,6		vols 8/9
KCU Change MOE Rule Number and Related Data	6		vols 8/9
KCZ Change Item Standardization Decision	4,6		vols 8/9
Data not in a Standardization Relationship	-,-		
KDD Delete Data Element(s)	6		vols 8/9
KDF Delete Freight Data	1.3.11.f,6	1.3-21	vols 8/9
KDM Delete Catalog Management Data	6		vols 8/9
KDR Delete Reference Number Data	1.3.11.e,4	1.3-19	vols 8/9
KDS Delete Standardization Relationship	4,6		vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
KDU Delete MOE Rule Number	6		vols 8/9
KDZ Delete Logistics Transfer	6		vols 8/9
KEC Output Exceeds AUTODIN Limitations	4,5		vols 8/9
KFA Match through Association	4		vols 8/9
KFC File Data Minus Security Classified Characteristics Data	4		vols 8/9
KFD FLIS Data Base File Data	4,6		vols 8/9
KFE FLIS Data Base File Data for Replacement of a Cancelled NSN/PSCN, Related Generic NSN, or Reference Number Screening Results	5,6		vols 8/9
KFF Quarterly Files Replacement to NATO Supply	8		
Centers	O		•
KFM Notification to Increment File Maintenance Sequence Number	4,6		vols 8/9
KFN Follow-Up Interrogation Results, NATO Only	8		
KFP Follow-Up Notification	4,6		vols 8/9 -
KFR File Data for Replacement NSNs/PSCNs when not Authorized for Procurement	6		vols 8/9
KFS NIIN/PSCN Status/Index	4,5,6		vols 8/9
KFU Follow-Up Interrogation Results	1.3.8 4	1.3-15	vols 8/9
KHN OE SSR File Maintenance Data	1.3.11.e,7	1.3-19	vol 8
KHP Notification of Approval, SSR Transaction	1.3.11,6,7	1.3-17	vol 8
KHR Notification of Return, SSR Transaction	1.3.11,6,7	1.3-17	vol 8
KHS Notification of Unprocessable Package, SSR	1.3.11,6,7	1.3-17	vol 8
KHT SSR OE Interrogation Results (Tailored)	5,7		vol 8
KHW Match of Previous OE SSR Action	1.3.11.e,7	1.3-19	vol 8
KIE Advance Informative FLIS Data Base File Data	6		vols 8/9
KIF Informative Data for Pending Effective Dated Actions	4,6		vols 8/9
KIM Catalog Management Data as Result of IMM/ Lead Service Input	6		vols 8/9
KIR Interrogation Results	1.7.6,5	1.7-3	vols 8/9
KIS Search Results of National Item Identification Number Screening	5		vols 8/9
KKD Cancel-Duplicate	4		vols 8/9
KKI Cancel-Inactive	4		vols 8/9
KKP Cancel PSCN to an NSN/PSCN	6		vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
KKU Cancel-Use	4		vols 8/9
KKV Cancel-Invalid	4		vols 8/9
KMA Association Code Match (Screening)	4,5		vols 8/9
KMD Multiple DIC Output	4,6		
KME Exact Match, Screening	5		vols 8/9
KMG Possible Match, Screening	5		vols 8/9
KMH Actual Match, Screening	5		vols 8/9
KMN Matched Stock Number Assigned by Another NATO Country (Screening)	5		vols 8/9
KMP Partial Match, Screening	5		vols 8/9
KMQ Probable Match, Screening	5		vols 8/9
KMR Matching Reference Number, Screening	4,5		vols 8/9
KMS Reference Number Submitted for Screening	5		vols 8/9
Matched to a Security Classified Item			
KMT Standardization Relationship Preferred Item Data	5		vols 8/9
KMU Exact Match with Errors in Submitted FII (Submitter)	4		vols 8/9
KNA Notification of Approval	4,6		vols 8/9
KNI Conflict Notification	4,6		vols 8/9
KNN Notification of National Codification Bureau (NCB) Processing	4		vols 8/9
KNR Negative Reply (Screening)	5		vols 8/9
KNS Notification of Change to Standardization Decision Data	4		vols 8/9
KPE Possible Duplicate with Errors in Submitted FII (Submitter)	4		vols 8/9
KPM Processing Malfunction	1.3.9	1.3-15	vols 8/9
	4,6		
KQF Notification of Cutoff for File Compatibility Check (DLSC only)	2		vols 8/9
KQS Notification Sample Selection FSC IID and CMD Compatibility Check (DLSC only)	2		vols 8/9/11
KRE Notification of Return (Submitter)	1.3.8 4,5,6	1.3-15	vols 8/9
KRF Return of Cancellation Action, Retained FII Invalid	4		vols 8/9
KRM Notification of Exact Match (Submitter)	4		vols 8/9
KRP Notification of Possible Duplicate (Submitter)	4		vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
KRU Notification of Unprocessable Package (Submitter)	4,5,6		vols 8/9
KSC Results of Characteristics Search (Match)	5		vols 8/9
KSD DAAS Reference Number Screening Results	5		vol 8
KSE Submitted NIIN/PSCN Security Classified (Originator only)	4,6		vols 8/9
KSN Results of Characteristics Search (No Match)	5		vols 8/9
KSR Screening Results	4.5		vols 8/9
KSS DAAS Source of Supply Update	6		vols 8/9
KTA Mass Data Retrieval Results	5		vols 8/9
KTN Interrogated Data Not Available	5		vols 8/9
KTS Interrogation Results Minus Security Classified Characteristics Data	5		vols 8/9
KUA Add Total SSR MOE Rule Record	1.3.11.c 6	1.3-19	vol 8
KUB Cancel SSR MOE Rule with Replacement	1.3.11.c 6	1.3-19	vol 8
KUC Change SSR MOE Rule Record	1.3.11.c 6	1.3-19	vol 8
KUD Cancel without Replacement or Delete SSR MOE Rule Record	1.3.11.c 6	1.3-19	vol 8
KUE New SSR Standard FSC Management Record	6		vol 8
KUF Delete Total SSR Standard FSC Management Record	6		vol 8
KVE Results of Coded Item Characteristics Data Extract and Edit by NSN	5		vols 8/9
KVI Item Management Coding Advice Notification	6		vols 8/9
KWA Electronic Data Transmission Control	2,4		vol 8
DoDAAC DECISION			vol 10, table 41
DoD AMMUNITION CODE (DODAC)	2,3,15		
DoD AMMUNITION CODE HANDBOOK - See H3 Series			
DoD COMMODITY MATERIEL, MANAGEMENT CATEGORY CODES			vol 10, table 48
DoD/FEDERAL FUNCTIONAL MANAGER	1.2.3	1.2-2	1-4-E
DoD ITEM STANDARDIZATION CODES, IMSS-10	14		14-7-A
DoD SERVICE-MANAGED CRYPTOLOGIC ITEMS,			vol 10, table 156
MOE RULES FOR			· · · · · · · · · · · · · · · · · · ·
DOE (DEPARTMENT OF ENERGY) CONTROLLED/	4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
SPECIAL DESIGN ITEMS			
DROP INDEX CODES/TABLES	1.3.3.c(1)	1.3-4	vol 10, table 104
DUPLICATE, POSSIBLE			
Notification to Submitter	4		vols 8/9, DIC
With Errors in Submitted FII (Submitter)	4		KRP vols 8/9, DIC KPE
DUPLICATION CRITERIA, CHARACTERISTICS SCREENING/SEARCH	3		AL D
E		-	
EAM CARD			
Exception Criteria (Edit/Validation)	11		
Formats, Edits Unique to	11		-
Usage Grid and Notes (SSR)			vol 10, sect
, ,			10.3.4
Usage Grid and Notes (FLIS Data Base)			vol 10, sect
	/		10.3.5
EAM WORKSHEET PREPARATION, OE			7-1-A
EDIT CRITERIA FOR SERVICE-PECULIAR CMD			vol 10, table 121
EDIT/VALIDATIONS - See appropriate application			
EDIT/VALIDATION PROCEDURES, OE	7		
EFFECTIVE DATE PROCESSING			vol 10, table 112
Cancellations	2,4		
CMD Transactions	2,6		
Conflict Conditions			vol 10, table 99
Corrective Actions	4		
Criteria	2		
Definitions	2		
Logistics Areas/DICs Subject to	2		
Segment Z Data	1.3.10	1.3-15	
Standard Time Frames	2		
EFFECTIVE DATED ACTIONS, INFORMATIVE	6		vols 8/9, DIC
DATA FOR PENDING			KIF
EFFECTIVE DATED TRANSACTIONS			vol 10, table 112

ELECTRONIC DATA TRANSMISSION

TITLE	VOLUME	PAGE	OTHER REFERENCES
Activity Codes and Message Addresses for FLIS Users	2		vol 10, table 47
Activity to Indicate Media and RIC	1.3.3.a(2)(b)	1.3-4	
Communication Routing Identifiers	2		
Content Indicator Codes	2		
FLIS Data Transmission Control	2,4		vol 8, DIC KWA
	_, .		vol 10, table 101
FLIS Character Subset	2		2-3-A
Limitation, Output Exceeds	2,4,5		vols 8/9, DIC
1			KEC
MINIMIZE	2		
Requirement for Use			
E MODE REPLIES, CHARACTERISTICS	4		
EMERGENCY CONDITIONS, CATALOGING	2,4		
PROCEDURES			
EQUIPMENT DEGRADATION (DLSC)	2		
EQUIPMENT MALFUNCTION (DLSC)	4		-
ERROR CONDITIONS	1.3.1.c,	1.3-1,	vols 8/9, DIC
	1.3.7	1.3-14	KRE
	4,5,6		,
Edit/Validation	11		
Problem Reporting - See FLIS Problem Reporting			
Resubmittals	4		vols 8/9, DICs
			LRN, LRT
Return Codes	10		
Suspense Files	1.3.6	1.3.14	
System Errors	1.3.8.b	1.3-15	
Unprocessable Transactions	1.3.7	1.3-14	vols 8/9, DIC
EDDODG BI DUDI ICATIONG	1.5		KRU
ERRORS IN PUBLICATIONS	15	1015	
ERROR PROCESSING	1.3.8	1.3-15	.1.10 . 11 .144
ESTIMATED OR ACTUAL PRICE CODES	4		vol 10, table 144
EXACT MATCH WITH ERRORS IN SUBMITTED FII	4		
EXAMPLES OF PUBLICATION USE	15		
EXCEPTION CRITERIA, EAM CARD FORMATS	11		
EXTRA LONG CHARACTERISTICS DESCRIPTION (ELCD)	4		
EXTRA LONG REFERENCE NUMBER (ELRN)	4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
F			
FEDERAL CATALOG SYSTEM FEDERAL CATALOG SYSTEM POLICY MANUAL FEDERAL CATALOGING REPORTS AND STATISTICS - See Reports	4		
FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATION FEDERAL ITEM IDENTIFICATION GUIDE - See FIIG	2 5		
FEDERAL ITEM NAME DIRECTORY, H6 SERIES - See Handbooks FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS)		1.1-1	
FEDERAL SUPPLY CLASSES, LISTING (IMSS) FEDERAL SUPPLY CLASSIFICATION - See FSC FEDERAL SUPPLY CLASSIFICATION GROUP 11,	14		,
NUCLEAR ORDNANCE FEDERAL SUPPLY CLASSIFICATION HAND- BOOK, H2 SERIES - See Handbooks FEDERAL SUPPLY CLASSIFICATION SYSTEM	3		
MAINTENANCE Revisions to the FSC Indexes	3		
Revisions to the FSC Structure FIIG (Federal Item Identification Guide)	3		
A239 - Miscellaneous Items Appendix A - Reply Tables	4 3		3-3-A, parts 8 thru 10
Appendix B - Reference Drawing Groups	3		3-3-A, parts 11 thru 14
Appendix C - Technical Data Tables	3		3-3-A, parts 15 thru 17
Appendix D - Functional and Operational Index Appendix E - Characteristics Search Procedure	3		3-3-A, part 18 3-3-A, parts 19 thru 24
Applicability Key Index Approved Item Names Index	3		3-3-A, part 4 3-3-A, part 3

TITLE	VOLUME	PAGE	OTHER REFERENCES
Conversion Formulas	3		
Cover Page	3		3-3-A, part 1
Data Range Criteria	3		•
Data Range Tables	3		
Definitions	3		
Format	3		
General Information	3		3-3-A, part 2
MILSTICCS Coding	3		. 1
MRC Crtl	3		
MRC Index	3		
Preparation	3		3-3-A, part 1
Requirement Structure	3		, ,
Requirements to be Excluded from Screening	3		
Rounding Instructions	3		
Screening Criteria	3		
Search Criteria	3		
Section I - Item Characteristic Data Requirements	3		3-3-A, parts 5,6
Section II - Data Range Criteria	3		•
Section III - Supplementary Technical and Manage	3		3-3-A, part.7
ment Data			
Supplementary Technical and Management Data	3		
FIIG FUNCTIONAL/OPERATIONAL INDEX	5		5-10-A
OUTPUTS			
FIIG MAINTENANCE			
DLSC Distribution C/G Letters	3		
Initiation	3		
MRC Summary Lists	3, 5		5-9-A
Notification	3		
Page Changes	3		
Publication of Revised FIIGs	3		
FIIG REVISION			
Originator	3		
Review of Federal Item Identification	3		
Review of Tools	3		
FILE COMPATIBILITY - Also see Quality Assurance	1.3.3.d	1.3-5	
FILE COMPATIBILITY ACTIVITY CODES		•	vol 10, table 149
FILE COMPATIBILITY SUMMARY, CSS-6	14		14-19-A
FILE DATA FOR REPLACEMENT NSN/PSCNs	6		vols 8/9, DIC

TITLE	VOLUME	PAGE	OTHER REFERENCES
RECORD FORMATS FOR FLIS SEGMENTS REFERENCE DRAWINGS	1.3.4	1.3-10	vols 8/9
Development/Grouping for FIIG Appendix B	3		3-3-A, parts 11 thru 14
Identification of Drawing Groups	3		
Legends, Use of	3		
Lettering	3		
MIL-STD-100, Conformance with	3		
New, Revised, Cancelled Styles	3		
Preparation	3		
Replies to Requirements REFERENCE NUMBER	4		
Add Reference Number and Related Codes	4		vols 8/9/11, DICs LAR, KAR
Ammunition Code	2		-
Change Reference Number Related Codes	4		vols 8/9, DICs LCR,KCR
Collaboration	2		2-2-B
Delete Reference Number(s)	4		vols 8/9, DICs LDR,KDR
Differentiation Characteristics (MRC ZZZY)	4		•
Formatting and Transmittal	2		vol 10, table 22
Format Code (RNFC)	4		vol 10, table 1
Manufacturers Review, for a Specific CAGE Code	4		
Product Coding System	2		
Provisioning and Preprocurement Screening	2		
Revision of Descriptive Method FII	4		
Security Classified	2		
Segment C	1.3.4.b(2)(e)	1.3- <i>12</i>	vols 8/9
Specification/Standard	2		
Submittal of Reference Number Maintenance	4		
Submittal for Screening, Matched to a Security Classified Item	5		vols 8/9, DIC KMS
Transfer Actions	4		
Valid Combinations for Item-of-Supply Concept			vol 10, table 8
Verification of Manufacturers	4		4-3-A
Verification by GIRDER	4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
REFERENCE NUMBER ACTION ACTIVITY CODE (RNAAC) REFERENCE NUMBER ACTUAL OR PROBABLE			vol 10, table 104, part 1 vol 10, table 32
MATCH SCREENING DECISION REFERENCE NUMBER CATEGORY CODES REFERENCE NUMBER DUPLICATION DECISION REFERENCE NUMBER FORMAT CODES REFERENCE NUMBER FORMAT CONVERSION			vol 10, table 6 vol 10, table 13 vol 10, table 1 vol 10, table 22
CRITERIA REFERENCE NUMBER JUSTIFICATION CODES REFERENCE NUMBER SCREENING RNCC/RNVC ACCEPTABLE COMBINATION			vol 10, table 4 vol 10, table 31
REFERENCE NUMBER STATUS CODES REFERENCE NUMBER VARIATION CODES (RNVC)			vol 10, table 17 vol 10, table 7
REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE Follow, Up Procedure for RPDMRC 5	4		vol 10, table 3
Follow-Up Procedure for RPDMRC 5 REGISTRATION, ACTIVITY INTEREST, IMM REIMBURSEMENT CODES REIMBURSEMENT FOR CATALOGING SERVICES	4 13 1.5	1.5-1	vol 10, table 153
REINSTATE/REINSTATEMENT		1.5-1	
Cancelled Organizational Entity Record Catalog Management Data	7 6		vol 8, DIC LHU vols 8/9, DICs LAM, KAM
Full Descriptive Method II with Reference Number(s) (NIIN only)	4		vols 8/9, DIC LBR
Full Descriptive Method II without Reference Number(s) (NIIN only)	4		vols 8/9, DIC LBW
International Cataloging Considerations Partial Descriptive Method II (NIIN only)	4		vols 8/9, DIC LBC
Reference Method II (NIIN only)	4		vols 8/9, DIC LBK
REJECT CREDITS	_		
Communication Equipment Related	2	•	
Criteria for Credit	2		
Review for Denied Requests	2		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Remote Terminals	16		vol 9, DICs LRF, LWF vol 10, table 170
Requested File Data Not Available	5		vols 8/9, DIC KTN
Security Classified/Cancelled NIIN	5		vols 8/9, DICS KFE,KFS
SEARCH BY REFERENCE NUMBER	1.3.3.f(9) 5	1.3-9	vol 10, table 23 vols 8/9, DIC LSR
Assets Availability Code	5		2510
Association Code Matches	5		
Authorized Submitters	5		vol 10, table 104
Defense Automatic Addressing System	5		vol 10, table 76
Destination Activity Code	5		vol 8, DICs LSD, KSD
Error Conditions	5		vols 8/9, DIC KRE
For Other than Provisioning and Preprocurement	5		vols 8/9, DIC LSN
Match Results	5		vols 8/9, DICs KSR, KMR, KMA, KME, KMG, KMH, KMP, KMQ
Match Results for DLSC Internal DIC LST	5		vols 8/9, DICs KSR, KMR, KFE
Matched Stock Number Assigned by Another NATO Country (Screening)	5		vols 8/9, DIC KMN
NATO/Other Foreign Countries	4,5		vol 8, DIC LSN vol 10, table 104
No-Match Results	5		vols 8/9, DICs KSR, KNR
Output Contents, Selection of	5		ARDIN, ARITH
Output Distribution	5		
Output Limitations	5		
Output Results to NATO	4,5		
Preparation/Submission of Transactions	5		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Provisioning Screening Master Address Table	5,7		
Remote Terminals	16		vol 9, DICs LRR, LWN, LWR vol 10, table 170
Replacement of Cancelled CAGE Code	5		
Replacement of CAGE Code Notification	5		vols 8/9, DICs KSR, KMR
Returned Error Conditions	5		
Screening Codes	5		vol 10, table 33
Security Classified Match	5		vols 8/9, DICs KSR, KMS
Unprocessable Package	5		vols 8/9, DIC KRU
Without CAGE Code or NSCM (DLSC only, DIC LST)	5		
SEARCH ROUTINE OUTPUT DATA REQUEST CODES			vol 10, table 30
SECONDARY SEQUENCE CODED REPLIES	4		
SECONDARY SEQUENCING CODES, USE OF	3		"
SECURITY CLASSIFIED CATALOG DATA	2.4		
Action by Activity	2		
Action by DLSC	2,4		
Action by Other Interested Activities	2		,
Nuclear Ordnance	4		
Reference Numbers	2		
SECURITY CLASSIFIED DATA, FILE DATA MINUS	4		vols 8/9, DIC KFC
SECURITY CLASSIFIED CHARACTERISTICS SECURITY CLASSIFIED, SUBMITTED NIIN/PSCN (ORIGINATOR ONLY)	4		vols 8/9, DIC KSE
SEGMENT 1 - NOTIFICATION OF DLSC CHANGE DATA	4,5		vols 8/9 vol 10, table 120
SEGMENT 2 - SCREENING REQUEST, REFERENCE NUMBER DATA	1.3.4.b(2)(a)	1.3- <i>11</i>	vols 8/9/11
SEGMENT 3 - SCREENING REQUEST, NIIN DATA SEGMENT 4 - DAAS SCREENING, REFERENCE NUMBER DATA			vols 8/9/11 vols 8/11

TITLE	VOLUME	PAGE	OTHER REFERENCES
SEGMENT 5 - DAAS CRITICAL SOURCE OF SUPPLY UPDATE			vols 8/9/11
SEGMENT 6 - DAAS SOURCE OF SUPPLY UP- DATE			vol 8
SEGMENT 7 - ITEM MANAGEMENT CODING ADVICE NOTIFICATION	1.3.4. <i>b</i> (2)(<i>b</i>)	1.3- <i>12</i>	vols 8/9
SEGMENT 9 - ITEM MANAGEMENT CODING DATA	6		vols 8/9/11
SEGMENT A - IDENTIFICATION DATA	1.3.4. b (2)(c), 5		vols 8/9/11
SEGMENT B - MOE RULE DATA	1.3.4.b(2)(d)	1.3- <i>12</i>	vols 8/9/11
SEGMENT C - REFERENCE NUMBER DATA	1.3.4. b(2)(e)	1.3- <i>12</i>	vols 8/9/11
SEGMENT D - FLIS DATA MESSAGE CONTROL	2		vol 8
SEGMENT E - STANDARDIZATION DECISION DATA			vols 8/9/11
SEGMENT F - FLIS I&S RELATIONSHIP DATA			vols 8/9
SEGMENT G - FREIGHT CLASSIFICATION DATA			vols 8/9/11
SEGMENT H - CATALOG MANAGEMENT DATA	1.3.4. b(2)(f)	1.3- 12	vols 8/9/11
SEGMENT J - SCREENING RESPONSE HEADER			vols 8/9
SEGMENT K - NIIN/PSCN			vols 8/9
STATUS/CANCELLA TION			
SEGMENT L - OUTPUT FILE DATA HEADER			vols 8/9
SEGMENT M - CLEAR TEXT CHARACTERISTICS	1.3.4.b(2)(h)	1.3- 12	vols 8/9
SEGMENT P - DATA ELEMENT ORIENTED WITH- OUT VALUE			vols 8/9
SEGMENT Q - DATA ELEMENT ORIENTED WITH VALUE AND RETURN/ACTION CODE	1.3.4. b(2)(h)	1.3- 12	vols 8/9/11
SEGMENT R - DATA ELEMENT ORIENTED WITH VALUE	1.3.4. b(2)(h)	1.3- <i>12</i>	vols 8/9/11
SEGMENT S - RELATED SCREENING DATA			vols 8/9/11
SEGMENT T - CANCELLATION/DELETE MOE RULE			vols 8/9/11
SEGMENT V - CODED ITEM CHARACTERISTICS DATA	1.3.4. b(2)(h)	1.3- 12	vols 8/9/11
Extract and Edit Process	5		vols 8/9/11, DICs LVE,KVE
SEGMENT W - PACKAGING DATA SEGMENT SEGMENT Y - DECLARED EXCESS PROGRAM ASSETS DATA	1.3.4.b(2)(g)	1.3-12	vols 8/9/11 vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
SEGMENT Z - FUTURE DATA Availability	1.3.10	1.3-15	vols 8/9
SEGMENT PARAMETERS	1.5.10	1.5-15	vol 9, chap 4
SEGMENT WORKSHEETS FOR DESCRIPTIVE	4		vor y, emap
METHOD FII			
SERIAL NUMBER CONTROL CODE, COAST			vol 10, table 150
GUARD			
SERVICE/AGENCY-CONTROLLED TABLES - See			
Tables			
SERVICE/AGENCY DESIGNATOR CODES	4		vol 10, table 154
SERVICE CODE, PROVISIONING SCREENING			vol 10, table 42
MASTER ADDRESS TABLE			
SERVICE NUCLEAR ORDNANCE CATALOGING	4		
ACTIVITY (SNOCA)			1 10 4-1-1- 50
SHELF-LIFE CODES SIMPLIFIED FILE MAINTENANCE	12150	1.3-25	vol 10, table 50
Cumulative Basic Records (Monthly)	1.3.15,2 2	1.3-23	2-11-A thru ~
Cumulative Basic Records (Monuny)	2		2-11-A tillu 2-11-J
Data Available	2		
File Maintenance Update (Monthly)	2		vol 8, chap 2
Futures Data	2		2-11-J
Monthly Cumulative/Semiannual Replacement	2		2-11-A thru
•			2-11-J
Formats Output Media	2		vol 10, table 10
Participation and Data Receivers	2		2-11-K
Replacement Files (Semiannual)	2		2-11-A thru
			2-11-J
Restrictions	2		
SINGLE/MULTIPLE OUTPUT CODES (PSMAT)	4		vol 10, table 11
SINGLE QUALITY NUCLEAR ORDNANCE ITEMS	4		
SINGLE SUBMITTER SMR (SYSTEM MANAGEMENT RELEASE) - See	2		
FLIS Change Procedures			•
SOURCE CONTROLLED ITEM OF SUPPLY	4		
SOURCE OF SUPPLY	6		
Codes	-		vol 10, table 103
Defense Automatic Addressing System Acquisition	6		vol 8, DIC KSS
Advice Code Application			·





DEFENSE LOGISTICS AGENCY DEFENSE LOGISTICS SERVICES CENTER 74 WASHINGTON AVE N BATTLE CREEK MI 49017-3084



CHANGE NO. 2 DoD 4100.39-M CH 2 DoD 4100.39-M Volume 1

ERRATAS

DLSC-VPH 1 October 1996

FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) PROCEDURES MANUAL

I. Volume 1. DoD 4100.39-M. 1 October 1994, change as follows: Remove pages listed below and insert revised pages. Additions and changes are indicated by **bold-face italic** type. Deletions are indicated in the Significant Changes paragraph below.

	REMOVE OLD	INSERT NEW
Appendix 1-4-A Appendix 1-4-C Appendix 1-4-D Appendix 1-4-E	1 and 2 1 and 2 1 and 2 1 and 2	1 and 2 1 and 2 1 and 2 1 and 2
Chapter 7	1.7-5 and 1.7-6	1.7-5 and 1.7-6

II. SIGNIFICANT CHANGES

- A. The page changes are effective upon receipt.
- B. Changes for the entire manual this quarter and the applicable change number for each affected volume are: Change 2 to volume 1, change 6 to volume 4, change 8 to volume 6, change 9 to volume 8, change 9 to volume 9, and change 10 to volume 11. New basics have been provided for volumes 2, 10 and 13.

CH 2 DoD 4100.39-M Volume 1

III. This change sheet will be filed in front of volume 1 for reference purposes after changes have been made.

BY ORDER OF THE DIRECTOR:

RANDALL B. HAGLUND

Colonel, USMC Commander

Defense Logistics Services Center

DISTRIBUTION: Defense Logistics Agency: 41, 42

Army: To be distributed in accordance with Special Distribution List.

Navy: To be distributed in accordance with Special Distribution List maintained at NPFC.

Stocked: Commanding Officer Naval Publications and Forms Center 5801 Tabor Avenue Philadelphia, PA 19120

Air Force: Distribution "X"

CHAPTER 4 APPENDIX 1-4-A SERVICE/AGENCY CONTACT POINTS

Executive Director
Logistics Support Activity
ATTN: AMXLS-CM

Redstone Arsenal, AL 35898-7466

Commander, Cataloging & Standardization Center

ATTN: *PCM*Federal Center
74 Washington Ave N
Battle Creek, MI 49017-3094

Headquarters HQMC (LPP-2) 2 Navy Annex Washington, DC 20380-1775 DSN 226-1051/1052

GSA/FSS Cataloging Division ATTN: FCSC Washington, DC 20406

Federal Aviation Administration Material Management Division ATTN: ALM-300 800 Independence Ave., S.W. Washington, D.C. 20591

Director, Defense Logistics Agency ATTN: *MMLZS*, Room 4146 8725 John J. Kingman Road, Suite 2533 Fort Belvoir, VA 22060-6221

JLSC MMF 1864 Fourth Street STE 1 Wright-Patterson AFB, OH 45433-7131 Defense Medical Logistics Standard Support AIS Program Office 5109 Leesburg Pike Skyline 6 Suite 502 Falls Church, VA 22041

Commandant, U.S. Coast Guard ATTN: G-SLP 2100 2nd Street, S.W. Washington, DC 20593-0001

Commander
U.S. Naval Supply Systems Command
ATTN: SUP41242A
PO Box 2050
Mechanicsburg, PA 17055-0791

Field Command
Defense *Special Weapons* Agency
ATTN: *DSWA*/FCPNF
1680 Texas Street S.E.
Kirtland AFB, NM 87117-5669

Director, National Security Agency ATTN: L114, SAB #4 9800 Savage Rd, Ste 6619 Fort George G. Meade, MD 20755-6619

Department of Veterans Affairs Hines Service and Distribution Item Management Division P.O. Box 27 Hines, IL 60141-0027

Commanding Officer
Naval Inventory Control Point
Code M0418

Code M0418
PO Box 2020
Machaniachura BA

Mechanicsburg, PA 17055-0788

CHAPTER 4 APPENDIX 1-4-A SERVICE/AGENCY CONTACT POINTS

Chief, Int'l Codification Div

ATTN: DLSC-SD 74 Washington Ave N Battle Creek, MI 49017-3084

HQ Defense Mapping Agency Operations Directorate Distribution Division 8613 Lee Highway Mail Stop A12 Fairfax, VA 22031-2137

National Weather Service Logistics Management Section SSMC2 W/OSO322 1325 East West Highway Silver Springs, MD 20910-3280

FOR PASSTHROUGH:

DLA Systems *Design* Center ATTN: *DSDC-MM*P.O. Box 1605
Columbus, OH 43216-5002

Defense Automated Add Sys Cmd ATTN: Steve Norman 1080 Franklin Street Dayton, OH 45444-5320

CASC/POM ATTN: Mike Eddy 74 Washington Ave N Battle Creek, MI 49017-3094

Executive Director
USAMA Logistics Spt Acty
ATTN: AMXLS-CM
Redstone Arsenal, AL 35898-7466

CHAPTER 4 APPENDIX 1-4-C GUIDANCE FOR PREPARING DD FORMS 2021 AND 2021-1

- 1. General. All requests for system modification will be documented on DD Form 2021 and DD Form 2021-1. If the space provided is inadequate, continue on plain bond paper beginning with the title and control number on each additional page.
- 2. **Title.** Enter a short and concise title describing the proposed change.
- 3. Control Number. A nine-position alphanumeric number will be assigned to each FLIS System Change Request (SCR) by the initiating activity. Initiating activities will maintain a control register to assure sequential assignment of control numbers. The control number is constructed as follows:

XX	XXXXX	XX
Activity	Julian Date	Serial Number

a. Activity. A two-digit alpha code used to identify the initiating activity:

Code	Activity
CA	National Weather Service
DA	Army
DF	Air Force
DG	National Security Agency
DH	Defense Nuclear Agency
DM	Marine Corps
DN	Navy
DP	Defense Mapping Agency
DS	Defense Logistics Agency (DLA-
	CAN/MM)
GE	Federal Aviation Administration
GP	Coast Guard
TG	General Services Administration
VA	Veterans Administration
ZA	DLA-MMLX - Federal Catalog Pro-
	gram
ZB	Military Traffic Management Com-
	mand - Freight Classification

Code	Activity
ZC	DLA-MMLX - Interchangeability
	and Substitutability
ZD	DLA-MMLDC - Item Management
	Coding/Logistics Reassignments/
	Supply Support Requests
ZE	Defense Reutilization and Market-
	ing Service (DRMS)
ZF	DLSC (Logistics Information Dis-
	tribution Directorate)
ZG	DLSC (Logistics Information Dis-
	tribution Directorate)
ZH	DLSC (all other directorates)
ZI	DLA-CANM - Defense Automatic
	Addressing System
ZJ	Demil
ZZ	Other activities not assigned a Ma-
	jor Organizational Entity (MOE)
	Code or functional manager Z-code

b. **Julian Date.** A five-digit numeric code representing the date of preparation of the SCR, constructed as follows:

First two positions will represent the last two digits of the year. Positions 3, 4, and 5 will represent the numeric day of the year. For example, 1 December 1994, would be represented by the code 94335.

- c. **Serial Number.** Enter a consecutively assigned number, beginning with 01 for each change in Julian date.
- 4. Part I. Routing and Approval/Disapproval. This part of the form will be used to expedite the routing of the proposal and to indicate approval/disapproval actions must be signed by an individual authorized to represent the requesting/evaluating activity. Final approval/disapproval action for implementation must be signed by the Federal Logistics Information

CHAPTER 4 APPENDIX 1-4-C GUIDANCE FOR PREPARING DD FORMS 2021 AND 2021-1

System (FLIS) administrator or designated agent. Electronic signature and transmission is also acceptable. Letters of transmittal are not required for processing of SCRs.

5. Part II. Requested FLIS Modifications.

- a. Block 1. Background/Facts Bearing on the Proposal. This block should identify the references and the policy decisions that were the basis for defining the scope of the change. For instance, if the SCR is the result of a meeting or letter, or the result of a joint tasking, state which meeting, when, where, who the sponsor is, and the exact tasking. If the SCR is a result of a meeting or joint tasking, include a list of the attendees. References to internal correspondence and regulations will not be used. To facilitate understanding, specific paragraphic type references can be incorporated throughout the text of the proposed change (block 5). It should also identify whether the SCR has minor or major impact to Service/Agency (S/A) support systems
- b. Block 2. Proposed Implementation Date. Enter the proposed implementation date, taking into consideration the coordination cycle for approval of the SCR and the time frames required for implementation.
- c. Block 3. Priority. Enter the appropriate priority, as follows:
- (1) Routine Minor. An SCR requiring at least 60 calendar days for S/A coordination and distribution of the system change by DLSC a minimum of 180 days prior to implementation. A routine minor SCR requires a **minimum** of 370 days from date of submission of the SCR to final implementation.
- (2) Routine Major. An SCR requiring from 61-120 calendar days for S/A coordination and distribution of the system change by DLSC a minimum of 240 days prior to implementation. A routine

major SCR requires a **minimum** of 430 days from date of submission of the SCR to final implementation.

- (3) Expedite. An SCR requiring at most 60 calendar days for S/A coordination and distribution of the system change by DLSC a minimum of 90 days prior to implementation. An expedite SCR requires a **minimum** of 198 days from date of submission of the SCR to final implementation.
- (4) Emergency. An SCR required to maintain the operational status of FLIS. (See paragraph 1.4.3.a.(5).)
- d. **Block 4. Justification.** Provide detailed justification for assignment of an expedite or emergency priority.
- e. Block 5. Recommended Description of Change. The following paragraphs indicate the level of detail to be provided:
- (1) General Objectives. Establishes in narrative form a description of the overall system objectives to be accomplished by the system change for the function being served. Establishes what is to be done without stating specific criteria to be met in accomplishing the automatic data processing (ADP) needs of the function.
- (2) Specific objectives should include, as a minimum, functional statements that delineate what shall be accomplished to ensure that the general objectives are met to the satisfaction of the functional manager. The following elements of detail will be included as specific functional requirements:
- (a) Input. Cite who the data shall be received from and what elements of data shall be input to FLIS to satisfy the objective. When constrained by other functions or systems, the configuration of the data element may be identified (new Data Record

CHAPTER 4 APPENDIX 1-4-D ACTIVITIES TO RECEIVE INFORMATION COPIES OF SCRs AND SANs

Commander

U.S. Army Materiel Command

ATTN: AMCIO-TS

5001 Eisenhower Avenue

Alexandria, VA 22333-0001

Commander

USAMC Systems Integration and Management

Activity

ATTN: AMXAL-H

P.O. Box 1578

St. Louis, MO 63188-1578

Commander (Code 851)

Marine Corps Logistics Base

814 Radford Blvd

Albany, GA 31704-1128

Commander of DLA Systems Design Center

ATTN: DSDC-MMO

P.O. Box 1605

Columbus, OH 43216-5002

Defense Logistics Agency

MMLXC

8725 John J. Kingman Road, Suite 2533

Fort Belvoir, VA 22060-6221

Commanding Officer

Naval Inventory Control Point

Code 0424

P.O. Box 2020

5450 Carlisle Pike

Mechanicsburg, PA 17055-0788

Commanding Officer

Naval Inventory Control Point

Code 0421

700 Robbins Avenue

Philadelphia, PA 19111-5098

Commander, DLA Systems Design Center

ATTN: DSDC-RD

P.O. Box 1605

Columbus, OH 43216-5002

Director

Strategic Systems Programs

ATTN: SP206

1931 Jefferson Davis Highway

Arlington, VA 22241-5362

Director

Strategic Systems Programs

c/o Vitro Corporation

ATTN: Code MSD

45 West Gude Drive

Rockville, MD 20850-1160

Commander

Defense Supply Center Columbus

ATTN: DSCC-EIST

Columbus, OH 43216-5000

Commander

Defense Supply Center Columbus

ATTN: DSCC-RPS

Columbus, OH 43215-5000

Commander

Defense Supply Center Richmond

ATTN: DSCR-RPM

Richmond, VA 23297-5000

Commander

Defense Industrial Supply Center

ATTN: DISC-LR

700 Robbins Avenue

700 RODOMS TIVENDO

Philadelphia, PA 19111-5096

CHAPTER 4 APPENDIX 1-4-D ACTIVITIES TO RECEIVE INFORMATION COPIES OF SCRs AND SANs

Commander

Defense Personnel Support Center

ATTN: DPSC-ZS 2800 South 20th Street

Philadelphia, PA 19101-8419

Defense Special Weapons Agency

ATTN: *DSWA/LELD* 6801 Telegraph Road Alexandria, VA 22310-3398

NASA Headquarters

Logistics Management Office

Code JLG

Washington, DC 20546-0001

Commander

HQ Air Force Materiel Command

ATTN: LGIM

Wright-Patterson Air Force Base, OH 45433-5006

Commanding Officer

U.S. Coast Guard Supply Center, Baltimore

ATTN: Code 320

707 East Ordnance Road Baltimore, MD 21226-1791

Commanding Officer

U.S. Coast Guard Supply Center, Curtis Bay

ATTN: Code 4220

2401 Hawkins Point Road Baltimore, MD 21226-1797 Commanding Officer

U.S. Coast Guard Aircraft Repair and Supply Center

ATTN: ARSCDM

Elizabeth City, NC 27909-5001

Mike Monroney Aeronautical Center

ATTN: AAC-400 P.O. Box 25082

Oklahoma City, OK 73125-0082

National Weather Service

Logistics Mgmt Section SSMC2

W/OSO322

1325 East West Highway Silver Springs, MD 20910

Commanding Officer

Navy Fleet Material Spt Ofc

ATTN: FMSO *9612* 5450 Carlisle Pike P.O. Box 2010

Mechanicsburg, PA 17055-0787

DLA Systems Design Center

DAASC

ATTN: DSDC-SSL

Gentile Station

1080 Franklin Street

Dayton, OH 45444-5320

CHAPTER 4 APPENDIX 1-4-E FLIS FUNCTIONAL MANAGERS

FUNCTION	FUNCTIONAL MANAGER	ADDRESS
Federal Logistics Information System	Assistant Executive Director, Engineering, Quality and Standardization	Director Defense Logistics Agency MMLX 8725 John J. Kingman Rd. Fort Belvoir, VA 22060-6221
Item Management Coding and Logistics Reassignments	Assistant Executive Director, Migration Programs, CIT Team	Director Defense Logistics Agency MMLOC 8725 John J. Kingman Rd, Fort Belvoir, VA 22060-6221
DoD DEMIL	Assistant Executive Director, Disposal Program	Director Defense Logistics Agency MMLC 8725 John J. Kingman Rd, Fort Belvoir, VA 22060-6221
Source of Supply (SoS)	Executive Director, Defense Automatic Addressing System Center	Defense Automatic Addressing Systems Center 1080 Franklin St. Dayton, OH 45444-5320
DoD Interchangeability and Substitutability (I&S) Family Data	Assistant Executive Director, Engineering Quality and Standardization	Director Defense Logistics Agency MMLX 8725 John J. Kingman Rd, Fort Belvoir, VA 22060-6221

CH 2 DoD 4100.39-M Volume 1

CHAPTER 4 APPENDIX 1-4-E FLIS FUNCTIONAL MANAGERS

FUNCTION Personal Property Reutilization	FUNCTIONAL MANAGER Assistant Executive Director, Logistics Systems Development, Supply Service Center and Federal Systems Team	ADDRESS Director Defense Logistics Agency MMLZS 8725 John J. Kingman Rd, Fort Belvoir, VA 22060-6221
Freight Classification	Chief, Tender and Classification Branch, Negotiations Division, Directorate of Inland Traffic, Military Traffic Management Command	Commander Military Traffic Management Command ATTN: MT-INN-T5611 5611 Columbia Pike Falls Church, VA 22041
Packaging	Assistant Executive Director, Policy Systems and Engineering, Logistics Policy (Logistics Management), Distribution Management Team	Director Defense Logistics Agency MMLSD 8725 John J. Kingman Rd, Fort Belvoir, VA 22060-6221
MEDALS	Chief, On-Line Logistics Systems Management Division, Directorate of Logistics Information Distribution	Commander Defense Logistics Services Center ATTN: DLSC-V 74 Washington Ave N Battle Creek MI

49017-3084

of the input and mode and media desired for the output.

- (5) Benefits expected from the test.
- (6) If the test is requested as the result of a problem, is the problem major, critical, or routine in accordance with volume 2, chapter 6.
- c. It should be noted that a request for a mini interface test to pinpoint a problem, will not be made in lieu of reporting a problem in accordance with volume 2, chapter 6, but may supplement the problem report.
- d. DLSC will process the test transactions against the STDB as time permits, however, turnaround time will not exceed one week. The test will be processed using current DLSC production programs and support files.

1.7.10 Reporting of Interface Test Effectiveness

- a. Following the conclusion of each interface test, each participant is requested to forward a letter to DLA, ATTN: DLA-E, referencing the test and evaluating its effectiveness in terms of benefits derived, problems encountered, and lessons learned that will assist DLA-E and DLSC in evaluating the interface test capability and possible enhancing its effectiveness in the future.
- b. DLSC will also provide evaluations of the interface test to DLA-ZS to assist in the overall evaluation

1.7.11 Interface Test Coordinators

AGENCY	MAILING ADDRESS	COORDINATOR
DLSC	Commander Defense Logistics Services Center ATTN: DLSC-BB Federal Center	Mr. Joe Domenico DSN 932-4085
DLA Centers	Battle Creek. MI 49017-3084 Commander Data System Automation Center ATTN: DSAC-MLC P.O. Box P1605 Columbus, OH 43216	Mr. Will Feil DSN 850-4122
Army	Executive Director Logistics Support Activity ATTN: AMXLS-RWD Redstone Arsenal, AL 35898-7466	Ms. Beverly L. Van Brakle DSN 645-0784

AGENCY	MAILING ADDRESS	COORDINATOR
Navy	Commander Navy Fleet Material Support Office ATTN: Code 9612 5450 Carlysle Pike Mechanicsburg, PA 17055	Ms. Shelia Godfrey DSN 430-6513
Air Force	Commander HG Air Force Logistics Command ATTN: MMIPC Wright-Patterson Air Force Base. OH 45433-5001	Mr. Joe Welsh DSN 787-5553
Marine Corps	Commander Marine Corps Logistics Base Code 851-1 814 Radford Boulevard Albany, GA 31704-1128	Zelda Collins DSN 567-6414/5
DNA	Commander Field Command Defense Nuclear Agency Kirkland AFB, NM 87115	Mr. Fernado Alvarado DSN 246-8421
GSA	GSA/FSS Cataloging Branch ATTN: FCRL Washington, DC 20406	Mr. Charles Long DSN 305-7528
Coast Guard	U.S. Coast Guard Headquarters 2100 Second St., S.W. ATTN: COMDT (G-ELM) Washington, DC 20593-0001	Ms. Cathy Pastore FTS 267-0656 (202)267-0656





DEFENSE LOGISTICS AGENCY DEFENSE LOGISTICS SERVICES CENTER 74 WASHINGTON AVE N BATTLE CREEK MI 49017-3084



CHANGE NO. 3 DoD 4100.39-M ERRATA

CH 3 DoD 4100.39-M Volume 1

DLSC-VPH 1 January 1997


FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) PROCEDURES MANUAL


I. Volume 1, DoD 4100.39-M, 1 October 1994, change as follows: Remove pages listed below and insert revised pages. Additions and changes are indicated by *bold-face italic* type. Deletions are indicated in the Significant Changes paragraph below.

	REMOVE OLD	INSERT NEW
Table of Contents	v and vi,	v and vi,
Clossom	IX una XII	ix thru xii xv thru xx,
Glossary	xv thru xx, xxvii thru xliv	xv unu xx, xxvii thru xliv
Chapter 3	1.3-9 thru 1.3-27	1.3-9 thru 1.3-26
Appendix 1-4-A Appendix 1-4-C Appendix 1-4-D	1 and 2	1 and 2
Appendix 1-4-C	1 and 2	1 and 2
Appendix 1-4-D	- 1 and 2	1 and 2
Chapter 7	1.7-5 and 1.7-6	1.7-5 and 1.7-6
Chapter 8	1.8-1 thru 1.8-71	1.8-1 thru 1.8-71

II. SIGNIFICANT CHANGES

- A. The page changes are effective upon receipt.
- B. Changes for the entire manual this quarter and the applicable change number for each affected volume are: Change 3 to volume 1, change 1 to volume 2, change 6 to volume 3, change 7 to volume 4, change 5 to volume 5, change 9 to volume 6, change 3 to volume 7, change 10 to volume 8, change 10 to volume 9, change 1 to volume 10, change 11 to volume 11, change 1 to volume 13, change 3 to volume 15, and change 4 to volume 16. New basics have been provided for volume 12.





III. This change sheet will be filed in front of volume 1 for reference purposes after changes have been made.

BY ORDER OF THE DIRECTOR:

RANDALL B. HAGLUND

Colonel, USMC Commander

Defense Logistics Services Center

DISTRIBUTION: Defense Logistics Agency: 41, 42

Army: To be distributed in accordance with Special Distribution List.

Navy: To be distributed in accordance with Special Distribution List maintained at NPFC.

Stocked: Commanding Officer Naval Publications and Forms Center 5801 Tabor Avenue Philadelphia, PA 19120

Air Force: Distribution "X"

GENERAL AND ADMINISTRATIVE INFORMATION TABLE OF CONTENTS

Volume/ Chapter/ Section	Title	Page/Appendix
1.1	INTRODUCTION TO FLIS	
1.1.1	Scope	1.1-1
1.1.2	FLIS Objectives	1.1-1
1.1.3	Frequency and Media of Changes	1.1-2
1.1.4	Numbering System	1.1-4
1.2	RESPONSIBILITIES	
1.2.1	General	1.2-1
1.2.2	Defense Logistics Agency	1.2-1
1.2.3	DoD/Federal Functional Manager	1.2-2
1.2.4	Military Services/DoD and Civil Agencies	1.2-2
1.3	FLIS CONCEPT AND PRINCIPLES	
1.3.1	DIC Concept and Principles	1.3-1
1.3.2	Provisioning and Other Preprocurement Screening	1.3-3
1.3.3	Types of Output Distribution	1.3-3
1.3.4	Record Formats	1.3-10
1.3.5	Sequence of Processing	1.3-13
1.3.6	Suspense Files	1.3-14
1.3.7	Unprocessable Transactions	1.3-14
1.3.8	Error Processing	1.3-15
1.3.9	Processing Malfunction	1.3-15
1.3.10	Segment Z Availability	1.3-15
1.3.11	Catalog Tools Processes	1.3-17
1.3.12	Mass Change Processing	1.3-21
1.3.13	Mass Data Retrieval	1.3-23
1.3.14	Reports Generator	1.3-24
1.3.15	Simplified File Maintenance	1.3-24
1.3.16	Record Establishment and Maintenance Actions	1.3-25
1.3.17	Emergency Cataloging Support	1.3-25
1.3.18	Automated Design Guidance	1.3-26
1.4	FLIS CHANGE PROCEDURES	
1.4.1	General	1.4-1
1.4.2	Changes of Procedural Matter	1.4-1
1.4.3	Preparation and Processing SCRs	1.4-2

Volume/ Chapter/ Section	Title	Page/Appendix
1.4.4	Status Reports	1.4-5
	Service/Agency Contact Points	1-4-A
	Service/Agency-Controlled Tables	1-4-B
	Guidance for Preparing DD Forms 2021 and 2021-1	1-4-C
	Activities to Receive Information Copies of SCRs and SANs	1-4-D
	FLIS Functional Managers	1-4-E
	Quarterly Change Publication Schedules	1- 4- F
	NATO Activities to Receive Information Copies of SCRs and SANs	1-4-G
1.5	REIMBURSEMENT PROCEDURES	
1.5.1	Policy	1.5-1
1.5.2	Services	1.5-1
1.6	CUSTOMER SERVICE OFFICE	
1.6.1	General	1.6-1
1.6.2	Procedure for Inquiries	1.6-1
1.6.3	Limitations	1.6-1
1.7	STANDARD INTERFACE TEST CAPABILITY	
1.7.1	Purpose and Scope	1.7-1
1.7.2	Concepts and Principles	1.7-1
1.7.3	Procedures for STDB Participants	1.7-2
1.7.4	Maintenance of the STDB	1.7-2
1.7.5	Preparation and Transmittal of Input Data for STDB Maintenance	1.7-2
1.7.6	Transmittal of Output Data and STDB	1.7-3
1.7.7	Requirements for Interface Testing	1.7-4
1.7.8	Procedures for Requesting a Full Scale Interface Test	1.7-4
1.7.9	Procedures for Requesting a Mini Interface Test	1.7-4
1.7.10	Reporting of Interface Test Effectiveness	1.7-5
1.7.11	Interface Test Coordinators	1.7-5
1 &	ALPHARETIC INDEX FOR TOTAL MANUAL	1 8_1

Volume/ Chapter	Title	Responsibility (DLSC-)
5.11	Alphabetic Index	V
6	SUPPLY MANAGEMENT	
6.1	General	S
6.2	Add, Reinstate, Change, or Delete Catalog Management Data	S
6.3	Add, Change, or Delete MOE Rule and Related Data	S
6.4	Freight Data	S
6.5	Add, Change, or Delete Standardization Data	S
6.6	Add, Change, or Delete DoD Interchangeability and Substitutability (I&S) Family Data	S
6.7	Source of Supply	S
6.8	Item Management Coding Data	S
6.9	Annual DoD Stock Fund Price Change Procedures	S
6.10	Packaging Data	S
6.11	Alphabetic Index	V
7	ESTABLISH/MAINTENANCE OF ORGANIZATIONAL ENTITY AND PROVISIONING SCREENING MASTER ADDRESS TABLE	
7.1	Establishment/Maintenance, O.E. Master File (CAGE/NCAGE)	S
7.2	Establishment/Maintenance of Provisioning Screening Master Address Table (PSMAT)	S
7.3	Alphabetic Index	V
8	DOCUMENT IDENTIFIER CODE INPUT/OUTPUT FORMATS (FIXED LENGTH)	
8.1	Input DIC Formats	V,S
8.2	Output DIC Formats	V,S
8.3	Segment Formats	v,s
8.4	Standardized DIC Input/Output Notes	V,S
8.5	Alphabetic Index of DIC Titles	V
9	DOCUMENT IDENTIFIER CODE INPUT/OUTPUT FORMATS (VARIABLE LENGTH)	
9.1	Input DIC Formats	V,S

Volume/ Chapter	Title	Responsibility (DLSC-)
9.2	Output DIC Formats	V,S
9.3	Segment Formats	V,S
9.4	Variable Length Segment Parameters	V,S
9.5	Standardized DIC Input/Output Notes	V,S
9.6	Alphabetic Index of DIC Titles	V
10	MULTIPLE APPLICATION REFERENCES/ INSTRUCTIONS/TABLES AND GRIDS	
10.1	Reserved for Future Use	
10.2	Return Action Codes	E,S
10.3	Various Cross Reference/Grids	E,S
10.4	Data Code Tables	E,S
11	EDIT/VALIDATION CRITERIA	
11.1	Exception Criteria and Unique Edits for Fixed Formats	V,S
11.2	Input Header	V,S
11.3	DICs (in alphabetic sequence)	V,S
11.4	Segments (in alphanumeric sequence)	V,S
12	DATA ELEMENT DICTIONARY	
12.1	Group Table Index	E
12.2	Group Table Name to DB2 Element Name Cross Reference	Е
12.3	Usage - Host/Cobol Name to Group Table No.	V
12.4	DRN Definitions, Custodian ID, and Other Reference Data	V
12.5	Clear Text Host/Cobol Name to DRN Cross Reference	
12.6	DRN to Table Group No. Cross Reference	
13	MATERIEL MANAGEMENT DECISION RULE TABLES	
13.1	Introduction	S
13.2	Standard Federal Supply Classification (FSC) Table	S
13.3	Registration of Activity Interest for Level of Authority Codes 01 and 02 by Integrated Materiel Managers	S
	(IMMs)	
13.4	Registration of Activity Interest by Service Integrated Materiel Managers (IMMs)	S
13.5	MOE Rule Development for NATO and Other Foreign	S
13.3	Countries	S

Volume/ Chapter	Title	Responsibility (DLSC-)
13.6	Major Organizational Entity (MOE) Rules	S
14	REPORTS AND STATISTICS	
14.1	General Information	S
14.2	Logistics	S
14.3	Logistics On-Line Access (LOLA)	S
14.4	Military Engineering Data Asset Locator System (MEDALS)	S
14.5	Transactions	S
14.6	Ad Hoc Statistical Data	S
14.7	Users Instructions-Introduction	S
14.8	Logistics Statistics Subsystem Processing Reference Guide	S
14.9	Transaction Management Subsystem	S
14.10	Logistics On-Line Access Statistics Subsystem Processing Reference Guide	S
Appendix A	Glossary of Terms and Abbreviations	S
Appendix B	Screen Layouts	S
Appendix C	Error Messages and Recoveries	S
Appendix D	Valid Departments and Class A Managers	S
15	PUBLICATIONS	
15.1	Introduction	V
15.2	DoD Ammunition Catalog (AMMO)	V
15.3	National Stock Number Demilitarization Code (DEMIL)	V
15.4	Federal Logistics Data on Compact Disc (FED LOG)	V
15.5	Federal Logistics Data Record (FILDR)	V
15.6	Cataloging Handbook Groups and Classes (H2)	V
15.7	H2/H6 Advance Notice	V
15.8	Federal Item Name Directory for Supply Cataloging H6 - Hardcopy	V
15.9	H-5 Series (H2, H3, H4/H8, H5, H6)	V
15.10	DoD Interchangeability and Substitutability (I&S)	V
15.11	Master Cross Reference Data (MCRD)	V
15.12	Management Data (MD)	V
15.13	Military Engineering Data Asset Locator System (MEDALS)	V

Volume/ Chapter	Title	Responsibility (DLSC-)
15.14	DoD Medical Catalog (MEDCAT)	V
15.15	DoD Medical Catalog - X (MED CAT-X)	V
15.16	Tailored Information Products	V
15.17	Examples of Publications Use	V
16	LOGISTICS ON-LINE ACCESS (LOLA)	V
16.1	General	V
16.2	System Summary	V
16.3	Access to the System	V
16.4	Inquiry Subsystem Processing Reference Guide	V
16.5	Characteristics Search Subsystem Processing Reference Guide	V
16.6	FSG/FSC Functional Processing Reference Guide	V
16.7	LOLA On-Line Update Processing Reference Guide	V
16.8	Freight Search Subsystem Processing Reference Guide	V
16.9	MOE Rule Search Subsystem Processing Reference Guide	V
16.10	LOLA Procedures Subsystem Processing Reference Guide	V
Appendix A	Glossary of Terms and Abbreviations	\mathbf{V} .
Appendix B	Screen Layouts	V
Appendix C	Error Messages and Recovery Procedures	V
Appendix D	Stop Word List	V
17	RESERVED	
18	AUTOMATED MAILING LABELS SYSTEMS (AMLS)	V
18.1	General	\mathbf{V}
18.2	System Summary	V
18.3	Access to the System	V
18.4	Inquiry Subsystem Processing Reference Guide	V
18.5	Update Address and Distribution Subsystem Processing Reference Guide	V
18.6	Label Request Subsystem Processing Reference Guide	V
18.7	Report Request Subsystem Processing Reference Guide	V
18.8	AMLS DLSC Program Management Subsystem Processing Reference Guide	V
18.9	Batch Processing Subsystem Processing Reference Guide	V

GLOSSARY PART I - ACRONYMS

		Volume(s)			Volume(s)
AAC	Acquisition Advice Code	6,14,15	APSN	Association Package Sequence Number	
ACN	Advance Change Notice, FLIS	1,2	AQL	Acceptable Quality Level	2,14
ADC	Air Dimension Code	15	AR	Army Regulation	2,6,13
ADP	Automatic Data Processing	1,3,4,7	ARC	Accounting Requirements Code	15
ADPEC	Automatic Data Processing Equipment Identification Code	6,15	ASCII	American National Standard Code for Information Inter-	2
ADPP	Automatic Data	15	ACD	change	
ADPS	Processing Point Automatic Data	1	ASD	Assistant Secretary of Defense	
ADIO	Processing System	1	ASPR	Armed Services Pro-	7
AEDA	Ammunition, Explo-	10	CAGE	Commercial and Government Entity	
	sive, and other Dangerous Articles				1,2,4,5, 6,7,14,15
AFFC	Air Force Fund Code			Code	0,7,1 1,13
AFLC	Air Force Logistics	6,13	CAC	Civil Agency Catalog	1,5
	Command		CAO	Contract Administra- tion Office	1,15
AFM	Air Force Manual	6,13	CIT		
AIN	Approved Item Name	3,4,6	CIT	Consumable Item Transfer	6
AINRP	Approved Item Name Reclassification	6	CB	Change Bulletin	15
	Program		CCAL	Certified Contractor	15
AMC	Acquisition Method	6,14		Access List	
	Code		CDA	Catalog Data Activity	6
AMSC	Acquisition Method Suffix Code	6,14	CIC	Card Identification Code,	4,6,14
ANSI	American National Standards Institute,	2,3,7		Item Management Coding	2
	Inc.			Content Indicator Code	2

CH 3 DoD 4100.39-M Volume 1

		Volume(s)			Volume(s)
	Continuation Indicator Code		DIA	Defense Intelligence Agency	13
CMD	Catalog Management Data	1,2,4,5, 6,7,14,15	DIC	Document Identifier Code	1,2,4,6,7, 13,14,15
COM-RI	Communications Routing Identifier	2, 6	DIPEC	Defense Industrial Plant Equipment	1,2,6,7,13
CSS	Cataloging Statistical Series	2,14	DISC	Center Defense Industrial	2,14
DA	Description Available	15		Supply Center	,
DAAS	Defense Automatic Addressing System	1,2,6	DLA	Defense Logistics Agency	1,2,4,5,6, 13,14,15
DAASO	Defense Automatic Addressing System	1,2,4, 5,6,14	DLAH	Defense Logistics Agency Handbook	
	Office	2,0,1	DLAR	Defense Logistics	6,13
DAC	Document Availability Code	4	DLSC	Agency Regulation Defense Logistics	All
DCN	Document Control	1,4	DM	Services Center	2.14
DCSN	Number Document Control	6	DM	Descriptive Method (Item Identification)	2,14
DCSIT	Serial Number	O	DoD	Department of	All
DD Form	Department of Defense Form	1,2,3, 4,5,7,15	DoDAAC	Defense Department of	
DEMIL	Demilitarization	4,15	DODAAC	Defense Activity	
DESC	Defense Electronics Supply Center	2,14	DoDAAD	Address Code Department of Defense Activity	
DFSC	Defense Fuel Supply Center	2,14		Address Dictionary	
DGSC	Defense General Supply Center	2,14	DoDAC	Department of Defense Ammunition Code	3
DHCO	Departmental Head- quarters Catalog	2,14	DoDD	Department of Defense Directive	1
О	Office		DoDI	Department of Defense Instruction	6,14

		Volume(s)			Volume(s)
DOE	Department of Energy	2,4	ELRN	Extra Long Reference Number	2,3,4
DRMS	Defense Reutilization	1,15	EOJ	End of Job	
	and Marketing Service		EOT	End of Transmission	2
DPSC	Defense Personnel Support Center	2,13,14	ERRC	Expendability, Recoverability- Reparability Code	
DRIS	Defense Retail Interservice Support		ESDC	Electrostatic Dis- charge Codes	8,9,10,15
DRN	Data Record Number	1,2,4, 5,6,7,13	FAA	Federal Aviation Administration	1,2,4,6,13
DSC	Defense Supply Center	1,2,4,6	FC	Foreign Countries	2,4,6
DSCC	Defense Supply Center Columbus	2,14	FD	Functional Description	1
DSCR	Defense Supply Center Richmond	2,14	FDM	Full Descriptive Method (Item Identification)	2
DSN	Defense Switched Network (formerly: AUTOVON, Auto- matic Voice Network)	1,2,3,4,5	FED LOG	Federal Logistics Data on Compact Disc	17
DSOR	Depot Source of	6	FG	Foreign Government	4
	Repair		FII	Federal Item Identifi- cation	2,4,6
DSWA	Defense Special Weapons Agency	2,4,6,13,14	FIIG	Federal Item Identification Guide	1,2,3,4, 5,7,14,15
DSWACA	Defense Special Weapons Agency Cataloging Activity	4	FIND	Federal Item Name Directory	4,15
EAM	Electronic Accounting Machine	1,2,4, 6,7,13	FLIS	Federal Logistics Information System	All
ED	Effective Date	2,6,13	FLIS Data	Federal Logistics In-	1, 2, 3, 4,
ELCD	Extra Long Characteristic Description	2,3,4	Base	formation System Data Base	5, 6, 7, 13, 14

CH 3 DoD 4100.39-M Volume 1

		Volume(s)			Volume(s)
FMS	Foreign Military Sales	2,13	IIM	Item Intelligence Maintenance	2
FMSN	File Maintenance Sequence Number	2,4,6	ILDT	Item Logistics Data Transmittal	4
FMSO	Fleet Material Support Office	6,13	IMC	Item Management Coding	1,2,6,13,14
FRD	Formerly Restricted Data	4	IMCA	Item Management Classification	2,6
FSC	Federal Supply Classification	1,2,3,4, 5,6,13, 14,15		Activity Item Management Coding Activity	13,14
FSG	Federal Supply Group	1,5,6, 13,14,15	IMM	Integrated Materiel Manager	1,2,4, 6,13,14
GIM	Gaining Inventory Manager	2,6	IMMC	Integrated Materiel Management Committee	6
GIMM	Gaining Inventory Materiel Manager	2,6	IMSS	Item Management Statistical Series	6,14
GIRDER	Government/Industry Reference Data Edit and Review	4	INC	Item Name Code	1,3,4, 5,6,14,15
GSA	General Services Ad- ministration	1, 2, 3, 4, 6,7,13,14	IOS	International Organization for Standardization	6
HMC	Hazardous Materiel Code	15	IRRC	Issue, Repair and/or Requisitioning Re-	
HMIC	Hazardous Material Indicator Code	8,9,10,15		striction Code	
I&S	Interchangeability and Substitutability	1,5,6,14	ISAC	Identified Secondary Address Coding	
ICP	Inventory Control Point	6,13,14	ISC	Item Standardization Code	4,5,6,15
П	Item Identification	1,2,3,4, 5,6,13	JAIEG	Joint Atomic Information Exchange Group	4
			JAN	Joint Army-Navy	2

		Volume(s)			Volume(s)
JANAP	Joint Army-Navy-Air Force Publication	2,7	MIC	Material Identification Code	8,9,10
LCL	Less Than Carload Rating Code	15	MIL-RI	Military Routing Identifier	6
LIM	Losing Inventory Manager	6	MILSCAP	Military Standard Contract Administra-	1,7,15
LMF	Language Media Format	2	MILSPEC	tion Procedure Military Specification	3
LOA	Level of Authority	2,6,13,14	MILSTAAD	Military Standard	
LR	Logistics Reassign- ment	4,6		Activity Address Directory	
LS	Lead Service	6	MILSTAMP	Military Standard	6
LTL	Less Than Truckload	15		Transportation and Movement Procedure	
MAC	Rating Code	-	MILSTD	Military Standard	2,3,4,7
MAC	Maintenance Action Code	6	MILSTICCS	Military Standard Item Characteristics	3,15
MC	Marine Corps	1,2		Code Structures	
MCC	Materiel Category Code Materiel Condition Code		MILSTRAP	Military Standard Transaction Reporting and Accounting Procedure	15
MCLB	Marine Corps Logistics Base	13	MILSTRIP	Military Standard Requisitioning and	6
MCO	Marine Corps Order	13		Issue Procedure	
MCSA	Marine Corps Supply Activity		MIM	Military Inventory Manager	14
MEC	(Marine Corps) Management Echelon	13,15	MILT MMC	Military Material Management Code	13
) ED AY G	Code		MM	Materiel Manager	
MEDALS	Military Engineering Data Asset Locator System	16	MMAC	Materiel Management Aggregation Code-AF	1,13
MFR	Manufacturer	4			

CH 3 DoD 4100.39-M Volume 1

		Volume(s)			Volume(s)
MMC	Materiel Management Category Code-DoD	13	NIIN	National Item Identification Number	All
МОЕ	(Commodity) Major Organizational Entity	1, 2, 3, 4, 5, 6, 13, 14	NIMSC	Nonconsumable Item Material Support Code	2,6
MOWASP	Mechanization of Warehousing and Shipment Processing	6	NMFC	National Motor Freight Classification (Code)	1,2,6,15
MRC	Master Requirement Code	1,3,4,5,15	NOCA	Nuclear Ordnance Cataloging Activity	2,4
MRD	Master Requirement Directory	3,15	NOCO	Nuclear Ordnance Cataloging Office	2,4
MRM	Military Retail Manager	14	NSA	National Security Agency	1,2,4,6, 13,14
MTMC	Military Traffic Management Command	1,2,4,6,15	NSN	National Stock Number	1,2,3,4
NADEX	NATO Data Exchange	1	OCR	Optical Character Recognition (Reader)	1,2,7
NAIN	Non-Approved Item Name		ODRC	Output Data Request Code	1,2,4,5,6
NATO	North Atlantic Treaty		OE	Organizational Entity	1,4,5,7,15
NCAGE	Organization NATO Commercial and Government	6, 7, 13, 15 1,4,5,7,15	PDM	Partial Descriptive Method (Item Identification)	2,4
NCB	Entity National Codification Bureau	2,4	PIC	Priority Indicator Code	1,2,4,5,14
NDUP	Non-Duplicate	4	PICA	Primary Inventory Control Activity	1,2,4,5, 6,13,14
NHCI	Nuclear Hardness Critical Item	2,4	PMIC	Precious Metals Indi- cator Code	6,15
NIDS	Nuclear Integrated	4	PORM	Plus or Minus	2,3
	Data System		PSCN	Permanent System Control Number	1,2,4, 5,6,15

Conversion. The transformation of a value to an equal or equivalent value in a different term or scale.	3
Coordinating Activity. An activity having the responsibility for inter-Service/Agency coordination.	
Criticality Code. See DRN 3843, volume 12.	1,4,5,15
Data Chain. A name given to the use of two or more logically related data elements. For example, the data chain Document Control Number (DRN 1015) is composed of data elements: Originating Activity Code (DRN 4210), Submitting Activity Code (DRN 3720), Date Transaction (DRN 2310), and Document Control Serial Number (DRN 1000).	4,5
Data Changes. All revisions of published Federal Item Logistics Data Records (FILDRs); all transfers between the descriptive method and the reference method; all reference number changes, item status code changes, withdraw or add owner actions, and cancellations regardless of type of item identification; and item (or part) name and FSC changes for type 2 item identifications.	2,4,6
Data Code. A number, letter, character, symbol, or any combination thereof used to represent a data item. For example, the data codes JV, KX, and XB represent the data items: Strategic Systems Project Office; Defense Personnel Support Center; and Field Command, Defense <i>Special Weapons</i> Agency, respectively, under the data element: Submitting Activity Code (DRN 3720).	1
Data Element. A grouping of informational units which has a unique meaning and sub-units (data items) of distinct value. Examples of data elements in FLIS are State/U.S. Possession Abbreviation (DRN 0186), Submitting Activity Code (DRN 3720), and DoD Activity Address Code (DRN 3755).	1,4,5,6, 7,15
Data Element Dictionary (DED). An authoritative reference containing the definition and related features of data elements, data chains, and data use identifiers. See volume 12.	1
Data Element Terminator Code. See DRN 8268, volume 12.	1,4
Data Exchange. The submittal of data, not requiring collaboration, through the single submitter to the Defense Logistics Services Center (DLSC).	2
Data Item. A sub-unit of descriptive information or values classified under a data element. For example, the data element Submitting Activity Code (DRN 3720) contains data items such as U.S. Army Electronics Command, Naval Training Device Center, and San Antonio Air Logistics Center.	
Data Range Criteria. Information providing the means (manual or mechanical) for determining item equivalency and substitutability relationships for each item characteristic.	3
Data Record Number (DRN). See DRN 0950, volume 12.	1,2,4,5, 6,7,15

Defense Retail Interservice Support (DRIS) Program. A program designed to use inter-service transfers of material and logistics services to achieve the greatest possible effectiveness and economy in the operations of DoD activities.	
Deletion Reason Code. See DRN 4540, volume 12.	6,14
Demilitarization. The act of destroying the military offensive or defensive advantages inherent in certain types of equipment or materiel. The term comprehends mutilation, dumping at sea, scrapping, melting, burning, or alteration designed to prevent the further use of equipment and materiel for its originally intended military or lethal purpose.	4,15
Department of Defense Activity Address Code (DoDAAC). See DRNs 0395 and 6550, volume 12.	
Department of Defense Activity Address Directory (DoDAAD). The file of all Department of Defense customers clear-text addresses, address codes, and billing codes for use in preparation of bills to customers.	
Department of Defense Ammunition Code (DoDAC). See DRN 3767, volume 12.	3,15
Department of Defense Interchangeability and Substitutability (I&S) Family. A grouping of items which possess such physical and functional characteristics as to provide comparable functional performance for a given requirement.	
Depot Source of Repair (DSOR). An organic or contract activity designated as the source to provide depot maintenance of equipment. Only each Service's Maintenance Interservice Support Management Office (MISMO) assigns DSOR codes through the PICA Service cataloging function.	6
Design Control Reference. The primary number used to identify an item of production, or a range of items of production, by the manufacturer (individual company, firm, corporation, or Government activity) which controls the design, characteristics, and production of the item by means of its engineering drawings, specifications, and inspection requirements.	2,4
Document Availability Code (DAC). See DRN 2640, volume 12.	
Document Control Serial Number. See DRN 1000, volume 12.	1,5,6
Document Control Number. See DRNs 1015 and 3920, volume 12.	4,5,6,15
Document Identifier Code (DIC). See DRN 3920, volume 12.	1,2,4, 5,6,7, 13,14,15
DoD/Federal Functional Manager. The organizational element responsible for specific functions such as the Federal Catalog Program (DLA-SC), Item Management Coding (DLA-OP), Freight Classification Data (MTMC).	1

Volume(s)

DOE Controlled Commercial Items. End items, assemblies, components, and parts (including testing and handling equipment) which are standard commercial items used on or with nuclear weapons. Due to the nuclear weapons reliability concept, they require special testing or DOE control for quality assurance. These items are available only from the DOE through DSWA and are all of "war-reserve quality" or "single quality". They are not security classified and are not commodity classified in FSC group 11. Item identifications for these items will each reflect a reference number coded with CAGE 87991.	4
DOE Special Design Items. End items, assemblies, components, and parts (including testing and handling equipment) designed or manufactured by DOE or design controlled by DOE for use specifically in the nuclear ordnance field. These items are available only from the DOE through the Defense <i>Special Weapons</i> Agency (<i>DSWA</i>) and may be categorized as "war reserve quality", "training quality", or "single quality".	4
Drop Table. Used by DLSC, when requested by Service/Agency activities, to eliminate distribution of unneeded data.	1
Economic Feasibility. The determination of the cost effectiveness of a data system change. Design, development, programming, implementation, and appropriate Automatic Data Processing (ADP) equipment costs (including separate indication of ADP and non-ADP costs) should be related to the value of the automated data system change under development.	1
Effective Date (ED). The year and Julian day denoting the date that a predetermined condition or action becomes effective in the defense logistics system. This date will always be the first day of a month; e.g., 83121 is 1 May 1983. An effective date will be either a "future" effective date or a "standard" effective date.	2,5,6,13
Electronic Data Transmission. This is a world-wide Department of Defense computerized general purpose communications system which provides for the transmission of narrative and data pattern traffic on a store-and-forward (message switching) basis and subscriber (circuit switching) basis. (Formerly, Automatic Digital Network (AUTODIN)).	1,2,4,5,6,7
Electronic Data Transmission Message Control. A procedure that may be used by interested users to identify and verify receipt of FLIS data transmitted electronically for a fixed time period. See volume 8, DIC KWA.	2
Electrostatic Discharge Code. A code to indicate whether an item is susceptible to electrostatic discharge or electromagnetic inteference damage.	8,9,10,15

End of Transmission (EOT). An ADP term indicating the conclusion of a transmission.

Equivalency Criteria. Criteria contained in section II of the FIIG consisting of data range conversion formulas and decision rules criteria used to determine characteristic equivalency and substitutability. Replies are equivalent when they are identical or become equivalent through the application of section II criteria. Replies NOT RATED and ANY ACCEPTABLE in the data base are not to be considered equivalent with respect to other definitive replies to a specific input requirement. Equivalent items are always "offered" to the processing activity requesting NSN assignment from DLSC for review and possible acceptance.	3
Estimated Demand. See DRN 0727, volume 12.	
Estimated or Actual Price. See DRN 0731, volume 12.	
Expendability, Recoverability-Reparability Code (ERRC). See DRN 2655, volume 12.	
Extra Long Characteristics Description (ELCD). Characteristics description data which consists of 5,000 characters or more.	2,3,4
Extra Long Reference Number (ELRN). A reference which exceeds the allowed field of 32 positions and must be carried forward to additional cards.	2,3,4
Federal Catalog System. A Federal program administered by DoD in conjunction with GSA. It shall name, describe, classify, and number each item repetitively used, bought, stocked, or distributed by the Federal Government so that only one distinctive combination of letters or numerals (or both) identifies the same item throughout the Federal Government.	1,3,4,6, 14,15
Federal Cataloging Program Statistical Series. A series of statistics required to reflect information pertaining to all Federal Cataloging Program transactions recorded in FLIS files against items which are managed by DoD activities, Civil Agencies, or foreign countries participating in the Federal Cataloging Program.	14
Federal Item Identification (FII). A description of an item of supply which consists of minimum data essential to establish those characteristics which give an item its unique character, and differentiate it from every other item of supply within the Federal Catalog System, and required related management data.	2,4,6
Federal Item Identification Guide (FIIG). A guide prescribing standard requirements, formats, and machine oriented coding structure for the collection of item characteristics and other item-related logistics data.	1,2,3,4, 5,7,14,15
Federal Item Name Director (FIND). Published as Cataloging Handbook H6 Series; provides item name data to Services/Agencies for use in development of item identifications.	4,15
Federal Logistics Data on Compact Disc. FED LOG utilizes a Personal Computer to access data stored on a Compact Disc - Read Only Memory (CD-ROM) providing a fast and efficient tool to research items currently in the supply system. Designed to replace microfiche, the information contained on this product is equal to seven major microfiche publications (MCRL, ML-C, DoD I&S, FILDR, H4/H8, H2, and selected portions of the H6). In addition to the FLIS data, FED LOG contains service unique data from the Army, Navy and Air Force.	17

6

Military Standard Requisitioning and Issue Procedures (MILSTRIP). MILSTRIP will prescribe uniform procedures, codes, formats, documents, and time standards for the interchange of requisitioning and issue information for all materiel commodities (unless specifically exempted by the ASD (MRA&L)) between requisitioners and supply control/distribution systems in DoD and other participating agencies. MILSTRIP will include the applicable provisions of the Uniform Materiel Movement and Issue Priority System (UMMIPS).

Military Standard Transaction Reporting and Accounting Procedures (MILSTRAP). MILSTRAP will prescribe uniform procedures, data elements, documents, and time standards for the flow of inventory accounting information pertaining to receipt, issue, and adjustment actions between inventory control points, stock control activities, storage sites/depots, and posts, camps or bases (unless specifically exempted by the ASD (MRA&L)). Card formats and data elements employed in MILSTRAP will be designed to complement the techniques prescribed in MILSTRIP and to provide the means for generating financial inventory data required for management and transaction reports and financial reports.

Military Standard Transportation and Movement Procedure (MILSTAMP). The MILSTAMP DoD Regulation will contain all necessary forms, formats, codes, procedures, rules, and methods required by DoD components in the movement of materiel. It is a complete reference for policy and procedures governing data elements, documentation and information flow. Supplementing procedures are authorized only to the extent of assuring more detailed operating instruction required by action offices or to cover variances in capabilities.

Prescribed address-marking data elements, formats, and requirements are contained in MILSTAMP and will be reflected in MIL-STD-129, Military Standard Marking for Shipment and Storage, which is maintained by the Department of the Army. MILSTAMP will include the applicable provisions of the Uniform Materiel Movement and Issue Priority System (UMMIPS).

Military Traffic Management Command (MTMC). A command under the Department of the Army responsible for procurement, use, cost, and control of commercial transportation services required in the movement of cargo and passengers for the DoD components.

MINIMIZE. A condition wherein normal message and telephone traffic is drastically reduced in order that messages connected with an actual or simulated emergency shall not be delayed.

MOE Rule Related Data. Consists of Item Management Status Data and the NIMSC Code, AF Materiel Management Aggregation Code, supplementary data collaborators/receivers, Item Management Code, the IMCA, and effective date.

National Codification Bureau (NCB) Code. See DRN 4130, volume 12.

1,2,4,6,15

1,2,4,0,13

2,4

6

2,4,6

National Item Identification Number (NIIN). See DRN 4000, volume 12.	All
National Motor Freight Classification Code (NMFC). See DRN 2850, volume 12.	1,2,6,15
National Stock Number (NSN). See DRNs 3960, 0126, 8525, 4120, 4150, 0260, 2895, 8875, 8869, 8878, and 8977, volume 12.	1,2,3,4, 5,6,13, 14,15
NATO Commercial and Government Entity (NCAGE). See DRN 4140, volume 12.	1,4,5, 7,15
NATO Stock Number (NSN). An item of supply produced by a NATO member nation other than the U.S. identified by that nation by the assignment of a NATO Stock Number (e.g., 0000-21-000-0000). When such items enter the supply system of the U.S. Government, they will be identified by the NATO Stock Number if codification agreements have been extended to provide for acquisition of foreign item identification data through DLSC. For such items, the NATO Stock Number will be used and recognized as the National Stock Number in internal management of the item in the U.S.	1,4,6
Navy Cognizance Code. See DRN 2608, volume 12.	1,13
Next Higher Classifiable Assembly. This term is understood to mean the next higher assembly on or with which the item is used as a subassembly, part, attachment, or accessory. Also, the classification of the higher assembly is indicated specifically in Groups and Classes of the Federal Supply Classification (Cataloging Handbook H2-1) or is listed specifically as an entry in the Numeric Index (Cataloging Handbook H2-2). The term "higher assembly" is used for brevity and may actually include components, sub-assemblies, assemblies, and end items or systems.	4
Nominal Value. A value, excluding tolerance, used for the purpose of general identification usually expressed as a fraction, size number or letter, code number, gage number, or decimal number.	
Non-Approved Item Name (NAIN). See DRN 5020, volume 12.	3
Non-Duplicate (NDUP). When the item identification is sufficiently close to, but not an actual duplicate characteristically of, an existing Federal item identification and there are no matching reference numbers.	4
Normal Source of Procurement. See DRN 0721, volume 12.	
Nuclear Hardness Critical Item (NHCI). As defined in DoD-STD-100C. A hardware item at any assembly that is mission critical and could be designed, repaired, manufactured, installed or maintained for normal operation, and yet degrade system survivability in a nuclear environment if hardness were not considered.	
On Hand/Due In. See DRN 0722, volume 12.	
Operational Feasibility. The determination of whether a data system change will operate properly and be properly used once developed and implemented.	1

Operational Need Date. See DRN 0726, volume 12.	
Optical Character Recognition (Reader) (OCR). A data processing technique (device) which converts, by optical means, the characters placed on paper into a code suitable for input to a computer.	1,2,7
Organizational Entity (O.E.). An organizational element, segment, or entity for cataloging; DoDAAC, bidders, manufacturing, or nonmanufacturing activity or establishment, etc.; and attribute data ascribed in the entity for the purpose of intensifying its meaning, characteristics, responsibility, eligibility, and area(s) of authority.	1,3,4, 5,6,7, 14,15
Original Federal Item Identification. An item identification which has been approved by the Defense Logistics Services Center and assigned a National Stock Number, but which has not been revised, transferred, or cancelled.	4
Originating Activity. Any participating activity which originates proposed new or revised cataloging tools and/or proposed new or revised item identifications and related data for submittal directly or indirectly to DLSC for approval. It may be a managing activity which prepares its own catalog data for submittal or may be another activity functioning as a catalog agent for the managing activity. In those cases where the originating activity is authorized to submit proposals directly to DLSC rather than through an intermediate monitoring activity (e.g., Defense Supply Center; Defense Special Weapons Agency), the originating activity assumes the status also of a submitting activity.	2,4,5,6
Originating Activity Code. See DRN 4210, volume 12.	1,4,5, 6,15
Output Data Request Code (ODRC). See DRN 4690, volume 12.	1,2,4,5,6
Package Sequence Number (PSN). See DRN 1070, volume 12.	1,2,4, 5,7,14
Partial Descriptive Method Item Identification (PDM). A Partial Descriptive Method (PDM) of item identification is a type 4 item identification which contains one or more characteristics in addition to the item name but does not contain all characteristics required for an FDM.	2,4,14
Permanent System Control Number (PSCN). See DRN 4250, volume 12.	1,2,4, 5,6,15

	Possible Duplicate Item-of-Supply Concepts. An item-of-supply concept expressed by an existing item identification shall be considered a possible duplicate of a concept expressed by a proposed item identification or another existing item identification when (1) there is enough similarity in descriptive data and/or (2) there is one or more common reference number(s) related to each item to indicate that the same item of production is involved, or that the one single concept is adequate or may be established to identify the item of supply. Such cases warrant reference to the managing activity(ies) for verification of descriptive and/or reference data. Reconciliation of such data normally will result in revision of one or both concepts to more clearly differentiate the items or in a proposal to cancel one of the item identifications as an actual duplicate, as invalid, or to use the other item identification (cancel-use).	4
	Precious Metal Indicator Code (PMIC). A code indicating the presence of precious metals (Gold, Silver, Platinum or a combination).	8,9,10,15
	Price Validation Code, Air Force (PVC). See DRN 0858, volume 12.	
	Primary Inventory Control Activity (PICA). See DRN 2866, volume 12.	1,2,4,5, 6,13,14
1	Primary Reference Number. The number used to identify an item of production or a range of items of production by the manufacturer (individual company, firm, corporation, or Government activity) which controls the design, characteristics, and production of the item through its engineering drawings, specifications, and inspection requirements. The number is the "design control reference".	4
]	Priority Indicator Code (PIC). See DRN 2867, volume 12.	2,4,5,14
]	Production Lead Time. See DRN 0730, volume 12.	
5	Proposed Original Item Identification. An item identification for an item in or entering a supply system which has not yet been approved by the Defense Logistics Services Center (DLSC) as a Federal item identification assigned a National Stock Number.	2,4
]	Provisioning Screening Master Address Table (PSMAT). See DRN 0232, volume 12.	1,5,7
ŧ	Provisioning Supply Support Request. Indicated by Card Identification Code P to show hat a Supply Support Request received by the IMM from an ICP is the origin of the request when the item is in an FSC class subject to IMC.	2,6
	Qualitative Value. The portion of a reply that expresses quality such as color, shape, naterial, condition, etc.	3
	Quantitative Value. The portion of a reply which expresses a numeric value for such haracteristics as dimensions, measure, magnitude, electrical rating, etc.	3
(Quantity Unit Pack (QUP). See DRN 6106, volume 12.	6,15
I	Rail Variation Code. See DRN 4760, volume 12.	1,2,6,15

	Reactivation Coding. Application of the approved IMC criteria by the ICPs to inactivated NSNs for which an IMM was the last manager, and the ICP is not currently recorded as a user.	6
	Receiver Code. See DRN 2534, volume 12.	
	Record Separator. The symbol used to indicate the completion of a characteristic reply or to indicate end of record.	16
	Reference Drawing. Reference Drawing Groups (RDG) appear in Appendix B of the Federal Item Identification Guide (FIIG). The drawings will be isometric when possible, and will be configured with dimensional requirements necessary to describe basic item features.	
	Reference Method of Item Identification (RM). The reference method of item identification establishes and delimits the concept of an item of supply by reference(s) to the item-identifying number(s) of one or more manufacturers denoting the item or items of production included under the concept. Thus, under the reference method the essential characteristics of the item of supply are not delineated in the item identification but are ascertainable by research of the data represented by the manufacturers item-identifying number(s).	2,4,6,14
)	Reference Number. A reference number is any number, other than an activity stock number, used to identify an item of production or, either by itself or in conjunction with other reference numbers, to identify an item of supply. Reference numbers include manufacturers part, drawing, model, type, source-controlling, or specification-controlling numbers and the manufacturers trade name, when the manufacturer identifies the item by trade name only; NATO Stock Numbers; specification or standard part, drawing, or type numbers. The submittal of all known reference numbers related to an item of production or an item of supply, with the applicable Reference Number Category Code, the applicable Document Availability Code, and the applicable Reference Number Variation Code, is mandatory.	2,4,5,14,15
	Reference Number Action Activity Code (RNAAC). See DRN 2900, chapter 12.2.	1,4
	Reference Number Category Code (RNCC). See DRN 2910, chapter 12.2.	2,4,5,6, 15
	Reference Number Category Code Combination. Consists of the Reference Number Category Code (RNCC), Reference Number Variation Code (RNVC), and Document Availability Code (DAC) as expressed in volume 10, table 8.	
	Reference Number Format Code (RNFC). See DRN 2920, chapter 12.2.	4,5
	Reference Number Justification Code (RNJC). See DRN 2750, chapter 12.2.	1,4
	Reference Number Status Code (RNSC). See DRN 2923, chapter 12.2.	
	Reference Number Variation Code (RNVC). See DRN 4780, chapter 12.2.	2,4,5,15

Reference/Partial Descriptive Method Reason Code (RPDMRC). See DRN 4765, chapter 12.2.	1,2,4
Reinstated Federal Item Identification. A Federal item identification which has been cancelled but which has subsequently been reauthorized for use to identify an item of supply.	4,6
Remote Ouput Format Code. See DRN 0841, chapter 12.2.	16
Reparability Code - Coast Guard. See DRN 0709, chapter 12.2.	1
Reply. A reply (data item) is the answer to a specific requirement.	3,4
Reply Code. A code that represents an established reply to an approved requirement.	3,4
Reply Table. A listing of replies (data items) applicable to a requirement or group of requirements derived from a single data element. Each reply in the table is assigned a different reply code.	3,4
Report Control Symbol (RCS). Set of letters and numbers which identifies an approved report and authorizes its initiation and preparation.	2,14
Reports Generator. Designed to produce one-time listings or reports from the FLIS files.	1,5
Requirement. A definition of a required characteristic.	3,4
Requirement, Lead-In. A general requirement identifying and providing guidance for reply to a specific range of following requirements. A lead-in requirement is never assigned a PAC/MRC, nor does it ever require a reply.	3
Requirement, Major. A requirement which, in addition to requiring a reply, may necessitate replies to succeeding subordinate requirements (subrequirements) dependent upon the specific reply given to the major requirement (see definition of Requirement, Lead-In and Requirement, Subordinate).	3
Requirement, Subordinate. A requirement for which the reply is dependent on a lead-in requirement or major requirement (also termed "subrequirement").	3
Retail Manager (RM). A materiel manager or another designated activity within a Military Service/Agency having retail responsibility for an item of supply where the wholesale materiel management functions are performed by an IMM, including <i>DSWA</i> , NSA, and TACOM.	6
Retroactive Coding. Scheduled application of the approved IMC criteria by the ICPs to item(s) in FSC classes designated as commodity oriented which were previously coded for Service retention.	6
Return Coding. A request to effect the return of an item currently coded for Integrated Materiel Management to Service management by the application of IMC criteria.	6

Routine Reclassification Action. Indicated by Card Identification Code F to show that DLSC has reclassified an item from a weapons system oriented to a commodity oriented FSC class and IMC criteria must be applied.	6
Routing Identifier Code (RIC). A group of letters or numbers assigned to indicate the geographic location of a station, a fixed headquarters of a command, activity, or unit at a geographic location, and the general location of a tape relay or tributary station to facilitate the routing of traffic over the tape relay networks.	1,2,6
Secondary Address Code (SAC). See DRN 8990, chapter 12.2.	1,3,4
Secondary Address Indicator Code (SAIC). See DRN 9485, chapter 12.2.	3
Secondary Inventory Control Activity (SICA). See DRN 2938, chapter 12.2.	1,2,6, 13,14
Service/Agency Designator Code (SADC). See DRN 4672, chapter 12.2.	2,4,15
Service Item Control Center (SICC). An activity which: (1) serves as a Military Service focal point for resolution of support problems for required weapons systems oriented consumable items managed by another Military Service; (2) performs such residual technical functions as configuration control, item qualitative acceptability, allowance list preparation, and maintenance of internal program support responsibility; and (3) provides assistance to the IMM, as necessary, to support requiring Service users on a timely basis.	2,6,13,14
Shelf Life Code (SLC). See DRN 2943, chapter 12.2.	6,15
Simplified File Maintenance (SFM). FLIS output consisting of a monthly maintenance update, a cumulative monthly basic record, and semiannual basic replacement record for activity files shall be provided for Federal Item Identification Data and Catalog Management Data. It shall be distributed in NIIN sequence to authorized subscribing activities on magnetic tapes via mail. Data furnished from two or more functional areas shall be sequenced together.	1,2
Single Quality Items. Items (such as nuclear ordnance test and handling equipment) authorized for use on or with both war-reserve and training nuclear weapons.	4
Single Submitting Activity. See DRN 9255, chapter 12.2.	2,4
Source Controlled Federal Item Identification. A type 1, 1B, 2, 4, or 4B Federal Item Identification (original, revised, transferred, or reinstated) representing one or more specific manufacturer's items of production certified by an end item manufacturer, or by a Government activity, to be the only known items suitable for the specific application.	4
Source of Supply Code (SOS). See DRN 3690, chapter 12.2.	4,5,6, 14,15
Source of Supply Modifier Code (SOSM), See DRN 2948, chapter 12.2	6

Volume(s)

1,6,15

Specially Designed Item. The term "specially designed item" is an abbreviation of the term "specifically designed for specific use on or with specific individual types of equipment" as used in the notes in Cataloging Handbooks H2-1 and H2-2. In order to be accepted as specially designed, an item does not have to be designed specifically for use on a single piece or single model of equipment; the item may be designed for use with categories of equipment, such as all kinds of printing presses, all kinds of diesel engines.	4
Special Packaging Requirement. See DRN 0725, volume 12.	
Standard Requirement. A lengthy requirement which, because it is used repeatedly in many patterns, has been put in standardized form.	4
Standard Test Data Base (STDB). Maintained at DLSC with data input by Services/Agencies participating in the interface test program.	1
Statistical Indicator Code. See DRN 3708, volume 12.	
Submitted Package Sequence Number (SPSN). See DRN 8328, volume 12.	
Submitter Code. See DRN 2535, volume 12.	
Submitting Activity. Any participating activity which submits proposed catalog data directly to DLSC for approval. The submitting activity may be the activity which originates the catalog data or an intermediate monitoring activity (e.g., Defense Supply Center; Defense Special Weapons Agency) through which the originating activity is required to submit its proposals to DLSC.	1,2,3,4, 5,6,7
Submitting Activity Code. See DRN 3720, volume 12.	1,4,5,15
Supply Management Data. Item data which do not affect NSN assignment but are necessary to support logistics functions.	3,6
Supply Support and Cataloging Action Request. Indicated by Card Identification Code V to show that an SSR other than provisioning received by the IMM from an ICP is the origin of the request when the item is in an FSC class subject to IMC.	6
Supply Support Request (SSR). A request submitted by the activity responsible for supporting an end item being provisioned to a Commodity Integrated Materiel Manager which manages some of the support items or is a potential manager of some new support items used in the end item.	2,6
Suspense File. The portion of the process control sector (SSR) which will serve as a temporary repository of unique information of functional value to the Service/Agency for the implementation of a logistics data transaction within DLSC.	1,4,5
System Advisory Notice (SAN). Notification to Services/Agencies of the SCRs scheduled for implementation in a given SMR. The SAN will be published approximately 300 days prior to a scheduled implementation date.	1

System Change Request (SCR). A formal request for modification of the FLIS.

ity (I&S) Family Data - The submission to the FLIS data bank of transactions to add, change, or delete the I&S Family data applicable to the Master or Related NSN. Output will be as follows:

(a) File Maintenance - Updated file data will be provided to I&S receivers.

(b) Notifications:

- (1.) Notification to the originator/submitter that the transaction has been approved or rejected.
- (2.) Advance notification to I&S receivers that a future effective dated action has been approved.
- (9) Search by Reference Number Search by NSN. All output will be a form of notification.
- (a) Notification of reject will be output to the activity identified by the Activity Code, Screening, except for provisioning screening.
- (b) The Provisioning Screening Master Address Table (volume 10, table 23) will be used to determine the activities to receive search results and the media and format for these activities.
- (c) Notifications and results in response to search by reference number transactions using the DCN in lieu of the Submitter Control Number will be based on the Submitting Activity Code.
 - (10) Search by Characteristics.
- (a) The input transaction will carry the Activity Code, Screening and Submitter Control Number.
- (b) Notifications of rejects will be distributed only to the submitting activity.
 - (c) Notifications of search results will be

distributed in accordance with the Provisioning Screening Master Address Table (volume 10, table 23).

- (11) FLIS data base Tailored Interrogation An extract of data based on the submitted NIIN/PSCN. The content may be an individual data element, groups of data elements from a segment, a complete segment of data elements, or a combination of various segments as designated by the submitting activity through the Output Data Request Code (ODRC). Notifications, either rejects or interrogation results, will be distributed only to the submitting activity.
- (12) FLIS Data Base Mass Data Retrieval A mass extract of multiple items from the FLIS data base based on the submitted key data element, such as the item name or INC, FSC, Federal Supply Group (FSG), Commercial and Government Entity Code (CAGE Code), NATO Commercial and Government Entity (NCAGE) noun or noun phrase, or MOE Code. Input will be through the DLSC program manager who will control the scheduling. All output will be a form of notification. The content of the output data for each individual item extracted will be as designated by the ODRC.
- (a) Rejects will be returned to the program manager who will either correct the error or communicate with the submitter.
- (b) Interrogation results will be forwarded to the submitter. The output will be forwarded by mail in accordance with the Output Control Participating Activity Code Table. When the originating activity is an electronic data recipient, the output will be as designated by the Alternate Output Media Code.
- (c) Sequence of output will be by DCN for the overall package and by NSN within the package.
 - (13) Supply Support Record (SSR) Tailored

Interrogation - An extract of SSR data based on the submitted key data element, such as CAGE Code, NATO *Commercial and Government Entity* (NCAGE), Cataloging Activity Code, item name or INC, FSC, or FIIG number. The content of the output will be designated by the submitters ODRC. All output will be a form of notification.

- (a) Rejects will be returned to the program manager who will either correct the error or communicate with the submitter.
- (b) Interrogation results will be forwarded to the submitter. The media will be specified by the program manager as magnetic tape, electronic data transmission, or machine listing.
- (c) Sequence of the output will be by DCN for the overall package. Within the package the data will be sequenced as designated by the ODRC or, if not indicated in the ODRC, by the sequence of the input key data element(s).
- (14) System Support Record (SSR) Mass Data Retrieval A mass extraction of SSR data for multiple records, such as all approved item names, colloquials, basic names, or index entry codes from the SSR Item Name/FSC Sector or related item name data applicable to a FIIG. The key data element on input would be the type of item name or the FIIG number, respectively. Input will be through the DLSC program manager who will control the scheduling. All output will be a form of notification. The content of the output data will be as designated by the submitter through the ODRC.
- (a) Rejects will be returned to the program manager who will either correct the error or communicate with the submitter.
- (b) Interrogation results will be forwarded to the submitter. The media will be specified by the program manager as magnetic tape, electronic data

transmission, or machine listing.

- (c) Sequence of the output will be by DCN for the overall package. Within the package the data will be sequenced as designated by the ODRC or, if not indicated in the ODRC, by the sequence of the input key data element(s).
- (15) SSR. DLSC will provide mechanized file maintenance of three SSR files to S/As:

Commercial and Government Entity Code (CAGE) (O.E. Master File).

MOE Rule Table.

Standard FSC Table.

Adds, deletes, or changes to these files within FLIS will result in external distribution of the following output:

- (a) SSR file maintenance is furnished to S/A activities recorded as SSR file maintenance recipients.
- (b) FLIS data base file maintenance occurring as a result of changes to the System Support Record will be distributed in accordance with the rules for item identification file maintenance.
- (c) Notifications of rejects or approvals will be forwarded to the originator/submitter.

1.3.4 Record Formats

a. Fixed length record formats have been designed primarily for use in the interchange of data. They allow a physical record to be maintained in a master file. Fixed length records used in FLIS are restricted to eighty (80) characters per record. Every effort has been made to standardize data positioning to minimize error, as well as to assure that each record contains enough control information for identification and/or filing purposes. Volume 8, Chapter 3 contains the fixed length formats for each of the

headers (Input and Output) and Segments which have been established for FLIS input/output data exchange.

- (1) Volume 8, Chapter 1 contains the fixed length input formats in Document Identifier Code (DIC) order. Following is a basic example of all fixed formats, those positions that are marked with asterisk (*) are mandatory field entries.
- * Positions 1-3 DIC
- * Positions 4-6 Package Sequence Number (PSN)

Position 7 Priority Indicator Code (PIC)

* Positions 8-26 Either the Document Control Number or Submitter Control Number

Positions 27-30 Federal Supply Class (FSC)

Positions 31-39 National Item Identification Number (NIIN) or Permanent System Control Number (PSCN)

* Position 40 Segment Code

Position 41-79 Applicable Segment Data

Position 80 Continuation Indicator Code (CIC)

- (a) Definitions for the Instructional Notes, associated with each RN in the DIC layout, can be found in Volume 8, Chapter 4. These notes provide information regarding such things as whether a data element is mandatory or optional for submittal (notes 0 and 02), how to format the PSN (note DA), etc.
- (b) Volume 10, Chapter 3, Section 10.3.5 contains instructions for submittal of the CIC in position 80.
 - (2) Volume 8, Chapter 2 contains the fixed

length output formats in DIC order. In addition to those data elements listed in paragraph 1.3.3(1) the File Maintenance Sequence Number (FMSN)/ NATO File Maintenance Sequence Number (NFMSN) is output in positions 24-26 when applicable.

- (a) Definitions for the Instructional Notes, associated with each DRN in the DIC layout, can be found in Volume 8, Chapter 4. These notes provide information regarding such things as whether a data element is mandatory or optional for output (notes 01 and 02), PSN format (note DA), etc.
- b. Fixed Length Packages. Circumstances exist when all data for a given segment cannot be shown on a single 80-column record. When multiple records are required, they must contain PSNs assigned consecutively and in sequence. A one-position Continuation Indicator Code (CIC), in column 80, identifies the specific format of a segment and/or signals that another record follows. This is required either to complete a lengthy data element value (e.g., segment V) or to accommodate segment data which cannot be contained on one record due to space limitations (as in segments B, C, G, H, and W). There are some Segments that can always be completed on one record, therefore, the CIC is not submitted (e.g., segment 3, 5, E, S, and T).
- (1) Volume 10, Chapter 3, Section 10.3.5 contains detailed instructions, by Segment Code, for submittal of the CIC in position 80.
- (2) Criteria and Examples (see also volume 2, section 2.3.2 and volume 10, section 10.3.5):
- (a) Screening by reference number (Segment 2) can normally be requested by submission of a single record. Two records will be required only when the DIC requires inclusion of the Item Name Code or Item Name, Non-Approved, as part of requests submitted by NATO and foreign countries.

- (b) Segment 7, to be generated by DLSC as an item management coding advice notification document, will extend into multiple records if more than three MOE Rules apply to the NSN involved in the transaction.
- (c) Segment A, can be completed on one record if submitted by NATO/FG or if submitted under DIC LCC; all other Segment A submittals must contain two records.
- (d) The MOE Rule Data Segment (Segment B) can reflect up to three collaborators, three receivers, and two Depot Source of Repair (DSOR) codes on the first record without requiring a continuation record. However, a transaction with four collaborators, receivers, and/or DSORs would require submission of a second Segment B record.
- (e) The vast majority of logistics reference numbers can be contained in one Segment C record; however, the relatively small number of reference numbers which exceed 16 positions will require the use of a second record. (The 32 positions allotted for DRN 3570 have been equally divided between record 1 and record 2 of Segment C.)
- (f) The number of Segment H records needed to provide complete Catalog Management Data also varies. DIC LDM requires only one record; all other CMD DICs need a minimum of two records, with the use of additional records depending on the number of Related NSN/Technical Document Numbers. (Segment H is limited to a maximum of 50 Related NSN/Technical Document Numbers). With Segment H, an alpha character in column 80 (J, K, L) indicates the Segment continues to another record. The numeric (1, 2, 3) in column 80 indicates the last record for that Segment. (e.g., A four record Segment H would contain the following codes in column 80 of each of the four records: J, K, L, 3).
 - (g) The number of Segment W records

- needed to provide complete Packaging Data also varies. DIC LPD requires only one record; all other Packaging DICs can be completed in a maximum of 5 records. With Segment W, an alpha character in column 80 (J, K, L, or M) indicates the Segment continues to another record. The numeric (1, 2, 3, 4, or 5) in column 80 indicates the last record for that Segment.
- (h) Segments M, Q, R and V use the '-' in column 80 to indicate the Segment continues; a blank in column 80 signifies the end of the Segment.
- (1.) Segment M, Q, R, and V data groups of unpredictable length give rise to special requirements. To simplify processing, a convention requires that second and/or succeeding data groups which cannot be fully accommodated in the remaining unused positions on any given record will be started in the succeeding record, leaving the unused positions blank. Detailed instructions concerning the specific data groups and columns for each affected Segment are contained in volume 8, chapter 8.3.

EXAMPLE OF CORRECT SEGMENT R: (starting in column 40)
R2128 97001#0137 SS#7075 000008768# - R2507 A#

EXAMPLE OF INCORRECT SEGMENT (starting in column 40)
R2128 97001#0137 SS#7075 000008768#2507 - RA#

(2.) The Data Element Terminator Code (#) is required to signal the end of certain data elements, the length of which is unpredictable, when used in Segments designed specifically to accommodate a range of entries. Listed below are the FLIS Data Base Segments and DRNs for which this convention applies:

Segment DRN Title

M	0113	Master Requirement Code Clear Text Re
		ply Field
Q	9979	Submitted DRN/MRC Value/Reply
R	9975	DRN Value
V	3317	Characteristics Data Group

- (3.) All entries of alphanumeric data elements for which maximum length fixed fields are provided will begin in the left-most positions, leaving unused positions blank in all cases. Data elements contained in each Segment are not required for DICs. When individual data elements are not required for inclusion in a specific DIC, the field will be left blank.
- c. Variable Length Format. Variable length formatted data requires the presence of one header followed by applicable Segments; header information is not repeated. The Segment length field indicates length of each Segment; it can exceed 80 characters.
- (1) When optional data or data not required appears at the end of a Segment, the Segment will be truncated, except for Segment V which will use the special character (#) as the Data Element Terminator Code to distinguish the end of a variable length field. Data fields occurring within Segments must be space filled.
- (2) Within the Segments, there may be variable length data elements (data elements that can vary in length) or instances where a fixed length field can occur a varying number of times. In both cases counters are used to indicate length or number of occurrences.

1.3.5 Sequence of Processing

a. Input transactions will be queued (after processing through input control) in logical processing groups (application queues) so that an operation, or

string of operations, may be initiated to process the data contained in a queue. Input transactions fall into two categories: Dynamic scheduling by condition and fixed interval scheduling.

(1) Dynamic Scheduling. A file will be maintained which will reflect the contents of the queues and their related response requirements priority; i.e., emergency NSN requests, interrogations, search, and provisioning screening. Based upon this queue status information and various optimum processing decision factors, the system controller will determine what application is to be initiated, and what priority it is to receive in relation to the applications currently in operation.

(2) Fixed Interval Scheduling.

- (a) Certain operations are not triggered as a result of the receipt of an input transaction but are required as the result of an event such as time passage (e.g., daily, weekly, annually). The system controller will recognize the need for the scheduling of these operations and determine if a specified condition has been reached.
- (b) FLIS data base update transactions, including NIIN assignment other than emergency, fall into the fixed interval category and are normally scheduled for once-a-day processing. Within the FLIS data base update group, item status transactions (i.e., LAU, LCU, LDU) are processed deletes first, followed by changes, followed by adds. All other FLIS data base update transactions are processed deletions first, followed by adds, followed by changes.
- b. All transactions input through input control are assigned a processing control number when processed through input control. The control number includes the date (Julian day) that the control number is assigned. Transactions are queued for processing by control number. Queues containing FLIS data

base update transactions are sorted prior to processing to achieve the sequence indicated in preceding paragraph. Electronic data transmission transactions are processed through input control in the order in which they are received. Likewise, mailed transactions are generally processed in the order received, but may be processed out of sequence if so required.

- 1.3.6 Suspense Files. The suspense file is that portion of the FLIS process which serves as a temporary repository for transaction information of functional value to the S/A. The suspense files contain information necessary to perform the following functions:
- a. To maintain a temporary record of all FLIS "L" and "K" transactions for 60 days after processing completion. This provides a S/A the ability to follow-up on the status of a submitted transaction for which final disposition was never received. Follow-up interrogations will be transmitted to DLSC using DIC LFU. The information on output DIC KFU will allow the requestor to determine what subsequent action, if any, must be initiated to implement the intent of the original transaction.
- b. To maintain a temporary record of conflict conditions for selected data pertaining to approved FLIS transactions. Periodically, as specified by the applicable condition, these records will generate follow-up notifications to the responsible activities. The DIC KFP transactions will reflect the need to correct the file inconsistencies. Corrective data will be sent to DLSC on transactions to add, change, or delete the applicable FLIS data base data causing the conflict condition (e.g., DICs LCC, LDR, LAU, LCD).

1.3.7 Unprocessable Transactions

a. Unprocessable transactions are those which did not contain the minimum essential control elements required for processing. These transactions

are not queued for processing but are retained on the FLIS transaction history file for processing as specified in paragraph 1.3.6.b.

- b. Unprocessable transactions are returned under DIC KRU (to submitter) if this activity is mechanically identifiable. When the submitter is not mechanically identifiable, the transaction is dumped for manual review and further resolution within DLSC before return to the submitter. DIC KRU gives quick visibility to the submitter that the transaction was terminated without being subjected to all system edits, screens and other processes. It must be corrected and resubmitted in its entirety when specific error conditions are produced through the use of return codes.
- c. Unprocessable transactions terminate processing because the missing or invalid control data or conflicts with control data are such that the system cannot determine which processes, edits, guides or decisions the transaction should be subjected to or processed under.
- d. Some types of errors which cause transactions to be unprocessable are:

The submitter and the routing identifier codes conflict.

The originator and/or submitters are invalid or blank.

The controlling document number contains errors or blanks.

Invalid Document Identifier Codes.

Conflicts between DICs in an LMD transaction. Conflicts between DIC and mandatory/allowable segments; invalid segment codes.

Invalid Package Sequence Numbers.

Segment counters do not agree with data submitted.

Established lengths/occurrences exceed allowable limitations.

1.3.8 Error Processing.

- a. The FLIS concept of returning conditions which fail to pass the established edit/validation criteria (volume 11) involves the use of either a segment P or Q. If the value of the data element(s) is to be included with the return code, segment Q is used; otherwise segment P is used. See volume 10, chapter 10.2 for return codes.
- b. In addition, system errors are conditions encountered during processing which terminate any further processing of the input and suppress output notification to data receivers of the specific transaction. Some conditions that produce system errors are as follows:

FLIS data base imbalances. FLIS requirement voids. Computer operation errors.

- (1) When a system error is encountered during processing, DLSC will output notification by use of DIC KRE, segment P, return code TP, and any other errors that occur up to the point of system error. Return code TP is also defined in volume 10, chapter 10.2.
- (2) Normally, when return code TP is received, an activity should not generate DIC LFU; however, if an LFU is generated to DLSC, DIC KFU, follow-up status code BX, segment P, return code TP, will be output.

1.3.9 Processing Malfunction

- a. DIC KPM provides the FLIS with a method to notify participating activities that a malfunction has been discovered and DLSC has reprocessed input data after corrective action has been taken. Data to be reprocessed will be restricted to file maintenance actions.
 - b. When a processing malfunction is discovered,

DLSC will isolate the problem area and determine when the malfunction began and how far back in time the input image file must be searched to reestablish appropriate input transactions. FLIS transaction volumes require that recovery from a processing malfunction using the DIC KPM process be limited to a maximum of eight days.

- c. Reprocessing of the file maintenance actions will restore the item to its correct state, and the resulting output will be a DIC KPM with total file generated on a transaction-by-transaction basis. File data will be forwarded to all normal data recipients after reprocessing has occurred.
- d. Activities which received file maintenance data on an item during the malfunction and are not recorded after reprocessing has occurred will receive file data on the item. These activities should review the KPM transaction and take action to add their activity as a user and resubmit supply management data if an interest in the item exists. If the item is recorded in an activity's files for which an interest does not exist, and the activity wishes to remove the item from its files, that activity should take action based on the KPM transaction, as additional transactions will not be provided.

1.3.10 Segment Z Availability

a. Segment Z (Future Data) contains data which will be effective on a date in the future. This segment will be output by DLSC (when it is available) in conjunction with the following DICs:

DIC	Title	Note
KAT	Add FLIS Data Base Data	1
KDZ	Delete Logistics Transfer	3
KFA	Match Through Association	1
KFC	File Data Minus Security Classi-	1
	fied Characteristics Data	

DIC	Title	Note		cluded in the output package when (1)	
KFD	FLIS Data Base File Data	1		the segment Z data pertains to the seg-	
KFE	FLIS Data Base File Data for	1		ments normally furnished with this DIC	
IXI D	Replacement of a Cancelled	•		or (2) the segment Z data pertains to an	
	NSN/PSCN, Related Generic			FSC change or a cancellation action.	
	NSN, or Reference Number		Note 2:	Output DICs for Search and Interroga-	
	Screening Results			tions - Segment Z data will be included	
KFR	File Data for Replacement	1		in the output package when (1) the seg-	
KLK	NSN/PSCNs when not Autho-	1		ment Z data pertains to the segments	
	rized for Procurement			normally furnished with this DIC, (2) the	
KIE	Advance Informative FLIS Data	1		segment Z data pertains to an FSC	
KIE	Base File Data	1		change or a cancellation action, or (3)	
KIF	Informative Data for Pending	1		the segment Z data is requested by the	
KIL	Effective Dated Actions	1		ODRC.	
KIR	Interrogation Results	2	Note 3:	All segment B, H, and T records con-	
KIS	Search Results of National Item	2	Now 3.	tained in the futures file (segment Z) that	
Kib	Identification Number Screening	2		are being deleted will be output.	
KMA	Association Code Match (Screen-	2		are being defeted will be output.	
121717 1	ing)	_	b. The	e use of segment Z always requires the	
KME	Exact Match (Screening)	2	inclusion in the output package of the actual seg-		
KMG	Possible Match (Screening)	2	ment (B, H, M, R, T, V) containing the effective		
KMH	Actual Match (Screening)	2	dated information as follows: (If segment B data is		
KMP	Partial Match (Screening)	2	effective dated, the segment Z will contain the entire		
	3,		B segmen	_	
KMQ	Probable Match (Screening)	2	D segmen		
KMŪ	Exact Match with Errors in Submitted FII	1	Segmen	t Effective Dated Data	
KPE	Possible Duplicate with Errors in	1	В	Add or change a MOE Rule.	
IN D	Submitted FII	•	H	Add, change, or delete Catalog Man-	
KPM	Processing Malfunction	1		agement Data (CMD) (and/or DoD I&S	
KRM	Notification of Exact Match	1	107	family data).	
	(Submitter)		1/M	Add, change, or delete descriptive char-	
KRP	Notification of Possible Duplicate	1	R	acteristics input through segment V. Change FSC.	
	(Submitter)		1/R	Change data elements such as type of II,	
KTA	Mass Data Retrieval Results	2		Federal Item Identification Guide Num-	
	(FLIS data base)			ber, FIIG Criticality Code, INC and/or	
KTS	Interrogation Results Minus Se-	2	_	item name (segment A data).	
	curity Classified Characteristics		R	Add, change, or delete segment H	
	Data		T	(CMD) data elements. Deletion of a MOE Rule.	
			Ť	Cancellation of an item identification.	
Note 1:	Output DICs other than Search and	l Inter-	2/V	Coded characteristics.	
	rogations - Segment Z data will be	in-			

1/ Change data elements for segment A data submitted through segment R and/or characteristics data output through segment M will be effective dated only when related to an FSC change.

2/ The segment V, coded characteristics, is output only when requested through interrogations and for NATO or other foreign countries search by reference number.

- c. When segment Z is included in the output, the current data will be output first in the appropriate segment sequence. The segment Z will follow at the end of the current data. In the variable format the segment of data which contains the future data will be included with the segment Z. In the fixed format the segment of data which contains the future data will follow the segment Z as a separate card record. All segment Z output will be sequenced by the effective date. The output of effective dated characteristics contains some exceptions to this process as described in the following paragraphs.
- (1) The only time characteristics data is established in the futures file is when characteristics maintenance actions are submitted in conjunction with an FSC change under DIC LMD. The KIF output resulting from an FSC change with characteristics maintenance action(s) will not contain the effective dated characteristics, and segment Z will only cite the DRN 9111 without value. A constant of LCC will always be contained in the Z segment input DIC field regardless of whether characteristics were added, changed, or deleted.
- (2) Outputs other than KIF that contain futures data will include the effective dated characteristics within the current segment M data that precedes the segment Zs. A segment Z with the applicable effective date and segment M DRN 9111 will be output to indicate that the preceding segment M contains imbedded effective dated characteristics. The effec-

tive dated characteristics will not be output with the segment Z.

- (3) When segment V coded characteristics are requested by NATO/foreign countries through reference number search (DIC LSN), any effective dated characteristics will be output with the current segment V data. The Z segment with the effective date and referencing DRN 9118 only will be output at the end of the package. NOTE: This V segment will be decoded by the NATO or other foreign country to the applicable government's language.
- (4) When an interrogation (DIC LTI) requires segment V output, the current segment V will be output; a segment V with imbedded effective dated characteristics will also be output in the segment Z convention described in paragraph 1.3.10.c.

1.3.11 Catalog Tools Processes

- a. Catalog Tools are the tables, indices, guides, files and programs which interface with the FLIS data base in the processing of FLIS input transactions. The Catalog Tools applications include: Freight, Major Organizational Entity (MOE) Rules, the Standard FSC Table, FSC Management, the Commercial and Government Entity (CAGE) Code or the Organizational Entity (OE) File, Item Name and AMMO.
- b. Input/Output Formats. The fixed length formats described in section 1.3.4 for the FLIS data base apply, except for those that are unique to the OE. The Catalog Tools processing segments are as follows:
- (1) Output Segment Code, Supplemental 801-Catalog Tools MOE Rule Maintenance Segment (DRN 0331). Data elements in this group are specific to the MOE Rule output header.
 - (2) Ouptut Segment Code, Supplemental 802

- Catalog Tools MOE Rule Data Element Segment (DRN 0330). Data elements in this group provide primary MOE Rule data such as the Primary Inventory Control Activity (PICA), PICA level of authority, Secondary Inventory Control Activity (SICA), etc.
- (3) Output Segment Code, Supplemental 803-Catalog Tools MOE Rule Management Exceptions Segment (DRN 0228). Data elements within this segment include any special notes pertinent to the MOE Rule, and/or any FSCs which are specifically included for the MOE Rule's use or limited from its use. This segment also includes any replacement MOE Rules resulting from a cancel with replacement action.
- (4) Output Segment Code, Supplemental 805-Catalog Tools Standard FSC Management Maintenance Segment (DRN 0241). Data elements within this group provide primary FSC management data such as the Integrated Material Manager, Item Management Classification Activity, the Standardiation Submitter, Single Submitter Activities, etc.
- (5) Segment Code, Supplemental 812 Establish/Cancel INC Output Segment (DRN 0441). A data chain, output to the Military Traffic Management Command (MTMC) only, consisting of data pertinent to the establishment or cancellation of an INC in the FLIS INC Validation File.
- (6) Segment Code, Supplemental 821 OE Name/Address Data Segment (DRN 0249). A data chain consisting of the OE line segment numbers in combination with the clear text data required to identify an OE
- (7) Segment Code, Supplemental 822 OE Mail Routing Data Segment (DRN 0246). A data chain consisting of the OE line segment number 10 in combination with the applicable ZIP Code, Con-

- tract Administration Office (CAO) Code, Automatic Data Process Point (ADP) Code, and CAO/ADP Exception Processing Code.
- (8) Segment Code, Supplemental 825 OE File Maintenance Data Segment (DRN 0251). A data chain consisting of data elements required for output to update files of selected customers who have previously been furnished a basic file.
- (9) SSR Interrogation Output Segment 866 (DRN 0258). An output data chain consisting of homogeneous data elements pertinent to SSR interrogation results.
- (10) SSR Output Segment 890 (DRN 0242). A dual purpose output data chain consisting of the data required to return supplemental 800 segment data elements without value. In an abbreviated form it will be used as an output header for other types of SSR output. The abbreviated segment 890 will contain all elements up to and including DRN 0252, Segment Code, Supplemental, Input.
 - c. MOE Rule File Maintenance.
- (1) All proposed file maintenance actions will be submitted by the DLSC program manager only. Procedures for requesting update actions through DLSC are outlined in Volume 13.
- (2) All proposed file maintenance actions will be subjected to machine edit/validation procedures to insure completeness and accuracy.
- (3) A mechanized data distribution system will be used to provide updates to the Service/Agency (S/A) systems. Current data receivers for Catalog Tools MOE Rule output include the following activities: AN, AX, CM, CX, HD, KE, KX, KZ, PA, SA, TX and XF.
- (4) The following FLIS MOE Rule output DICs and related data will be output to the S/A

systems:

DIC Title

KUA ADD TOTAL CATALOG TOOLS

MOE RULE RECORD (Applies to
both new and reinstated MOE Rules)

KUB CANCEL CATALOG TOOLS MOE
RULE WITH REPLACEMENT (This
represents a MOE Rule status code
update with a replacement MOE Rule
in the 803 segment)

KUC CHANGE CATALOG TOOLS MOE
RULE RECORD (The entire MOE
Rule record will be replaced)

KUD CANCEL WITHOUT REPLACE-MENT OR DELETE CATALOG TOOLS MOE RULE RECORD (This action updates the MOE Rule Status Code or deletes the MOE Rule record completely)

- d. The Standard FSC Table contains the FSCs listed in Cataloging Handbook H2-1, Federal Supply Classification, Groups and Classes. This part consists of the structure of the FSC, showing groups and classes in the four-digit FSC code numbering system. Arrangement of the FSCs in the table is in numerical order from the lowest to the highest. (See volume 13.)
- (1) Those entries within the table which identify materiel management responsibility assignments are reflected by an **If** and **Then** condition statement. Example: **If** FSC is subject to Integrated Materiel Management (IMM), **then** the IMM activity code will appear in the IMM column.
 - (2) The Standard FSC Table will be used to:

Validate functional assignments by FSC in accordance with published directives.

Validate FSC codes.

Determine which activities will receive output distribution on an FSC basis.

e. FSC Management Data Maintenance.

- (1) All proposed file maintenance specific to FSC Management actions will be submitted by the DLSC program manager only. To insure that the information is added to FLIS in a timely manner, the activity requesting a new FSC should complete the blank form page in FLIS, Volume 13, Appendix 13-2-A at the end of the appendix and forward it to DLSC-SBA.
- (2) All proposed file maintenance actions will be subjected to machine edit/validation procedures to insure completeness and accuracy.
- (3) A mechanized data distribution system will be used to provide updates to the S/A systems. Current data receivers for Catalog Tools FSC Management output include the following activities: AN, AX, CM, CX, KE, KX, KZ, SA, TX and XF.
- (4) The following FSC Management output DICs and related data will beoutput to the S/A systems:

DIC Title

KUE NEW CATALOG TOOLS STANDARD FSC MANAGEMENT RECORD (Applies to new, reinstated and revised FSC Management records)

KUF DELETE TOTAL CATALOG TOOLS
STANDARD FSC MANAGEMENT
RECORD (Deletes the complete record
and all attribute management data
from the files)

f. SSR OE Master File.

(1) Input from the Services and Agencies for adding, changing, or deleting OE type A CAGE Code, E NCAGE records will be based on receipt of DD Form 2051. Correspondence and/or DD Forms 2051 received directly from the manufacturer will also be processed by DLSC.

(2) Types of Organizational Entities:

- (a) Commercial and Government Entity Code (CAGE). A five-position all alphanumeric code (e.g., 2A123) assigned to U.S. and Canadian organizations which manufacture and/or control the design of items supplied to a Government military activity or Civil Agency. The CAGE Code file provides the data base for Cataloging Handbooks H4-2, H4/H8 CAGE Handbook, United States and Canada and Handbooks H8-1/H8-2, Non- Government Organization Codes for Military Standard Contract Administration Procedures (MILSCAP).
- (b) North Atlantic Treaty Organization (NATO) Commercial and Government Entity (NCAGE). A five-position alphanumeric code (e.g., (2345B) assigned to organizations located in NATO member nations (excluding U.S. and Canada) and other foreign countries which manufacture and/or control the design of items supplied to a Government military activity or Civil Agency. The NCAGE file provides the data base for Cataloging Handbook H4-3, Commercial and Government Entity Code excluding U.S. and Canada.
- (3) Requests for new CAGE/NCAGE code assignments and proposed maintenance affecting existing FLIS data bank OE records (name/location changes, etc.) may emanate from any U.S. activity/agency, NATO nation, or other foreign country. The specific procedures pertaining to OE input types A, E, and F are set forth in volume 7, chapter 7.1 Establishment/Maintenance, OE SSR CAGE/NCAGE.

- (4) Prior to submission of a request for code assignment or maintenance action, activities/agencies which maintain mechanized H4/H8 file(s) (see volume 7, paragraph 7.1.1.e) will screen their files to ensure an CAGE/NCAGE has not already been assigned or updated for that particular organizational entity. Activities/agencies which are not recipients of the mechanized files will screen against the latest H4/H8 publication. In addition, S/As should use DIC LHR, SSR OE Interrogation (Tailored), to make this determination.
- (5) All input transactions received by DLSC will be subjected to front-end machine edit/validation processing. They are then suspended for DLSC program manager review and certification of approval or return (rejection).
- (6) End processing of proposed input transactions will result in external distribution of the following types of OE output data:
- (a) Notification to the submitter that the proposed transaction has been processed and approved or rejected.
- (b) File maintenance to recipient S/As resulting from add, change, or delete transactions which have been processed and approved by DLSC.
- (c) Following approval/processing of an CAGE Code or *NCAGE* which involves one or more reference numbers, DLSC will provide the applicable receivers appropriate file maintenance data for their National Item Identification Number (NIIN) records. Update actions for deletion of cancelled OE code and addition of replacement OE code will be accomplished by machine-generated DIC KDR and KAR transactions.
- (7) A mechanized data distribution system will notify submitting activities of DLSC approval or return (rejection) of proposed input transactions.

Specific data receivers of OE file maintenance data and NIIN file maintenance update will be determined by each requiring S/A. The following FLIS output DICs will be used to forward output data to activities/agencies: (The procedures governing OE outputs are set forth in volume 7, section 7.1.9.)

DIC **Title KHS** Notification of Unprocessable SSR Transaction Package (Forwarded to submitter as a result of proposed input failing initial input control edit/ validation processing; e.g., input DIC garbled, etc.) SSR OE File Maintenance Data KDR/ **KHN** NIIN File Maintenance Update (Forwarded to applicable receiving **KAR** activities/agencies as a result of DLSC processing an approved input transaction in which one or more reference numbers were transferred from a cancelled OE code to a replacement OE code.)

(For DIC KHN, OE SSR File Maintenance Data, the normal output mode will be electronic data transmission. (The basic KHN file will be available only on magnetic tape. This basic file can be obtained on a bi-monthly replacement basis, if desired.))

- (8) DLSC sends out computer-generated letters to coded contractors requesting verification of the organization's status, making one complete cycle of the file annually. This factor should be considered; however, an activity/agency should not withhold available information concerning an OE because of this process.
- g. Catalog Tools Master Freight Table Maintenance

All updates to the Master Freight Table (MFT) are completed by the Military Traffic Management Command (MTMC) using the FLIS On-line Master Freight System. The application provides for new FCD adds, reinstatements, changes to the LTL and freight descriptions, cancellations and cancel with replacement actions.

- 1.3.12 Mass-Change Processing. Mass-change processes are initiated by maintenance actions to the SSR; e.g., tables, guides, edits, cataloging tools, etc. Such mass changes involve changes to multiple FLIS data base items and/or to other sections of the SSR. Each mass- change request is submitted through, and/or initiated by, a DLSC program manager. This is done to minimize the possibility of inadvertent contamination or deterioration of the files and to retain ADP scheduling control for DLSC.
- a. Two methods of mass change are used by DLSC: The pre-programmed mass change and the special project. In all cases the change criteria must be furnished by the S/A/DLSC program manager that requires the change. A pre-programmed mass change is one for which an established program exists at DLSC and no additional programming is required. A transaction that triggers a pre- programmed mass change as indicated in paragraph 1.3.12.c will cause the following actions to occur:

Identify the affected file items.

Complete the maintenance actions required on the items.

Generate the appropriate output.

NOTE: A request for a special project mass change will also require that the preceding actions take place; however, programming will have to be initiated to provide for those actions. Pre-programmed mass change and mass change will be considered synonymous terms for use in the remainder of this section.

- (1) Pre-programmed mass changes are triggered by transactions input or requested by a S/A/DLSC program manager to update or revise a SSR. For example, a change in manufacturers code (CAGE Code) submitted in accordance with volume 7, paragraph 7.1.3.a or 7.1.3.c will cause reference number change transactions to be generated. The CAGE Code will be changed in the FLIS data base wherever it appears against a reference number.
- (2) An example of a special project mass change is the item management change from IMM to IMM for all the items under a specific FSC. The losing IMM is obligated to coordinate the management change with the gaining IMM. The gaining IMM is required to provide DLSC with the criteria necessary to generate LCU transactions to change all the affected MOE Rules on those items for which the losing IMM is recorded as manager. Under normal operating conditions DLSC would require ninety days to program this example.
- (a) The criteria DLSC would require to initiate this special project is as follows:

The identity of the items to be changed, e.g., all items under a specific FSC.

The superseding MOE Rule.

The action required on the supplemental collaborators and receivers.

- (b) The item status codes and catalog management data recorded against affected items will not be changed. Required maintenance will be input by the responsible activity on a by-item basis.
 - b. Functional Areas/Data Elements:

D.	RN
----	----

Commercial and Government Entity 9250 Code (CAGE)

	DRN
NATO Commercial and Government Entity (NCAGE)	4140
National Motor Freight Classification Code (NMFC)	2850
National Motor Freight Classification Sub-Item Number	0861
Uniform Freight Classification Code (UFC)	3040
Freight Data Elements:	
Less Than Truckload Rating Code	2770
Freight Description	4020
Assigned Federal Supply Class (FSC)	3990
FIIG Data Elements:	
Characteristics Data Group	3317
Master Requirement Code	3445
Coded Reply	3465
Clear Text Characteristic Reply	4128
Mode Code, Permissible	4735
AND Symbol	8950
OR Symbol	8951
Secondary Address Code	8990
Guide Number, FIIG	4065
Item Name Code 4080	

- c. Procedures and Formats.
- (1) CAGE/*NCAGE* Mass-Change Processing: See volume 7, paragraphs 7.1.3.a and 7.1.3.c.

(2) Freight Mass Change Processing:

- (a) Freight Mass Change processing results from changes to the National Motor Freight Code (NMFC), NMFC Sub Item Number or Uniform Freight Classification Code (UFC) and is accomplished by the DLSC Freight program manager only.
- (b) Changes to any of the data elements cited above will be reflected on the NIIN and

forwarded to all authorized Freight receivers as KCF output.

(3) Freight Data Element Mass-Change Processing: See volume 6, paragraph 6.4.8.a for the mass-change processing of the freight data elements listed in paragraph 1.3.12.b. Freight data element mass-change processing updates freight classification records previously established in the SSR Master Freight File. See volume 8, chapter 8.1, DICs LUW, and for input formats.

(4) FSC Mass-Change Processing:

- (a) The change of MOE Rules and related data elements that becomes necessary as a result of a forthcoming FSC mass change will be accomplished by the DLSC Directorate of Logistics Information Management on a special-project basis or input by the affected Departments/Agencies on a by-item basis. See volume 3, paragraph 3.6.1.b for information relative to FSC/MOE Rule processing.
- (5) FIIG Mass-Change Processing: Characteristic mass change will occur as a function of the FIIG revision process or as a result of a FIIG page change. Characteristic mass change is initiated by the DLSC Directorate of Logistics Information Management through the use of internal transactions. The mass-change actions will be internal and will act upon the FLIS data base characteristic records. A change to the technical content of the characteristic description will result in the output of updated FLIS data base data (DIC KTD).
- (a) See volume 4, chapter 4.12 for information on FIIG revision.
- (b) The mass-change processing that occurs as a result of a FIIG page change will cause characteristic file maintenance to authorized receivers when technical changes result in the output of updated FLIS data base data (KTD).

- d. All requests for special-project mass-change processing of data elements will be addressed through normal channels to DLSC. The requests will be prepared in letter form citing all criteria necessary to create the mass change.
- 1.3.13 Mass Data Retrieval. Mass Data Retrieval is designed to extract segment data from the FLIS data base or partial or complete files from the SSR based on the input of key data element(s).
- a. All requests for mass retrieval of FLIS data base data must be submitted by letter to the DLSC program manager. The letter should include the key data element(s) and value(s) to be interrogated and an ODRC to designate the FLIS data base segments required. (See volume 10, table 28 for selecting the appropriate ODRC DRN and key data elements.) For example, if an activity requires all recorded freight classification data for all items within INC 10875, the request should include ODRC DRN 9952, key data element DRN 4080 and DRN Value 10875. If the activity desires to control or identify output on a project basis, a three-position project number such as PM1 should also be included: it will be perpetuated in the output Document Control Serial Number.
- b. The DLSC program manager will input the FLIS data base mass data retrieval transaction through the use of internal DIC LTM. The DCN will be constructed as follows: The activity code of the requester as the Originating Activity Code; the DLSC program manager code as the Submitting Activity Code; the induction date as the Date, Transaction; the requester's three-position project number; and a sequentially assigned four-position number. If the requester did not provide a project number, the last seven digits will be sequentially assigned for each different mass data retrieval input transaction.
 - c. The mass data retrieval results will be output

through DIC KTA which will include a header for each NIIN or PSCN and the requested segments applicable to each item. All headers applicable to a specific mass data retrieval transaction will include the same DCN. The Package Sequence Number (PSN) will be applied to the records for each NIIN/PSCN as a separate package.

- d. The output data will be sequenced by NIIN/PSCN within the DCN package.
- e. On mass data retrieval by FSG (DRN 3994) and FSC (DRN 3990) only, output of segment K for cancelled items will be optional at the request of the submitter. All other mass data retrievals will not include cancelled items.
- f. Due to the electronic data limitation of 39,840 characters per transaction, all mass data retrieval results will be forwarded to the interrogating activity by mail in a manner designated by the distribution table or as prescribed by the requester.
- 1.3.14 Reports Generator. Through a survey of products requested in the past, FLIS was able to include within the mass data retrieval processes the capability to produce most of them as normal pre-programmed FLIS outputs. They may be produced at the request of the FLIS customer, and particular attention has been given to products for which a requirement occurs repetitively. Periodically, however, requirements for products from the FLIS file which are nonrecurring in nature and satisfy a one-time need only are received. The Reports Generator is designed to produce these one-time listings or reports.
- a. Proper use of the mass data retrieval and Reports Generator capabilities will minimize requests that require special projects and programming, with their attendant delays, for production.
 - b. Processing available to the customer through

the Reports Generator consists of the following:

- (1) Extracts of data by DRN from a FLIS file, all data found or only that data within specified limits.
- (2) Counts of data by DRN from a FLIS file, all data found or only that data within specified limits.
- (3) Mathematical treatment of counts of data by DRN (add, subtract, multiply, divide) including summaries and vertical or horizontal totalling.
- (4) Sorting and formatting of processing results as specified.
- (5) Generation of the output in the media, mode, and number of copies desired.
- c. To use the reports generator, requests for special data extracts, including justification, shall be submitted to the program manager (DLSC-V). HQ DLA will exercise final approval authority for all special requests (Reports Generator) requiring in excess of 100 man-hours. Input is made to the Reports Generator by DLSC; the product is generated, examined for quality, and mailed to the customer.
- d. The utility and service rendered by the Reports Generator will be satisfactory provided all customers observe the rules of use. The Reports Generator will not be used if any other FLIS product will supply the necessary data. The Reports Generator will be used only for one-time output products.
- 1.3.15 Simplified File Maintenance (SFM). This type of data is furnished to selected customers who desire to receive maintenance data on a periodic basis in lieu of regular file maintenance. Those SFM recipients who elect to receive notification data will receive such data as it is processed. It is developed

- and distributed in accordance with volume 2, chapter 2.11.
- 1.3.16 Record Establishment and Maintenance Actions. These procedures provide instruction in the preparation of data required to establish or maintain item intelligence by S/As and participating governments for their logistics functions. The data will be forwarded to DLSC to be processed, distributed, and maintained by the FLIS.
- a. The use of this manual requires the following steps to be performed in data preparation.
- (1) Determine the transaction for the logistics function.
- (2) Refer to the applicable DIC in volume 8 or 9.
- (4) Prepare data in accordance with prescribed formats.
 - (5) Submit data to FLIS data bank.
- b. Data must be prepared in fixed length format or variable length format as determined by activity capability. Formats contain instructions for each method, as applicable.
- c. Collaborations must be performed in accordance with volume 2, chapter 2.2 prior to submittal to the FLIS data bank.
- d. Personnel should become thoroughly familiar with the tables of contents for the various volumes to develop an awareness of the scope of coverage included.
- e. Care should be taken in data preparation to avoid errors which may cause the return of transactions. The following guidelines are offered to assist in preparing acceptable data:

- (1) Ascertain that all item intelligence data required is included in the transaction.
- (2) Ascertain that the data has been properly formatted.
- (3) Verify completeness and correctness of data element values.
 - (4) Verify proper submittal mode selection.
- f. Manual quality control measures should be applied before submittal of worksheet for mechanization as follows:
- (1) Is the transaction in accordance with the latest logistics data tools?
 - (2) Are all the related segments included?
 - (3) Do the segments reflect the proper DICs?
- (4) Is an input header included with the transaction?
- (5) Is the data prepared in the appropriate mode fixed or variable length input?
- (6) Has the data required for fixed fields in all segments been properly positioned?
 - (7) Is the PSN properly applied?
- 1.3.17 Emergency Cataloging Support. The FLIS is designed to ensure effectiveness, reliability and survivability in time of war or emergencies. Regardless of emergency conditions the following Federal Catalog processes will continue on a noninterruptable basis:
- a. NSN assignment by use of the CAGE Code, logistics reference numbers, RNCC and RNVC.
 - b. Provisioning and preprocurement screening

CH 3 DoD 4100.39-M Volume 1

basically by use of the same data.

1.3.18 Automated Design Guidance.

The FLIS data base is composed of two basic sections, the Maintain Item of Supply (MIOS) data and the Catalog Tools data. MIOS contains item oriented logistics data (e.g., stock numbers, item

characteristics, reference numbers, recorded users, standardization data, freight data, catalog management data, etc.). Catalog Tools data is composed of support data for MIOS, such as edit tables, FSCs, MOE Rules, Cage Codes and addresses and Item Names.

CHAPTER 4 APPENDIX 1-4-A SERVICE/AGENCY CONTACT POINTS

Executive Director Logistics Support Activity ATTN: AMXLS-CM Redstone Arsenal, AL 35898-7466

Commander, Cataloging & Standardization Center

ATTN: PCM Federal Center 74 Washington Ave N Battle Creek, MI 49017-3094

Headquarters
HQMC (LPP-2)
2 Navy Annex
Washington, DC 20380-1775
DSN 226-1051/1052

GSA/FSS Cataloging Division ATTN: FCSC Washington, DC 20406

Federal Aviation Administration Material Management Division ATTN: ALM-300 800 Independence Ave., S.W. Washington, D.C. 20591

Director, Defense Logistics Agency ATTN: MMLZS, Room 4146 8725 John J. Kingman Road, Suite 2533 Fort Belvoir, VA 22060-6221

JLSC MMF 1864 Fourth Street STE 1 Wright-Patterson AFB, OH 45433-7131 Defense Medical Logistics Standard Support AIS Program Office 5109 Leesburg Pike Skyline 6 Suite 502 Falls Church, VA 22041

Commandant, U.S. Coast Guard ATTN: G-SLP 2100 2nd Street, S.W. Washington, DC 20593-0001

Commander
U.S. Naval Supply Systems Command
ATTN: SUP41242A
PO Box 2050
Mechanicsburg, PA 17055-0791

Field Command
Defense Special Weapons Agency
ATTN: FCDSWA
1680 Texas Street S.E.
Kirtland AFB, NM 87117-5669

Director, National Security Agency ATTN: L114, SAB #4 9800 Savage Rd, Ste 6619 Fort George G. Meade, MD 20755-6619

Department of Veterans Affairs Hines Service and Distribution Item Management Division P.O. Box 27 Hines, IL 60141-0027

Commanding Officer
Naval Inventory Control Point
Code M0418
PO Box 2020
Mechanicsburg, PA 17055-0788

CH 3 DoD 4100.39-M Volume 1

CHAPTER 4 APPENDIX 1-4-A SERVICE/AGENCY CONTACT POINTS

Chief, Int'l Codification Div ATTN: DLSC-SD 74 Washington Ave N Battle Creek, MI 49017-3084

HQ Defense Mapping Agency Operations Directorate Distribution Division 8613 Lee Highway Mail Stop A12 Fairfax, VA 22031-2137

National Weather Service Logistics Management Section SSMC2 W/OSO322 1325 East West Highway Silver Springs, MD 20910-3280

FOR PASSTHROUGH:

DLA Systems Design Center ATTN: DSDC-MM P.O. Box 1605 Columbus, OH 43216-5002

Defense Automated Add Sys Cmd ATTN: Steve Norman 1080 Franklin Street Dayton, OH 45444-5320

CASC/POM ATTN: Mike Eddy 74 Washington Ave N

Battle Creek, MI 49017-3094

Executive Director
USAMA Logistics Spt Acty
ATTN: AMXLS-CM

Redstone Arsenal, AL 35898-7466

CHAPTER 4 APPENDIX 1-4-C GUIDANCE FOR PREPARING DD FORMS 2021 AND 2021-1

- 1. General. All requests for system modification will be documented on DD Form 2021 and DD Form 2021-1. If the space provided is inadequate, continue on plain bond paper beginning with the title and control number on each additional page.
- 2. **Title.** Enter a short and concise title describing the proposed change.
- 3. Control Number. A nine-position alphanumeric number will be assigned to each FLIS System Change Request (SCR) by the initiating activity. Initiating activities will maintain a control register to assure sequential assignment of control numbers. The control number is constructed as follows:

$\mathbf{X}\mathbf{X}$	XXXXX	XX
Activity	Julian Date	Serial Number

a. **Activity.** A two-digit alpha code used to identify the initiating activity:

Code	Activity
CA	National Weather Service
DA	Army
DF	Air Force
DG	National Security Agency
DH	Defense Special Weapons Agency
DM	Marine Corps
DN	Navy
DP	Defense Mapping Agency
DS	Defense Logistics Agency (DLA-
	CAN/MM)
GE	Federal Aviation Administration
GP	Coast Guard
TG	General Services Administration
VA	Veterans Administration
ZA	DLA-MMLX - Federal Catalog Pro-
	gram
ZB	Military Traffic Management Com-
	mand - Freight Classification

Code	Activity
ZC	DLA-MMLX - Interchangeability and Substitutability
ZD	DLA-MMLDC - Item Management Coding/Logistics Reassignments/ Supply Support Requests
ZE	Defense Reutilization and Market- ing Service (DRMS)
ZF	DLSC (Logistics Information Distribution Directorate)
ZG	DLSC (Logistics Information Distribution Directorate)
ZH	DLSC (all other directorates)
ZI	DLA-CANM - Defense Automatic Addressing System
ZJ	Demil
ZZ	Other activities not assigned a Major Organizational Entity (MOE) Code or functional manager Z-code

b. **Julian Date.** A five-digit numeric code representing the date of preparation of the SCR, constructed as follows:

First two positions will represent the last two digits of the year. Positions 3, 4, and 5 will represent the numeric day of the year. For example, 1 December 1994, would be represented by the code 94335.

- c. **Serial Number.** Enter a consecutively assigned number, beginning with 01 for each change in Julian date.
- 4. Part I. Routing and Approval/Disapproval. This part of the form will be used to expedite the routing of the proposal and to indicate approval/disapproval actions must be signed by an individual authorized to represent the requesting/evaluating activity. Final approval/disapproval action for implementation must be signed by the Federal Logistics Information

CHAPTER 4 APPENDIX 1-4-C GUIDANCE FOR PREPARING DD FORMS 2021 AND 2021-1

System (FLIS) administrator or designated agent. Electronic signature and transmission is also acceptable. Letters of transmittal are not required for processing of SCRs.

5. Part II. Requested FLIS Modifications.

- a. Block 1. Background/Facts Bearing on the Proposal. This block should identify the references and the policy decisions that were the basis for defining the scope of the change. For instance, if the SCR is the result of a meeting or letter, or the result of a joint tasking, state which meeting, when, where, who the sponsor is, and the exact tasking. If the SCR is a result of a meeting or joint tasking, include a list of the attendees. References to internal correspondence and regulations will not be used. To facilitate understanding, specific paragraphic type references can be incorporated throughout the text of the proposed change (block 5). It should also identify whether the SCR has minor or major impact to Service/Agency (S/A) support systems
- b. Block 2. Proposed Implementation Date. Enter the proposed implementation date, taking into consideration the coordination cycle for approval of the SCR and the time frames required for implementation.
- c. **Block 3. Priority.** Enter the appropriate priority, as follows:
- (1) Routine Minor. An SCR requiring at least 60 calendar days for S/A coordination and distribution of the system change by DLSC a minimum of 180 days prior to implementation. A routine minor SCR requires a **minimum** of 370 days from date of submission of the SCR to final implementation.
- (2) Routine Major. An SCR requiring from 61-120 calendar days for S/A coordination and distribution of the system change by DLSC a minimum of 240 days prior to implementation. A routine

major SCR requires a **minimum** of 430 days from date of submission of the SCR to final implementation.

- (3) Expedite. An SCR requiring at most 60 calendar days for S/A coordination and distribution of the system change by DLSC a minimum of 90 days prior to implementation. An expedite SCR requires a **minimum** of 198 days from date of submission of the SCR to final implementation.
- (4) Emergency. An SCR required to maintain the operational status of FLIS. (See paragraph 1.4.3.a.(5).)
- d. **Block 4. Justification.** Provide detailed justification for assignment of an expedite or emergency priority.
- e. Block 5. Recommended Description of Change. The following paragraphs indicate the level of detail to be provided:
- (1) General Objectives. Establishes in narrative form a description of the overall system objectives to be accomplished by the system change for the function being served. Establishes what is to be done without stating specific criteria to be met in accomplishing the automatic data processing (ADP) needs of the function.
- (2) Specific objectives should include, as a minimum, functional statements that delineate what shall be accomplished to ensure that the general objectives are met to the satisfaction of the functional manager. The following elements of detail will be included as specific functional requirements:
- (a) Input. Cite who the data shall be received from and what elements of data shall be input to FLIS to satisfy the objective. When constrained by other functions or systems, the configuration of the data element may be identified (new Data Record

CHAPTER 4 APPENDIX 1-4-D ACTIVITIES TO RECEIVE INFORMATION COPIES OF SCRs AND SANs

Commander

U.S. Army Materiel Command

ATTN: AMCIO-TS

5001 Eisenhower Avenue

Alexandria, VA 22333-0001

Commander

USAMC Systems Integration and Management

Activity

ATTN: AMXAL-H

P.O. Box 1578

St. Louis, MO 63188-1578

Commander (Code 851)

Marine Corps Logistics Base

814 Radford Blvd

Albany, GA 31704-1128

Commander of DLA Systems Design Center

ATTN: DSDC-MMO

P.O. Box 1605

Columbus, OH 43216-5002

Defense Logistics Agency

MMLXC

8725 John J. Kingman Road, Suite 2533

Fort Belvoir, VA 22060-6221

Commanding Officer

Naval Inventory Control Point

Code 0424

P.O. Box 2020

5450 Carlisle Pike

Mechanicsburg, PA 17055-0788

Commanding Officer

Naval Inventory Control Point

Code 0421

700 Robbins Avenue

Philadelphia, PA 19111-5098

Commander, DLA Systems Design Center

ATTN: DSDC-RD

P.O. Box 1605

Columbus, OH 43216-5002

Director

Strategic Systems Programs

ATTN: SP206

1931 Jefferson Davis Highway

Arlington, VA 22241-5362

Director

Strategic Systems Programs

c/o Vitro Corporation

ATTN: Code MSD

1601 Research Boulevard

Rockville, MD 20850-3173

Commander

Defense Supply Center Columbus

ATTN: DSCC-BDL

Columbus, OH 43216-5000

Commander

Defense Supply Center Columbus

ATTN: DSCC-RPS

Columbus, OH 43215-5000

Commander

Defense Supply Center Richmond

ATTN: DSCR-RPM

Richmond, VA 23297-5000

Commander

Defense Industrial Supply Center

ATTN: DISC-PLI

700 Robbins Avenue

Philadelphia, PA 19111-5096

CH 3 DoD 4100.39-M Volume 1

CHAPTER 4 APPENDIX 1-4-D ACTIVITIES TO RECEIVE INFORMATION COPIES OF SCRs AND SANs

Commander

Defense Personnel Support Center

ATTN: DPSC-ZS 2800 South 20th Street Philadelphia, PA 19101-8419

Defense Special Weapons Agency

ATTN: DSWA/LELD 6801 Telegraph Road Alexandria, VA 22310-3398

NASA Headquarters

Logistics Management Office

Code JLG

Washington, DC 20546-0001

Commander

HQ Air Force Materiel Command

ATTN: LGIM

Wright-Patterson Air Force Base, OH 45433-5006

Commanding Officer

U.S. Coast Guard Supply Center, Baltimore

ATTN: Code 320

707 East Ordnance Road Baltimore, MD 21226-1791

Commanding Officer

U.S. Coast Guard Supply Center, Curtis Bay

ATTN: Code 4220

2401 Hawkins Point Road Baltimore, MD 21226-1797 Commanding Officer

U.S. Coast Guard Aircraft Repair and Supply Center

ATTN: ARSCDM

Elizabeth City, NC 27909-5001

Mike Monroney Aeronautical Center

ATTN: AAC-400

P.O. Box 25082

Oklahoma City, OK 73125-0082

National Weather Service

Logistics Mgmt Section SSMC2

W/OSO322

1325 East West Highway

Silver Springs, MD 20910

Commanding Officer

Navy Fleet Material Spt Ofc

ATTN: FMSO 9612 5450 Carlisle Pike

P.O. Box 2010

Mechanicsburg, PA 17055-0787

DLA Systems Design Center

DAASC

ATTN: DSDC-SSL

Gentile Station

1080 Franklin Street

Dayton, OH 45444-5320

of the input and mode and media desired for the output.

- (5) Benefits expected from the test.
- (6) If the test is requested as the result of a problem, is the problem major, critical, or routine in accordance with volume 2, chapter 6.
- c. It should be noted that a request for a mini interface test to pinpoint a problem, will not be made in lieu of reporting a problem in accordance with volume 2, chapter 6, but may supplement the problem report.
- d. DLSC will process the test transactions against the STDB as time permits, however, turnaround time will not exceed one week. The test will be processed using current DLSC production programs and support files.

1.7.10 Reporting of Interface Test Effectiveness

- a. Following the conclusion of each interface test, each participant is requested to forward a letter to DLA, ATTN: DLA-E, referencing the test and evaluating its effectiveness in terms of benefits derived, problems encountered, and lessons learned that will assist DLA-E and DLSC in evaluating the interface test capability and possible enhancing its effectiveness in the future.
- b. DLSC will also provide evaluations of the interface test to DLA-ZS to assist in the overall evaluation.

1.7.11 Interface Test Coordinators

AGENCY	MAILING ADDRESS	COORDINATOR
DLSC	Commander Defense Logistics Services Center ATTN: DLSC-BB Federal Center Battle Creek, MI 49017-3084	Mr. Joe Domenico DSN 932-4085
DLA Centers	Commander Data System Automation Center ATTN: DSAC-MLC P.O. Box P1605 Columbus, OH 43216	Mr. Will Feil DSN 850-4122
Army	Executive Director Logistics Support Activity ATTN: AMXLS-RWD Redstone Arsenal, AL 35898-7466	Ms. Beverly L. Van Brakle DSN 645-0784

AGENCY	MAILING ADDRESS	COORDINATOR
Navy	Commander Navy Fleet Material Support Office ATTN: Code 9612 5450 Carlysle Pike Mechanicsburg, PA 17055	Ms. Shelia Godfrey DSN 430-6513
Air Force	Commander HG Air Force Logistics Command ATTN: MMIPC Wright-Patterson Air Force Base, OH 45433-5001	Mr. Joe Welsh DSN 787-5553
Marine Corps	Commander Marine Corps Logistics Base Code 851-1 814 Radford Boulevard Albany, GA 31704-1128	Zelda Collins DSN 567-6414/5
DSWA	Commander Field Command Defense <i>Special Weapons</i> Agency Kirkland AFB, NM 87115	Mr. Fernado Alvarado DSN 246-8421
GSA	GSA/FSS Cataloging Branch ATTN: FCRL Washington, DC 20406	Mr. Charles Long DSN 305-7528
Coast Guard	U.S. Coast Guard Headquarters 2100 Second St., S.W. ATTN: COMDT (G-ELM) Washington, DC 20593-0001	Ms. Cathy Pastore FTS 267-0656 (202)267-0656

OTHER

CHAPTER 8 ALPHABETIC INDEX FOR TOTAL MANUAL

TITLE	VOLUME*	PAGE**	OTHER REFERENCES
Α			
AAC/SOS/SOSM CORRELATION ABBREVIATIONS USED IN CONNECTION WITH			vol 10, table 113
FSCM/FSCNM/NCAGEs			vol 10, table 136
ACQUISITION ADVICE CODE			vol 10, table 158
PROCESSING FOR ARMY MAINTENANCE ACTION CODE MS CMD			
ACQUISITION ADVICE CODES			vol 10, table 58
ACQUISITION ADVICE CODES ASSIGNED BY MANAGING ACTIVITY IMSS-9	14		14-6-A
ACQUISITION METHOD/ACQUISITION	4,6		vol 10, table 71
METHOD SUFFIX CODES ACQUISITION METHOD/ACQUISITION	14		14-8-A
METHOD SUFFIX CODE COMBINATIONS			
ACTION BY SUBMITTING ACTIVITY ON DATA	2		
RETURNED BY DLSC			
ACTION CODES FOR RESUBMITTALS	4		vol 10, chap 2
ACTION TO BE TAKEN BY ACTIVITIES ON	2		
RECEIPT OF DATA FROM DLSC			
ACTIVITY CODE, SCREENING	5		
ACTIVITY CODES AND ADDRESSES FOR			vol 10, table 104
AUTHORIZED ORIGINATORS, SUBMITTERS,			
RNAAC, AND DICs AUTHORIZED FOR SUBMIT- TING ACTIVITIES			
ACTIVITY CODES AND MESSAGE ADDRESSES	2	•	vol 10, table 47
FOR FLIS USERS			,
ACTIVITY LISTING (IMSS)	14		
ADD			
Data Elements	4,6		vols 8/9, DICs LAD, KAD
Data to Manufacturers	7		vol 8, DIC LHN

^{*} Complete narrative references may be found in the alphabetic index of the appropriate volumes.

** Volume 1 references are listed in this column.

TITLE	VOLUME	PAGE	OTHER REFERENCES
Freight Data	6		vols 8/9, DICs LAF, KAF
Reference Number and Related Codes	4		vols 8/9, DIC KAR
Standardization Relationship	4,6		vols 8/9, DIC KAS
FLIS Data Base Data	4		vols 8/9, DIC KAT
Total Manufacturers Record (OE) ADDRESS CODES, TYPE OF (OE) ADDRESS LINE NUMBER (OE)	7		vol 8, DIC LHT vol 10, table 29 vol 10, table 89
ADMINISTRATIVE DATA REQUIREMENT (MRC 9001)	4		voi 10, moio 02
ADPE IDENTIFICATION CODES ADVANCE CHANGE NOTICE - See FLIS Advance Change Notice			vol 10, table 159
ADVANCE NOTICES AIR COMMODITY AND SPECIAL HANDLING CODES	15		vol 10, table 85
AIR DIMENSION CODES AIR FORCE			vol 10, table 84
Budget Codes Expendability/Recoverability/Reparability Codes Fund Codes Materiel Management Aggregation Codes (MMAC)			vol 10, table 67 vol 10, table 69 vol 10, table 68 vol 10, table 66
AMMUNITION CODE	3		
As Reference Number Handbook	2 15		
ANNUAL DoD STOCK FUND PRICE CHANGE PROCEDURE	6		
ANSI STANDARD, USE OF APPENDICES, IDENTIFICATION OF IN THIS MANUAL	2 1.1.4.c	1.1-4	
APPENDIX, FIIG - See FIIG	_		
APPLICABILITY KEY APPLICABILITY KEY INDEX, FIIG	3		2.2 1
APPROVED ITEM NAMES ARMY	3		3-3-A, part 4 3-3-A, part 3
Accounting Requirements Codes			vol 10, table 64

TITLE	VOLUME	PAGE	OTHER REFERENCES
Materiel Category Codes Recoverability Codes Source of Supply Conversion ASCII STANDARD ASSETS AVAILABILITY CODE	2 5		vol 10, table 65 vol 10, table 87 vol 10, table 119
ASSOCIATION CODE MATCHES, SCREENING AUTHORIZED FREIGHT DATA SUBMITTER/ RECEIVER	5		vol 10, table 33 vol 10, table 115
AUTOMATED DESIGN GUIDANCE AUTOMATIC DATA PROCESSING EQUIPMENT IDENTIFICATION CODE (ADPEC)	1.3	1.3-1	vol 10, table 159
В			
BASIC CONCEPT NAME BASIC NAME BASIC NOUN PHRASE BASIC PRINCIPLES OF ITEM IDENTIFICATION	3 3 3 4		
BYPASS, NAVY COGNIZANCE CODE	4		vol 10, table 129
С			
CAGE Code/NCAGE SSR PROCESSES CAGE Code/NCAGE ABBREVIATIONS USED WITH CAGE Code/RNCC MANDATORY COMBINATIONS	7	·	vol 10, table 136 vol 10, table 40
CAGE Code, VERIFICATION OF REFERENCE NUMBER IN FLIS DATA BASE CANCEL	4		
Duplicate	4		vols 8/9, DICs LKD, KKD
Inactive	4	•	vols 8/9, DIC KKI
Inactive (DLSC only) Invalid	4		vol 8, DIC LKI
шуаци	4		vols 8/9, DICs LKV, KKV
PSCN to an NSN/PSCN	6		vols 8/9, DIC KKP

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
Use	4		vols 8/9, DICs LKU, KKU
CANCELLATION Action, Return of, Retained FII Invalid	4		vols 8/9, DIC KRF
Collaboration with Foreign Countries Effective Dating for Format for Submittal to DLSC CANCELLATIONS (NSNs only) CANCELLED FSCM, REPLACEMENT OF DURING SEARCH	2,4 2,4 2,4 2 5		
CAO/ADP POINT EXCEPTION PROCESSING CODE CARD IDENTIFICATION CODES, IMC CARGO CODES, TYPES OF CATALOG MANAGEMENT DATA (CMD)	6 6 1.3.3.f(5) 2,6	1.3-7	vol 10, table 132 vol 10, table 137 vol 10, table 82
Add as a Result of IMM/Lead Service Input	6		vols 8/9, DIC KIM
Add CMD	6		vols 8/9, DICs LAM,KAM
Authorized Submitters Cancelled Items with Replacement	6 6		vol 10, table 104 6-2-A, 6-2-B vols 8/9, DICs LAM, LAD/ LCD/LCM, LKD/LKU, KIM, KIR vol 10, table 122
Cancelled Items without Replacement	6		6-2-A, 6-2-B vols 8/9, DICs LAD/LCD/ LCM/LDM, LKV, KIM, KIR, vol 10, table 122
Change CMD	6		vols 8/9, DICs LCM, KCM
Change in FSC Only	6		vols 8/9, DIC LCG

TITLE	VOLUME	PAGE	OTHER REFERENCES
Change in Logistics Management			
IMM to Military Service	6		vols 8/9, DICs
			LCU/LAM/LCM
IMM to IMM (without FSC Change)	6		vols 8/9, DICs
Wholesale Manager to Wholesale Manager (and	6	·	LCU/LAM/LCM 6-2-B vols 8/9,
FSC)	O		DICs LCU/
150)			LAD/
			LAM/LCG
Changes other than FSC or Logistics Management	6		vols 8/9, DICs
			LAD/LCD/
Changes other than ESC on Logistics Management	6		LCM/LDD
Changes other than FSC or Logistics Management by a Retail Service	6		vols 8/9, DICs LAD/LCD/
by a Retail Service			LCM/LDD
Collaboration	2		2-2-A
Concurrent Submittal with Item Status	6		6-2-B vols 8/9,
•			DIC LMD
Data Element			1 0/0 DIG
Add	6	•	vols 8/9, DIC LAD
Change	6		vols 8/9, DIC
Change	O		LCD
Delete	6		vols 8/9, DIC
			LDD
Data Flow Procedures	6		
Delete CMD	6		vols 8/9, DIC
			LDM vols 8/9,
Delete MOE Rule, Service Request	6		DIC KDM
Edit Criteria for Service-Peculiar CMD	O		vol 10, table 121
Effective Dated Actions, Pending, Informative	6		vols 8/9, DIC
Data for			KIF
Effective Date Processing Criteria	2,6		
File Maintenance Data Distribution	1.3.3.f(5)	1.3-7	6-2-A, 6-2-B
Goals/Objectives	6		
I&S Interface Input/Output DIC Chart	6 6		6-2-A
Integrated Materiel Management Procedures	2		U-2-A
magrand manerior management i reconside	~		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Logistics Reassignment	6		6-2-B
Maintenance Action Codes	6		
Management Data List	2,15		15-10-A,B,C,D
Multiple DIC Input-Concurrent Submittal	6		6-2-B vols 8/9,
1			DIC LMD
NATO - File Maintenance Output	6		
New/Reinstated Items	6		6-2-B
NIIN/PSCN Status/Index	6		vols 8/9, DIC
	-		KFS
Notifications - See Outputs Nuclear Ordnance	6		
Outputs	-		6-2-A
CMD as a Result of IMM/Lead Service Input	6		vols 8/9, DIC
	· ·		KIM
DIPEC - To	6		
File Maintenance Sequence Number in	6		
Generation from IMM/Lead Service Input			vol 10, table 122
Identification of Errors	6		vols 8/9, DIC
			KRE
Informative Data for Pending Effective	6		vols 8/9, DIC
Dated Actions			KIF
Effective Dated Actions NATO/Foreign Countries	6		
NIIN/PSCN Status/Index	6		vols 8/9, DIC
			KFS
Notification of Approval	6		vols 8/9, DIC
			KNA
Notification of Return (Submitter)	6		vols 8/9, DIC
			KRE
Notification of Unprocessable Package (Submitter)	6		vols 8/9, DIC
			KRU
Processing Indicator Codes			vol 10, table 125
PSCN, Converted to NSN	4		6-2-B
Purge Action	6		
Reactivation of DoD Wholesale Manager Interest	6		vols 8/9, DIC
			LAU/LAM
Reinstate CMD	6		vols 8/9, DICs
			LAM, KAM
Segment H	1.3.4.b(2)(f)	1.3-12	vols 8/9
Service Request to Delete MOE Rule	6	٠	vols 8/9, DIC
			LDU

TITLE	VOLUME	PAGE	OTHER REFERENCES
SICA Follow-Up DIC KIM	6		
Simplified File Maintenance	2		2-11-G,H
Source of Supply Codes			vol 10, table 103
Source of Supply, DAAS	6		6-2-B
Statistics, IMSS-20	14		14-13-A
Unit of Issue Change	6		
Withdrawal of Wholesale Management	6		vols 8/9, DICs LDU, LDM/ LCM/LAD
CATALOGING TOOLS PROCESSES -	1.3.3.f(15),	1.3-10,	
Also see Freight, MOE Rule and Organizational Entity (OE)	1.3.11	1.3-17	
EAM Card Usage			vol 10, sect
·			10.3.4
File Maintenance to Services/Agencies	1.3.3.f(14),	1.3-10,	
·	1.3.11	1.3-17	
Input/Output Formats	1.3.11	1.3-17	
Mass Change Processing	1.3.12	1.3 -21	
Mass Data Retrieval	1.3.3.f(14),	1.3-10,	
	1.3.13, 5	1.3 -23	
Master Freight Table Maintenance	1.3.11 .g ,6	1.3-21	
MOE Rule File Maintenance	1.3.11.c	1.3 -18	
Organizational Entity File	1.3.11 <i>f</i> ,7	1.3-19	
OE Tailored Interrogations	1.3.11 <i>f</i> (4),5	1.3-20	
Segments, Explanation	1.3.1.b(2),	1.3-1,	vol 10, table 120
	1.3.11.b	1.3- <i>17</i>	
Standard FSC Table		1.3-19	
Tailored Interrogations	1.3.3.f(13),5		
CATALOG TOOLS UTILIZED FOR OE FILES	1.3.11 <i>f</i>	1.3 -19	
FSCM/FSCNM/NCAGE			•
CATALOGING ACTIONS	_	•	
General Considerations for	4		
Procedures Under Emergency Conditions	4		
Special Procedures	4		
CATALOGING DATA	_		
Quality Review of	2		
Reject Credits	2		
Security Classified, Processing	2		
Transmittal - See Transmittal of Data			

TITLE	VOLUME	PAGE	OTHER REFERENCES
CATALOGING HANDBOOKS - See Handbooks CATALOGING PROCEDURES UNDER EMERGENCY CONDITIONS	4		
CATALOGING PUBLICATIONS, OE DATA BASE FOR	7		
CATALOGING STATISTICAL SERIES (CSS) CENTRAL CATALOG FILE	14		
Quality Assurance/File Compatability	2		
Review of Reference Number by Manufacturer (GIRDER)	4		
CENTRALLY PROCURED ITEMS, RESPONSIBILITY	2		
C/G LETTERS - See DLSC Distribution CHANGE			
Data Elements	4		vols 8/9, DICs LCD, KCD
Data in Manufacturers Records (Organizational Entity)	7		vol 8, DIC LHP
DEMIL Code for Inactive Items	4		vols 8/9, DIC LCD
FSC	4		vols 8/9, DICs LCG, KCG
Freight Data	6		vol 8, DICs LCF, KCF
NIIN/PSCN Status Code	4		vol 8, DIC LCI
PSCN to a NIIN	4		vols 8/9, DICs LCP,KCP
Reference Number Related Codes	4		vols 8/9, DICs LCR,KCR
Standardization Decision Data in a Standardization Relationship	4,6		vols 8/9, DICs LCS,KCS
Total Manufacturers Record (OE)	7		vol 8, DIC LHY
CHANGE BULLETINS	15		,
CHANGES TO PUBLCIATIONS	15		
CHARACTERISTICS CODE (MILSTICCS)	3		
CHARACTERISTICS DATA MAINTENANCE	4		
Add Data Elements	4		vols 8/9, DIC LAD

TITLE	VOLUME	PAGE	OTHER REFERENCES
Change Characteristics Data	4		vols 8/9, DIC LCC
Change Data Elements	4		vols 8/9, DIC LCD
Change FSC, Item Name, Type of II, or RPDMRC	4		vols 8/9, DIC LCG
For FIIG Revisions, Off-Line File			
Adjustments - Add, Change, or Delete	4		vols 8/9, DIC LCH
Item Preparation	4		
Segment M - Clear Text Characteristics	1.3.4.b(2)(h)	1.3-12	vols 8/9
Segment V - Coded Item Characteristics	1.3.4b(2)(h)	1.3-12	vols 8/9
Submittal of Maintenance	4	,	
CHARACTERISTICS SCREENING FOR STOCK NUMBER ASSIGNMENT	3		
CHARACTERISTICS SEARCH - See Search			
See Remote Terminals			
CHARACTERISTICS SEARCH PROCEDURE (FIIG	3		3-3-A, parts
APPENDIX E)			19-23
IMM			
Assignments	2		
Change of FSC Class	2		
Collaboration	2		
Deletion of Invalid Logistics Transfer	2		
Item Cancellations	2		
Management Responsibility for Establishing/ Withdrawing Items of Supply	2		
Reactivation of Items	2		
Registration of Activity Interest	13		
Withdrawal of Military Activity and IMM Interest	2		
Withdrawing IMM Responsibility	2		
CIVIL AGENCIES, DLA CATALOG FOR CLASSIFICATION - See FSC	15		15-9-A
CLEAR TEXT REPLIES, CHARACTERISTICS	4		
CMD - See Catalog Management Data COAST GUARD			
Inventory Account Codes			vol 10, table 127
Reparability Codes			vol 10, table 128

TITLE	VOLUME	PAGE	OTHER REFERENCES
Serial Number Control Code			vol 10, table 150
CODIFICATION AGREEMENTS FOR INTERNA-	4		
TIONAL CATALOGING			2240
COLLABORATION/DATA EXCHANGE	2		2-2-A,B
COLLABORATION WITH FOREIGN COUNTRIES	2,4		
COLLOQUIAL NAMES	3	1010	
COMMERCIAL AND GOVERNMENT ENTITY CODE	1.3.11 <i>f</i>	1.3-19	
ORGANIZATION/FUNCTIONS ELIGIBLE FOR ASSIGNMENT	7		
COMMERCIAL AND GOVERNMENT ENTITY			vol 10, table 19
STATUS CODES			
COMMODITY INTEGRATED MATERIEL			
MANAGER - See CIMM	1.4		
COMPTROLLER STATISTICAL SERIES (FSS)	14		-1- 0/0 DIO
CONFLICT NOTIFICATION	4		vols 8/9, DIC KNI vol 10, table 109
CONSOLIDATED FSCM/FSCNM/NCAGE FILE, MASTER	7		
CONSOLIDATED MANAGEMENT DATA LIST	15		15-10-A
CONTENT INDICATOR CODES (CIC)	2		
CONTROLLED INVENTORY ITEM CODE (CIIC)			vol 10, table 61
CONVERSION CHART OF MOE CODES TO			
SERVICE/AGENCY DESIGNATOR CODES (I&S)			
CONVERSION FORMULAS - FIIG	3		
COPYRIGHTED NAME	3		
CORRECTING REFERENCE DATA (GIRDER)	4		
CREDITS FOR REJECTS - See Reject Credits			
CRITERIA FOR LOADING SOURCE OF SUPPLY			vol 10, table 114
CHANGES IN DAAS IMM RECORD CRITICALITY	4		,
CODE JUSTIFICATION			
CROSS REFERENCE OF INPUT TO OUTPUT DICs			vol 10, sect
			10.3.3
Catalog Management Data			6-2-A
Concurrent Submittal (DIC LMD)			6-2-B
MINIMIZE/Degradation AUTODIN Transmittal	2		2-3-B
Search/Interrogation			5-1-A
CRYPTOLOGIC DESIGN CONTROLLED ITEMS,	2		

TITLE	VOLUME	PAGE	OTHER REFERENCES
CATALOGING OF CRYPTOLOGIC ITEMS, MOE RULES FOR DoD SERVICE-MANAGED CUSTOMER SERVICE OFFICE AT DLSC	1.6	1.6-1	vol 10, table 156
D			
DAAS Criteria for Loading Source of Supply Changes in DAAS IMM Record			vol 10, table 114
Critical Source of Supply Update	6		vols 8/9, DIC
FLIS Quality Assurance	2	·	LSS 2-13-A (DAAS DICs QUE, QUR)
Follow-Up	6		140 . 11 . 11
Navy Source of Supply Code Reference Number Data Screening	5		vol 10, table 111 vol 8, DICs LSD, KSD
Segment 4 Reference Number Requisition NSN Selection Decision	1.3.4 1.3.10	1.3-10 1.3-15	vol 8 vol 10, table 75
Reference Numer Requisition Return Code Service/Agency Notification to Users	6		vol 10, table 76
Source of Supply Update	1.3.3.f(6) 6	1.3-8	vol 8, DIC KSS
Segment 6 DAASO SEARCH BY REFERENCE NUMBER	1.3.4 5	1.3-10	vol 8 vol 10, tables 41, 75, 76
DATA BANK (FLIS Data Base) DATA BASE MAINTENANCE PROJECTS DATA ELEMENT(S)	4,5 2		11, 72, 70
Add - See appropriate functional area			vols 8/9, DICs LAD, KAD
Change - See appropriate functional area			vols 8/9, DICs LCD, KCD

TITLE	VOLUME	PAGE	OTHER REFERENCES
Delete - See appropriate functional area			vols 8/9, DICs LDD, KDD
Oriented with Value and Return Action Code, Segment Q	1.3.4.b(2)(h)	1.3-12	vols 8/9
Oriented with Value, Segment R	1.3.4.b(2)(h)	1.3-12	vols 8/9
DATA ELEMENT DICTIONARY	•		vol 12, chap 2
DATA ELEMENT/IDENTIFIER NAME			vol 12, chap 1
DATA EXCHANGE	2		
DATA RANGE CRITERIA - FIIG	3	•	
DATA RECORD NUMBER (DRN)			vol 12
DATA RECORD NUMBER/DATA CODE TABLE			vol 10, sect
CROSS REFERENCE			10.3.2
DATA RECIPIENTS (FILE MAINTENANCE)	1.3.3.e	1.3-5	
DATA REQUEST CODE/ACCESS KEY(S)			vol 10, table 28
DATA REQUEST CODES, INTERROGATION OUTPUT			vol 10, table 34
DATA TRANSMISSION CONTROL CODES	2		vol 10, table 101
DATA WORKSHEETS/FORMS, OE	7		7-1-A, B, C, D
DD FORM - See Forms			
DECENTRALIZED ITEMS - See Locally Procured			
Items			
DEFECT (QUALITY ASSURANCE)	2		
DEFECTIVE UNIT (QUALITY ASSURANCE)	2		
DEFENSE AUTOMATIC ADDRESSING SYSTEM - See DAAS		•	
DEFENSE COMMUNICATIONS SYSTEMS (DCS)			
AUTOMATIC DIGITAL NETWORK (AUTODIN)			
- See AUTODIN			,
DEFENSE LOGISTICS AGENCY (DLA)	1.2.2	1.2-1	
DEFENSE SPECIAL WEAPONS AGENCY (DSWA)	4		1-4-A, C
Source of Supply Criteria	6		
DEFENSE SPECIAL WEAPONS AGENCY	4	·	
CATALOGING ACTIVITY (DSWACA)			
DEFINITIVE REPLY CODES	3		
DEGREE OF MATCH CODES			vol 10, table 27
DELETE Dete from Monufacturer Beauty (Occasional)	7		.1.0. DYG T YYG
Data from Manufacturers Records (Organizational Entity)	7		vol 8, DIC LHQ

TITLE	VOLUME	PAGE	OTHER REFERENCES
Freight Data	6		vol 8, DICs LDF, KDF
Reference Number Data	4		vols 8/9, DIC KDR
Standardization Relationship	4,6		vols 8/9, DIC KDS
Total Manufacturers Records (OE) DELETION REASON CODES	7		vol 8, DIC LHV vol 10, table 25
DELIMITATION OF ITEM NAMES DEMAND INDICATOR CODES	3		vol 10, table 141
DEMILITARIZATION CODES	4		vol 10, table 38
Change for Inactive Items	4		vols 8/9, DIC LCD
Publication	15		15-14-A
DEPARTMENT LISTING (IMSS) DEPARTMENT OF DEFENSE AMMUNITION CODE MAINTENANCE - See DoD Ammunition Code DEPARTMENT OF ENERGY (DOE) - See DOE DESCRIPTIVE METHOD FEDERAL ITEM IDENTIFICATION	14		
Revision	4		
Action by Submitting Activity	4		
Add Reference Number	4		vols 8/9, DIC LAR
Change Reference Number Related Codes	4		vols 8/9, DIC LCR
Delete Reference Number	4		vols 8/9, DIC LDR
Nonconcurrence	4		
Proposed Revision	4		vols 8/9, DIC LCC
DESCRIPTIVE METHOD ITEM IDENTIFICATIONS AND TRANSFERS, CSS-4	14		14-18-A
DESCRIPTIVE METHOD REINSTATEMENT PROPOSAL	4		
DESTINATION CODE, PSMAT	7		
DESTINATION CODES, SCREENING	5		
DIC SUMMARIES, CSS-2	14		14-16-A

TITLE	VOLUME	PAGE	OTHER REFERENCES
DICs AUTHORIZED FOR SUBMITTING ACTIVITES			vol 10, table 104
DIFFERENTIATION CHARACTERISTICS FOR A MANUFACTURERS REFERENCE NUMBER	4		
DISTRIBUTION OF PUBLICATIONS	15		
DISTRIBUTION OF REPORTS	14	,	
Justification of User Need	14		
DLA CATALOG FOR CIVIL AGENCIES	15		15-9-A
DLSC CHANGE DATA (SEGMENT 1)	4,5		vols 8/9
DLSC DISTRIBUTION C/G LETTERS	3		
DLSC/FOREIGN GOVERNMENTS RESPONSIBLE			vol 10, table 134
FOR ASSIGNMENT/MAINTENANCE OF OE			
CODES		•	
DOCUMENT AVAILABILITY CODE AND			vol 10, table 15
REFERENCE NUMBER CATEGORY CODE	4		
COMBINATION TABLE DOCUMENT CONTROL			
DOCUMENT CONTROL NUMBER			
Use of for Outputs	1.3.3.b	1.3-4	·
FLIS Data Base Mass Data Retrieval	1.3.3.f(12)	1.3-9	
SSR Mass Data Retrieval	1.3.3.f(14)	1.3-10	
SSR Tailored Interrogations	1.3.3.f(13)	1.3-9	
DOCUMENT IDENTIFIER CODES (DIC) (INPUT)			
LAB Add U.S. National/NATO Stock Number as			vols 8/9/11
Informative Reference			
LAD Add Data Element(s)	4,6		vols 8/9/11
LAF Add Freight Data	6		vols 8/9/11
LAM Add Catalog Management Data	4,6		vols 8/9/11
LAR Add Reference Number and Related Codes	4		vols 8/9/11
LAS Add Standardization Relationship	6		vols 8/9/11
LAU Add MOE Rule Number and Related Data	4,6		vols 8/9/11
LBC Reinstate Partial Descriptive Method II (NIIN Only)	4,6		vols 8/9/11
LBK Reinstate Reference Method II	4,6		vols 8/9/11
LBR Reinstate Full Descriptive Method II with	4,6		vols 8/9/11
Reference Number			
LBW Reinstate Full Descriptive Method II without Reference Number	4		vols 8/9/11
LCC Change Characteristics Data	1.3.l.n 4	1.3-3	vols 8/9/11

TITLE	VOLUME	PAGE	OTHER REFERENCES
LCD Change Data Element(s)	4,6		vols 8/9/11
LCF Change Freight Data	6		vols 8/9/11
LCG Change FSC, Item Name, Type of Item	1.3.1.k	1.3-2	vols 8/9/11
Identification, or RPDMRC	4,6		
LCH Add, Change or Delete Characteristics Data	4		vols 8/9/11
for FIIG Revisions Off-Line File Adjustments			
LCI Change NIIN/PSCN Status Code (DLSC only)	4		vols 8/11
LCM Change Catalog Management Data	4,6		vols 8/9/11
LCP Change PSCN to a NIIN	4,6		vols 8/9/11
LCR Change Reference Number Related Codes	4		vols 8/9/11
LCS Change Standardization Decision	6		vols 8/9/11
Data for a Replaced NSN, Standardization Relationship			
LCU Change MOE Rule Number and Related Data	4,6		vols 8/9/11
LCZ Change Item Standardization Decision	6	•	vols 8/9/11
Data not in a Standardization Relationship			
LDD Delete Data Element(s)	4,6		vols 8/9/11
LDF Delete Freight Data	6		vols 8/9/11
LDM Delete Catalog Management Data	6		vols 8/9/11
LDR Delete Reference Number(s)	4		vols 8/9/11
LDS Delete Standardization Relationship	6		vols 8/9/11
LDU Delete MOE Rule Number	4,6	•	vols 8/9/11
LDZ Delete Logistics Transfer (DLSC only)	6		vol 8
LFN Follow-up Interrogation, NATO Only	4		vol 8
LFU Follow-Up Interrogation	1.3.8 2	1.3-15	vols 8/9/11
LHN Add OE Data to Existing SSR	7		vols 8/11
LHP Change OE Data in Existing File	7		vols 8/11
LHQ Delete OE Data from Existing SSR	7		vols 8/11
LHR SSR OE Interrogation (Tailored)	1.3.11 <i>f</i> ,5,7	1.3 -20	vols 8/11
LHT Add Total O.E. SSR	7		vols 8/11
LHU Reinstate Total OE SSR	7		vols 8/11
LHV Delete Total OE SSR	7		vols 8/11
LHX MRC Summary/Detail (Mass Data Retrieval) (DLSC only)	5		
LHY Change Total OE SSR			vols 8/11
LKD Cancel-Duplicate	4,6	•	vols 8/9/11
LKI Cancel-Inactive (DLSC only)	4,6		vols 8/9/11
LKU Cancel-Use	4,6		vols 8/9/11

TITLE	VOLUME	PAGE	OTHER REFERENCES
LKV Cancel-Invalid	4,6		vols 8/9/11
LMD Multiple DIC Input	1.3.1.m 4,6	1.3-3	vols 8/9/11
LNC Request for NIIN Assignment (Partial Descriptive Method)	4,6		vols 8/9/11
LNK Request for NIIN Assignment (Reference Method)	4,6		vols 8/9/11
LNP Request for PSCN Assignment (Full Descriptive Method with Reference Numbers)	6		
LNR Request for NIIN Assignment (Full Descriptive Method with Reference Numbers)	4,6		vols 8/9/11
LNW Request for NIIN Assignment (Full Descriptive Method without Reference Number	4,6		vols 8/9/11
LQS FSC Sample IID and CMD Compatibility Check	2		vols 8/9/11
LRC Remote Terminal (Category 1) Search by Characteristics Data	16		vol 9
LRF Remote Terminal (Category 1) Search by NIIN	16		vol 9
LRI Remote Terminal (Category 1) Interrogation by NIIN/PSCN	16		vol 9
LRN Resubmittal to Correct Error of Suspended Item	4		vols 8/9/11
LRR Remote Terminal (Category 1) Search by Reference Number	16		vol 9
LRT Resubmittal for Total Replacement of Suspended Item	4		vols 8/9/11
LSA Request for Codification and Registration of User	4		vols 8/11
LSB Request for Codification and Request Registration on Non-U.S. Manufactured Items	4		vols 8/9/11
LSC Search by Characteristic(s) Data	5,7		vols 8/9/11
LSD DAAS Screening by Reference Number	5		vols 8/11
LSF Search by National Identification Number	4,5,7		vols 8/9/11
LSN Search by Reference Number for other than Provisioning and Preprocurement	4,5		vols 8/9/11
LSR Search by Reference Number	4,5,7		vols 8/9/11
LSS DAAS Critical Source of Supply Update	6		vols 8/9/11

TITLE	VOLUME	PAGE	OTHER REFERENCES
LST Search by Reference Number Only (DLSC only)	5		
LTI Interrogate by NIIN or PSCN	4,5		vols 8/9/11
LTM Mass Data Retrieval, FLIS Data Base (DLSC only)	5		
LTP Mass Data Retrieval, SSR (DLSC only)	5		
LTR Interrogation, Master Error Suspense Data (DLSC only)	5		
LTT SSR Tailored Interrogation (DLSC only)	5		
LTU Add Nuclear Ordnance Source of Supply	6		vols 8/11
LTV Change Nuclear Ordnance Source of Supply	6		vols 8/11
LTW Delete Nuclear Ordnance Source of Supply	6		
LVA IMC Data	6		vols 8/9/11
LVE Extract and Edit Coded Item Characteristics	5		vols 8/9/11
Data by NSN LWC Remote Terminal (Category 2) Search by Characteristics Data	16		vol 9
LWF Remote Terminal (Category 2) Search by NIIN	16		vol 9
LWI Remote Terminal (Category 2) Interrogation by NIIN/PSCN	16		vol 9
LWN Remote Terminal (Category 2) Search by Reference Number for Other Than Provisioning and Preprocurement	16		vol 9
LWR Remote Terminal (Category 2) Search by Reference Number	16		vol 9
DOCUMENT IDENTIFIER CODES (DIC) (OUTPUT)			
KAD Add Data Element(s)	4,6		vols 8/9
KAF Add Freight Data	4,6		vols 8/9
KAM Add Catalog Management Data	6		vols 8/9
KAR Add Reference Number and Related Codes	1.3.11 <i>f</i> ,4	1.3 -20 , 1.3 -21	vols 8/9
KAS Add Standardization Relationship	4,6		vols 8/9
KAT Add FLIS Data Base Data	4,6		vols 8/9
KAU Add MOE Rule Number and Related Data	6	•	vols 8/9
KCD Change Data Element(s)	4,6		vols 8/9
KCF Change Freight Data	6		vols 8/9
KCG Change FSC	4		vols 8/9
KCI Change NIIN/PSCN Status Code	4		vol 8
KCM Change Catalog Management Data	6		vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
KCP Change PSCN to NIIN	4		vols 8/9
KCR Change Reference Number Related Codes	4		vols 8/9
KCS Change Standardization Decision Data in a Standardization Relationship	4,6		vols 8/9
KCU Change MOE Rule Number and Related Data	6		vols 8/9
KCZ Change Item Standardization Decision Data not in a Standardization Relationship	4,6		vols 8/9
KDD Delete Data Element(s)	6		vols 8/9
KDF Delete Freight Data			vols 8/9
KDM Delete Catalog Management Data	6		vols 8/9
KDR Delete Reference Number Data	1.3.11 <i>.f</i> ,4	1.3 -20	vols 8/9
KDS Delete Standardization Relationship	4,6		vols 8/9
KDU Delete MOE Rule Number	6		vols 8/9
KDZ Delete Logistics Transfer	-6		vols 8/9
KEC Output Exceeds AUTODIN Limitations	4,5		vols 8/9
KFA Match through Association	4		vols 8/9
KFC File Data Minus Security Classified Characteristics Data	4		vols 8/9
KFD FLIS Data Base File Data	4,6	•	vols 8/9
KFE FLIS Data Base File Data for Replacement of a Cancelled NSN/PSCN, Related Generic NSN, or Reference Number Screening Results	5,6		vols 8/9
KFF Quarterly Files Replacement to NATO Supply Centers	8		
KFM Notification to Increment File Maintenance Sequence Number	4,6		vols 8/9
KFN Follow-Up Interrogation Results, NATO Only	8		
KFP Follow-Up Notification	4,6		vols 8/9
KFR File Data for Replacement NSNs/PSCNs when not Authorized for Procurement	6		vols 8/9
KFS NIIN/PSCN Status/Index	4,5,6		vols 8/9
KFU Follow-Up Interrogation Results	1.3.8	1.3-15	vols 8/9
KHN OE SSR File Maintenance Data	1.3.11 <i>,f</i> ,7	1.3- 21	vol 8
KHP Notification of Approval, SSR Transaction	6,7		vol 8
KHR Notification of Return, SSR Transaction	6,7		vol 8
KHS Notification of Unprocessable Package, SSR	1.3.11 . <i>f</i> ,6,7	1.3 -21	vol 8
KHT SSR OE Interrogation Results (Tailored)	5,7		vol 8

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
KHW Match of Previous OE SSR Action	7		vol 8
KIE Advance Informative FLIS Data Base File Data	6		vols 8/9
KIF Informative Data for Pending Effective Dated Actions	4,6		vols 8/9
KIM Catalog Management Data as Result of IMM/ Lead Service Input	6		vols 8/9
KIR Interrogation Results	1.7.6,5	1.7-3	vols 8/9
KIS Search Results of National Item Identification Number Screening	5		vols 8/9
KKD Cancel-Duplicate	4		vols 8/9
KKI Cancel-Inactive	4		vols 8/9
KKP Cancel PSCN to an NSN/PSCN	6		vols 8/9
KKU Cancel-Use	4		vols 8/9
KKV Cancel-Invalid	4		vols 8/9
KMA Association Code Match (Screening)	4,5		vols 8/9
KMD Multiple DIC Output	4,6		
KME Exact Match, Screening	5		vols 8/9
KMG Possible Match, Screening	5		vols 8/9
KMH Actual Match, Screening	5		vols 8/9
KMN Matched Stock Number Assigned by Another	5		vols 8/9
NATO Country (Screening)			
KMP Partial Match, Screening	5		vols 8/9
KMQ Probable Match, Screening	5		vols 8/9
KMR Matching Reference Number, Screening	4,5		vols 8/9
KMS Reference Number Submitted for Screening Matched to a Security Classified Item	5		vols 8/9
KMT Standardization Relationship Preferred Item Data	5		vols 8/9
KMU Exact Match with Errors in Submitted FII (Submitter)	4		vols 8/9
KNA Notification of Approval	4,6		vols 8/9
KNI Conflict Notification	4,6		vols 8/9
KNN Notification of National Codification Bureau (NCB) Processing	4		vols 8/9
KNR Negative Reply (Screening)	5		vols 8/9
KNS Notification of Change to Standardization Decision Data	4		vols 8/9
KPE Possible Duplicate with Errors in Submitted FII (Submitter)	4		vols 8/9

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
KPM Processing Malfunction	1.3.9 4,6	1.3-15	vols 8/9
KQF Notification of Cutoff for File Compatibility Check (DLSC only)	2		vols 8/9
KQS Notification Sample Selection FSC IID and CMD Compatibility Check (DLSC only)	2		vols 8/9/11
KRE Notification of Return (Submitter)	1.3.8 4,5,6	1.3-15	vols 8/9
KRF Return of Cancellation Action, Retained FII Invalid	4		vols 8/9
KRM Notification of Exact Match (Submitter)	4		vols 8/9
KRP Notification of Possible Duplicate (Submitter)	4		vols 8/9
KRU Notification of Unprocessable Package (Submitter)	4,5,6		vols 8/9
KSC Results of Characteristics Search (Match)	5		vols 8/9
KSD DAAS Reference Number Screening Results	. 5		vol 8
KSE Submitted NIIN/PSCN Security Classified (Originator only)	4,6		vols 8/9
KSN Results of Characteristics Search (No Match)	5		vols 8/9
KSR Screening Results	4,5		vols 8/9
KSS DAAS Source of Supply Update	6		vols 8/9
KTA Mass Data Retrieval Results	5		vols 8/9
KTN Interrogated Data Not Available	5	•	vols 8/9
KTS Interrogation Results Minus Security Classified Characteristics Data	5		vols 8/9
KUA Add Total SSR MOE Rule Record	1.3.11.c 6	1.3-19	vol 8
KUB Cancel SSR MOE Rule with Replacement	1.3.11.c 6	1.3-19	vol 8
KUC Change SSR MOE Rule Record	1.3.11.c 6	1.3-19	vol 8
KUD Cancel without Replacement or Delete SSR MOE Rule Record	1.3.11.c 6	1.3-19	vol 8
KUE New SSR Standard FSC Management Record	6		vol 8
KUF Delete Total SSR Standard FSC Management Record	6		vol 8
KVE Results of Coded Item Characteristics Data Extract and Edit by NSN	5		vols 8/9
KVI Item Management Coding Advice Notification	6		vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
KWA Electronic Data Transmission Control	2,4		vol 8
DoDAAC DECISION	0.0.15		vol 10, table 41
DoD AMMUNITION CODE (DODAC) DoD AMMUNITION CODE HANDBOOK - See H3 Series	2,3,15		
DoD COMMODITY MATERIEL, MANAGEMENT CATEGORY CODES			vol 10, table 48
DoD/FEDERAL FUNCTIONAL MANAGER	1.2.3	1.2-2	1-4-E
DoD ITEM STANDARDIZATION CODES, IMSS-10	14		14-7-A
DoD SERVICE-MANAGED CRYPTOLOGIC ITEMS, MOE RULES FOR			vol 10, table 156
DOE (DEPARTMENT OF ENERGY) CONTROLLED/	4		
SPECIAL DESIGN ITEMS	100 (1)	104	1.10 . 11 . 104
DROP INDEX CODES/TABLES DUPLICATE, POSSIBLE	1.3.3.c(1)	1.3-4	vol 10, table 104
Notification to Submitter	4		vols 8/9, DIC
Notification to Submitted	4	•	KRP
With Errors in Submitted FII (Submitter)	4		vols 8/9, DIC KPE
DUPLICATION CRITERIA, CHARACTERISTICS SCREENING/SEARCH	3		
E			
EAM CARD			
Exception Criteria (Edit/Validation)	11		
Formats, Edits Unique to	11		
Usage Grid and Notes (SSR)			vol 10, sect
Usage Grid and Notes (FLIS Data Base)			10.3.4 vol 10, sect 10.3.5
EAM WORKSHEET PREPARATION, OE			7-1-A
EDIT CRITERIA FOR SERVICE-PECULIAR CMD			vol 10, table 121
EDIT/VALIDATIONS - See appropriate application			, -
EDIT/VALIDATION PROCEDURES, OE	7		
EFFECTIVE DATE PROCESSING			vol 10, table 112
Cancellations	2,4		
CMD Transactions	2,6	•	

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
Conflict Conditions			vol 10, table 99
Corrective Actions	4		
Criteria	2		
Definitions	2		
Logistics Areas/DICs Subject to	2		
Segment Z Data	1.3.10	1.3-15	
Standard Time Frames	2		
EFFECTIVE DATED ACTIONS, INFORMATIVE	6		vols 8/9, DIC
DATA FOR PENDING			KIF
EFFECTIVE DATED TRANSACTIONS			vol 10, table 112
ELECTRONIC DATA TRANSMISSION			
Activity Codes and Message Addresses for FLIS Users	2	•	vol 10, table 47
Activity to Indicate Media and RIC	1.3.3.a(2)(b)	1.3-4	
Communication Routing Identifiers	2		
Content Indicator Codes	2		
FLIS Data Transmission Control	2,4		vol 8, DIC KWA vol 10, table 101
FLIS Character Subset	2	•	2-3-A
Limitation, Output Exceeds	2,4,5		vols 8/9, DIC KEC
MINIMIZE	2		
Requirement for Use			
E MODE REPLIES, CHARACTERISTICS	4		
EMERGENCY CONDITIONS, CATALOGING PROCEDURES	2,4		
EQUIPMENT DEGRADATION (DLSC)	2	•	
EQUIPMENT MALFUNCTION (DLSC)	4		
ERROR CONDITIONS	1.3.1.c,	1.3-1,	vols 8/9, DIC
	1.3.7	1.3-14	KRE
	4,5,6		
Edit/Validation	11		
Problem Reporting - See FLIS Problem Reporting			
Resubmittals	4		vols 8/9, DICs LRN, LRT
Return Codes	10		
Suspense Files	1.3.6	1.3.14	
System Errors	1.3.8.b	1.3-15	

TITLE	VOLUME	PAGE	OTHER REFERENCES
Unprocessable Transactions	1.3.7	1.3-14	vols 8/9, DIC KRU
ERRORS IN PUBLICATIONS	15		
ERROR PROCESSING	1.3.8	1.3-15	
ESTIMATED OR ACTUAL PRICE CODES			vol 10, table 144
EXACT MATCH WITH ERRORS IN SUBMITTED	4		
FII			
EXAMPLES OF PUBLICATION USE	15		
EXCEPTION CRITERIA, EAM CARD FORMATS	11		
EXTRA LONG CHARACTERISTICS DESCRIPTION	4		
(ELCD)	4	٠	
EXTRA LONG REFERENCE NUMBER (ELRN)	4		
F			
FEDERAL CATALOG SYSTEM	4		
FEDERAL CATALOGNIC REPORTS AND	4		
FEDERAL CATALOGING REPORTS AND STATISTICS - See Reports		•	
FEDERAL INFORMATION PROCESSING	2		
STANDARDS PUBLICATION	5		
FEDERAL ITEM IDENTIFICATION GUIDE - See	5		
FIIG			
FEDERAL ITEM NAME DIRECTORY, H6 SERIES			
- See Handbooks			•
FEDERAL LOGISTICS INFORMATION SYSTEM		1. 1 -1	
(FLIS)			
FEDERAL SUPPLY CLASSES, LISTING (IMSS)	14		
FEDERAL SUPPLY CLASSIFICATION - See FSC			
FEDERAL SUPPLY CLASSIFICATION GROUP 11,	4		
NUCLEAR ORDNANCE			
FEDERAL SUPPLY CLASSIFICATION HAND-			
BOOK, H2 SERIES - See Handbooks		•	
FEDERAL SUPPLY CLASSIFICATION SYSTEM	3		
MAINTENANCE Provisions to the ESC Indexes	2		
Revisions to the FSC Indexes Revisions to the FSC Structure	3		
FIIG (Federal Item Identification Guide)	3		
THE (Federal from Identification Childs)			

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
A239 - Miscellaneous Items	4		
Appendix A - Reply Tables	3		3-3-A, parts 8 thru 10
Appendix B - Reference Drawing Groups	3		3-3-A, parts 11 thru 14
Appendix C - Technical Data Tables	3		3-3-A, parts 15 thru 17
Appendix D - Functional and Operational Index	3		3-3-A, part 18
Appendix E - Characteristics Search Procedure	3		3-3-A, parts 19 thru 24
Applicability Key Index	3		3-3-A, part 4
Approved Item Names Index	3		3-3-A, part 3
Conversion Formulas	3		
Cover Page	3 3 3 3		3-3-A, part 1
Data Range Criteria	3		
Data Range Tables	.3		
Definitions			
Format	3		
General Information	3		3-3-A, part 2
MILSTICCS Coding	3		
MRC Crtl	3		
MRC Index	3		
Preparation	3		3-3-A, part 1
Requirement Structure	3		
Requirements to be Excluded from Screening	3		
Rounding Instructions	3		
Screening Criteria	3	•	
Search Criteria	3		
Section I - Item Characteristic Data Requirements	3		3-3-A, parts 5,6
Section II - Data Range Criteria	3		•
Section III - Supplementary Technical and Manage ment Data	3		3-3-A, part 7
Supplementary Technical and Management Data	3		
FIIG FUNCTIONAL/OPERATIONAL INDEX	5		5-10-A
OUTPUTS		•	
FIIG MAINTENANCE	•		
DLSC Distribution C/G Letters	3		
Initiation	3		
MRC Summary Lists	3, 5		5-9-A

TITLE	VOLUME	PAGE	OTHER REFERENCES
Notification	3		
Page Changes	3		
Publication of Revised FIIGs	3		
FIIG REVISION			
Originator	3		
Review of Federal Item Identification	3		
Review of Tools	3		
FILE COMPATIBILITY - Also see Quality Assurance	1.3.3.d	1.3-5	
FILE COMPATIBILITY ACTIVITY CODES			vol 10, table 149
FILE COMPATIBILITY SUMMARY, CSS-6	14		14-19-A
FILE DATA FOR REPLACEMENT NSN/PSCNs	6		vols 8/9, DIC
WHEN NOT AUTHORIZED FOR PROCURE-			KFR
MENT		•	
FILE DATA MINUS SECURITY CLASSIFIED	4		vols 8/9, DIC
CHARACTERISTICS			
FILE MAINTENANCE			KFC
Action Codes			vol 10, table 118
DICs Resulting from Input	2		
Generated from Processing II Data	1.3.3.f(1)(a),	1.3-6	
	4		
Simplified	1.3.15	1.3-25	2-11-A thru
			2-11-K
	2		
FILE MAINTENANCE SERVICE, OE	7		vol 8, DIC KHN
FILES REPLACEMENT TO			vol 8, DIC KFF
NATO SUPPLY CENTERS, QUARTERLY			
FIXED INTERVAL SCHEDULING	1.3.5.a(2)	1.3-13	
FIXED LENGTH PACKAGES	1.3.4.b	1.3-11	
FLIS ADVANCE CHANGE NOTICES	1.1.3.a(3)	1.1-3	
ELIG GUANGE PROGEDURES	1.1.3.b(1)	1.1-4	
FLIS CHANGE PROCEDURES	1.40	1.40	
DD Forms 2021/2021-1	1.4.3	1.4-2	1-4-C
Emergency Changes	1.4.3.a(5),	1.4-2	1-4-C
Expedite Changes	1 4 1 1 (0)	1 4 1	1-4-C
Functional Description	1.4.1.b(2)	1.4-1	•
	1.4.3.c(4)	1.4-5	

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
Functional Manager, DoD Federal	1.2.3, 1.4.2, 1.4-3	1.2-2, 1.4-1, 1.4-2	1-4-E
Materiel Management Decision Rule Tables (MOE Rules)	1.4.1.b(1), 1.4.2.g,13	1.4-1, 1.4-2	
Procedures Manual Changes	1.1.3, 1.4.2	1.1-2, 1.4-1	1-4-F
Service/Agency Contact Points	1.4.3.b	1.4-3	1-4-A
Service/Agency-Controlled Tables	1.4.2.f,1.4.3.c	· · · · · · · · · · · · · · · · · · ·	1-4-B
		1.4-5	1-4-C
System Change Request (SCR, DD Forms 2021/2021-1)	1.4.3	1.4-2	
Activities to Receive Information Copies	1.4.3.b(7)(b)	1.4-3	1-4-D
Control Number			1-4-C
Exceptions to SCR Control	1.4.3.c	1.4-5	
Guidance for Preparation	1.4.3.a.(1)	1.4-2	1-4-C
Processing	1.4.3.b	1.4-3	
Status Reports	1.4.4	1.4-5	
FLIS DATA BANK (FLIS Data Base/SSR)	1.1.1.a, 1.3.18	1.1-1, 1.3-26	
FLIS DATA BASE - See also Central	4		
Catalog File			
Advance Information	6		vols 8/9, DIC KIE
Data, Add	4		vols 8/9, DIC KAT
File Data	4,6		vols 8/9, DIC KFD
File Data for Replacement of a Cancelled NSN/ PSCN or Reference Number Screening Results	5		vols 8/9, DIC KFE
Mass Data Retrieval	1.3.3.f(12),	1.3-9,	
	1.3.13 ´ ´ 5	1.3-23	
Tailored Interrogations	1.3.3.f(11)	1.3-9	
FLIS DOCUMENT IDENTIFIER CODES	1.3.1.a	1.3-1	vol 10, table 105
FLIS FUNCTIONAL MANAGERS -	1.2.3	1.2-2	1-4-E
See FLIS Change Procedures			
FLIS I&S FAMILY CONCEPTS			
FLIS INPUT HEADER	1.3.1	1.3-1	vols 8/9

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
FLIS INTERCHANGEABILITY AND SUBSTITUT- ABILITY - See I&S			
FLIS OUTPUT HEADER	1.3.1	1.3-1	vols 8/9
FLIS PROBLEM REPORTING	1.5.1	1.3-1	VUIS 0/9
Activities Authorized to Submit	2		2-6-A
DLSC Response/Resolution	2		2-0-A
DLSC Responsibilities	2		
Follow-Up Actions (DIC LFU)	2		
Priority Classifiction	2	•	
Reject Credits for Submittals	2		
Service/Agency Responsibilities	2		
Status Reports	2		
FLIS SEGMENT CODES	1.3.1.b	1.3-1	vol 10, table 120
FLIS SYSTEM MANAGEMENT RELEASE (SMR)			
- See FLIS Change Procedures			
FLIS 64 CHARACTER SUBSET	2		2-3-A
FMS (FOREIGN MILITARY SALES) CASES	13		
FMSN, NOTIFICATION TO INCREMENT	4		vols 8/9, DIC KFM
FOLLOW-UP - Also see appropriate application Ac-	2		
tions by Submitting Activity			
After Cessation of Emergency Conditions	4		
Collaboration	2		
Condition Code		•	vol 10, sect
			10.3.6
Foreign Military Sales (FMS)	4.12.2.a(1)		
Format, Media, and Transaction Modes for the Transmission of Catalog Data Between NATO/FG and DLSC	4.12.2.k		
Interrogation (LFU)	2		
Interrogation Results	4		vols 8/9, DIC KFU
Interrogation Transactions	5		
Non-Receipt of Reply	2		
Procedure when RPDMRC 5 is Reflected	4		
FOLLOW-UP NOTIFICATION	4,6		vols 8/9 DIC KFP
FOREIGN MILITARY SALES (FMS) CASES	13		_ -

TITLE	VOLUME	PAGE	OTHER REFERENCES
FORMATTING OF REFERENCE NUMBERS - See			
Reference Numbers			
FORMS - Also see Preparation			
DD Form 88, Forms Design Guide Sheet	3		
DD Form 173, Joint Message Form	4		
DD Form 180, Names Transmittal	3		3-1-A
DD Form 635, Submittal of Logistics	2,4		
Item Data Card Decks			
DD Form 1155, Order for Supplies or Services			4-12-A
DD Form 1392, Data Message Form	2		
DD Form 1685, Data Exchange and/or Proposed	2,4		2-2-B
Revision of Catalog Data			
DD Form 1939, System Support Record Input			7-1-B
DD Form 1980, FLIS Item Identification Data	2		
Input			
DD Form 1981, FLIS Cataloging Maintenance Data	2		
Input		•	
DD Form 1982, Request for Verification of Manu-	4		4-3-A
facturers Part Number			
DD Form 2021, FLIS System Change Request	1.4.3, 15	1.4-2	1-4-C
(SCR)			
DD Form 2029, FLIS Problem Report	2		
DD Form 2051, Request for Assignment of Federal	7		7-1 - C
Supply Code for Manufacturer/Contractor			
DLA Form 1325, Catalog Data	2		2-2-B
DLA Form 1326, Coded Item Characteristics	2		2-2-B
DLA Form 1327, Coded Item Characteristics	2		2-2 - B
Maintenance (Add/Change/Delete)			
DLA Form 1328, Reference Number Data	2		2-2-B
DLA Form 1331, MOE Rule Data	- 2		2-2-B
DLA Form 1332, Cancellation/Delete MOE Rule	2 2 2		2-2-B
DLA Form 1336, Data Element Oriented with Value	2	•	2-2-B
DLA Form 1337, Catalog Management Data			2-2-B
JLC Forms 17 and 19	2		2-2-B
NATO Form AC/135 Nr1, Initial Exchange of			4-15-C
Information			
NATO Form AC/135 Nr2, Request for a			7-1-D
Manufacturer's Code Number			
NATO Form AC/135 Nr6, Request for Approval			4-12 - D

TITLE	VOLUME	PAGE	OTHER REFERENCES
to Utilize Original Stock Number for Reproduced Items			
NATO Form AC/135 Nr7, Request for Codification Services Required for Collaboration/Single Submitter	2		4-12-B 2-2-B
SF-277 Computer Magnetic Tape File Properties FREIGHT CLASSIFICATION DATA	2 1.3.3.f(7), 1.3.11. <i>g</i> 6	1.3-8, 1.3-21	
Add			
Data Element(s)	6		vols 8/9, DIC LAD
Freight Data	6		vols 8/9, DICs LAF, KAF
New SSR Master Freight Table Record	6		vol 8, DIC LUT
Authorized Submitters Change	6		vol 10, table 115
Data Element(s)	6		vols 8/9, DICs LCD, KVN
Data Element(s) on an SSR Master Freight Table Record	6		vol 8, DIC LUW
Freight Data	6		vol 8/9, DICs LCF, KCF
Delete			•
Data Element(s)	6		vols 8/9, DICs LDD, KVN
Freight Data	6		vols 8/9, DICs LDF, KDF
Total SSR Master Freight Table Record	6		vol 8, DIC LUX
File Data, FLIS Data Base (DIC KFD)	6		. 01 0, 210 2011
Mass Change	1.3.12,6	1.3 -21	
Military Traffic Management Command	6		
Authority to Assign Codes	6		
Challenge of MTMC Freight Data	6		
Master Freight Table Maintenance	1.3.11. g ,6	1.3-21	
NIIN Oriented Maintenance	6		
MILSTAMP Data Elements	6		vol 10, tables 82, 83, 84, 85

TITLE	VOLUME	PAGE	OTHER REFERENCES
NIIN/PSCN Status/Index	6		vols 8/9, DIC KFS
Notifications - See Outputs			
Outputs (FLIS Data Base/SSR Data)	1.3.11,6	1.3- <i>17</i>	
Add Freight Data	4,6		vols 8/9, DIC
•			KAF
Change Freight Data	6		vols 8/9, DIC
			KCF
Delete Freight Data	6		vols 8/9, DIC
•	•		KDF
Notification of Approval	6		vols 8/9, DIC
			KNA
Notification of Approval (SSR)	6		vol 8, DIC KHP
Notification of Return (Submitter)	6		vols 8/9, DIC
			KRE
Notification of Unprocessable Package (Submitter)	6		vols 8/9, DIC
			KRU
NIIN/PSCN Status/Index	6		vols 8/9, DIC
			KFS
Processing Malfunction	6		vols 8/9, DIC
	_		KPM
SSR Freight Return Notices	6		vol 8, DIC KHR
Submitted NIIN/PSCN Security Classified	6		vols 8/9, DIC
(Originator only)			KSE
FLIS Data Base File Data	6	•	vols 8/9, DIC
December 1 - 3 / 10			KFD
Processing Malfunction	6		vols 8/9, DIC
Donlars CCD Master Freight Table Decord	6		KPM
Replace SSR Master Freight Table Record	· 6		vol 8, DIC LUV
SSR Master Freight Table Maintenance	6		1a 9/0
FLIS Data Base File Data (DIC KFD)	6		vols 8/9
Classifying a Non Index Item	4		
Classifying a Non-Index Item Classifying a Reference Type Item	4 4		
Conferences	2		
Determination for FII Assignment	4		
Distribution of Data	1.3.3.e(3)	1.3-5	
Handbook - See Handbooks	1.3.3.0(3)	1.5-5	
Index Changes	3		
incom onungoo	J		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Structure Changes	3,4		
FSC CLASS (IMM) ASSIGNMENTS	2		
FSC/MOE RULE CHANGE INDICATOR CODES FSC SCHEDULE FOR FILE COMPATIBILITY	13		vol 10, table 166 vol 10, table 148
CHECK			101 10, 00010 110
FSC SYSTEM MAINTENANCE - See Federal Supply			
Classification System Maintenance			
FSC TABLE	6,13		13-2-A
FSCs AUTHORIZED ITEM STANDARDIZATION			vol 10, table 93
CODE B			
FULL DESCRIPTIVE METHOD With Reference Numbers	4		vola 9/0 DIC
With Reference Numbers	4		vols 8/9, DIC LNR
Without Reference Numbers	4		vols 8/9, DIC
William Reference Transcess	•		LNW
FUNCTIONAL AND OPERATIONAL INDEX - See			
FIIG Appendix D			
FUTURE DATA, SEGMENT Z	1.3.10	1.3-15	vols 8/9
G			
G	6		
GENERIC RELATIONSHIP - STANDARDIZATION	·		
GOVERNMENT/INDUSTRY REFERENCE DATA	4		
EDIT AND REVIEW (GIRDER) PROGRAM			
GOVERNMENT/COMMERCIAL ENTITY STATUS			vol 10, table 19
CODES			
H			
H6 ADVANCE NOTICE	15		15-6-D
H6 Series Federal Item Name Directory (FIND)	15		
H6 Section A, Alphabetic Index of Names	15		15-6-A
H6 Section B, Subsection 1, Numeric Index	15	•	15-6-B
of Item Name Codes to Item Names and Federal			
Item Identification Guides			
H6 Section B, Subsection 2, Alphanumeric Index	15		15-6-C
of Federal Item Identification Guides to Item			
Name Codes			

TITLE	VOLUME	PAGE	OTHER REFERENCES
HAZARDOUS MATERIEL CODES HI-DOLLAR BREAKOUT COMMODITY CATEGORY CODES			vol 10, table 49 vol 10, table 78
I			
I&S (FLIS INTERCHANGEABILITY AND SUBSTITUTABILITY INFORMATION SYSTEM)	6		
Add Relationship	6		
Authorized Submitters/Originators	6		
Change Relationship	6		
Delete Relationship	6		
Documentation of Decisions	6		
Interrogation (only output from I&S processing)	6		
Phrase Codes			vol 10, table 52
Relationships with Cancelled NSN/PSCN(s)	6		•
Sources of Relationships	6		
Statistics, IMSS-23	14		14-15-A
IMC STATISTICS	14		14-24-A
IMSS REPORTS - See Reports			
INC/FSCM COMBINATIONS FOR DESCRIPTIVE			vol 10, table 20
METHOD ITEM IDENTIFICATIONS			·
INCOMPLETE ADDRESS EDIT CODE (OE)			vol 10, table 36
INDIVIDUAL DRN INTERROGATION			vol 10, table 35
INFORMATIVE DATA FOR PENDING EFFEECTIVE	4,6		vols 8/9, DIC
DATED ACTIONS	•		KIF
INPUT HEADER	1.3.1	1.3-1	vols 8/9
INPUT/OUTPUT DIC CHART			vol 10, sect
			10.3.3 5-1-A,
			6-2-A, 6-2-B
INPUT/OUTPUT DIC SUMMARIES, CSS-2	14		14-16-A
INPUT/OUTPUT HEADER/SEGMENT FORMATS	1.3.4	1.3-10	vol 8,9
INTEGRATED MATERIEL MANAGEMENT (IMM)	2,6,13		,
Federal Supply Classification Procedures	2		
INTERCHANGEABILITY AND SUBSTITUTABIL-			
ITY - See I&S		•	
INTERFACE TESTING - See Standard Test Data Base			
INTERNATIONAL CATALOGING	4		

mimi is	YOU LIMIT	DA CE	OTHER DEFEDENCES
TITLE	VOLUME	PAGE	REFERENCES
Add MOE Rule to U.S./NATO Stock Number	4		vol 8, DIC LAU
Add Reference Number and Related Codes for a	4		vol 8, DIC LAR
NATO-Reproduced Item Add Reference Number and	4		vol 8, DIC LAR
Related Codes to U.S./			
NATO Stock Number	4		1 0 DIC-
Add Secondary Reference Number(s)	4		vol 8, DICs
	4		LAB,LAR
Add U.S./NATO Stock Number as Informative Ref-	4		vols 8/9, DIC
erence	4		LAB
Category A Single Submitter	4		1 0 DIC I CD
Change Reference Number Related Codes	4		vol 8, DIC LCR
Codification Agreement	4		
Collaboration on Item Identification Action	2,4		10 DIG I DII
Delete MOE Rule from U.S./NATO Stock Number	4		vol 8, DIC LDU
Delete Reference Number(s) from U.S./NATO Stock	4		vol 8, DIC LDR
Number Forms	4		4 10 4
DD Form 1155	4		4-12-A
NATO Form AC/135-No 1	4		4-12-C
NATO Form AC/135-No 6	4	•	4-12-D
NATO Form AC/135-No 7	4		4-12-B
Futures Data, Interrogation	4		
Input and Requests for Services	4		10 DIG 177
Interrogation by NIIN/PSCN	4		vol 8, DIC LTI
MOE Rule Development	13		13-6-B
Multiple DIC Input	4		vol 8, DIC LMD
Notification of National Codification Bureau (NCB)	4		vols 8/9, DIC
Processing			KNN
Output Data Request Code	4		vol 10, table 34
Output Limitations, Screening	4		
Preparation/Transmission of Input Data	4		
Project Code Assignment	4		
Quarterly Files Replacement to NATO Supply Centers			vol 8, DIC KFF
Reference Number Preparation	4		
Reference Number Screening	4	•	
Reimbursement for Cataloging Services	1.5.2.a	1.5-1	
Reinstatement of Cancelled U.S. Item	4		4-12-A
Identification by a NATO/FG			4-12-B
Reinstatement of a Cancelled NATO Item	4		4-12-B

TITLE	VOLUME	PAGE	OTHER REFERENCES
Identification by a U.S. Activity			
Replacement of Cancelled FSCM, Screening	4		
Request for Codification and for Registration of User	4		vol 8, DIC LSA
Request for Codification and Registration on Non-	4		vols 8/9, DIC
U.S. Manufactured Items			LSB
Requests for NATO Commercial and Government	4,7		
Êntity (NCAGE)	•		
Restrictions against the Output of Other Countries'	4		
File Data			
Revision or Transfer of U.S. Item Identification	4		4-12-A
by NATO/FG			4-12-B
Revision or Transfer of NATO Item Identification	4		
by U.S. Activity			
Search by Reference Number for Other than Pro-	4		vol 8, DIC LSN
visioning and Preprocurement			
Tailored Interrogation (DIC LTI)	4		vol 10, tables
			34, 35
U.S. Activity Input and Requests for Services	4		
International Logistics Communication System	4		
(ILCs) INTERROGATIONS			
General Information	1 2 2 f(10)	120	
Ocheral Information	1.3.3.f(10), (12)	1.3-9	
	5		
Individual DRN Interrogation	3		vol 10, table 35
Limitations, Submittal	5	•	voi 10, table 55
Media Selection	5		
NIIN Status Reflected in Output	5		
Output Data Content	5		
Processing Precedence	5		
Remote Terminals	16		
Reports Generator	1.3.14,5	1.3- 24	
Request Submittal Letter	5	•	5-1-B
INTERROGATION OF OE SSR - See Interrogation,			
Tailored (SSR)			
INTERROGATION OUTPUT DATA REQUEST	5		vol 10, table 34
CODES			
INTERROGATION, TAILORED (SSR)	1.3.3.f(13)	1.3-9	
	7		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Authorized Submitters	5		
Data Available	5		
Inputs	5		vol 8, DIC LHR
Results from DLSC Internal DIC LTT	5		,
Transmittal to DLSC	5		
INTERROGATION, TAILORED (FLIS Data Base)	1.3.3.f(11)	1.3-9	
Authorized Submitters	5		
Data Available	5		
Data Output Content	5		
Inputs	5		vols 8/9, DIC
•			LTI
Limitations	5		
Master Error Suspense File	5		
Output Data Request Codes	5		vol 10, table 34
Remote Terminals	16		vol 9, DICs LRI,
			LWI vol 10,
			tables 170, 171
Transmittal to DLSC	5	•	
INTERROGATION/SEARCH, INPUT DICs TO OUT-			5-1-A
PUT DICs CROSS REFERENCE			
INTERROGATION/SEARCH, USE OF REMOTE			
TERMINALS - See Remote Terminals			
INVENTORY ACCOUNT CODES, COAST GUARD			vol 10, table 113
ISSUE, REPAIR, AND/OR REQUISITION RESTRIC-			vol 10, tables
TION CODES, NAVY			95,157
ITEM ADDITIONS AND REDUCTIONS, IMSS-12	14		14-9-A
ITEM CHARACTERISTICS DATA - See Characteris-			
tics Data			
ITEM COMMONALITY, IMSS-5	14		14-3-A
ITEM IDENTIFICATION			
Activity Determination	4		
Add Data Elements	4		vols 8/9, DICs
		•	LAD,KAD
Add U.S. National/NATO Stock Number as Informa-	4		vols 8/9, DIC
tive Reference			LAB
Basic Principles	4		
Cancellation, Effective Date	4		
Cancellation, Collaboration with Foreign Countries	4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Change Data Elements	4		vols 8/9, DICs LCD, KCD
Change FSC, Item Name, Type of Item Identification or RPDMRC	4		vols 8/9, DICs LCG, KCG
Change FSC/Item Name/Type for a Type 2 FII	4		vols 8/9, DICs LCG, KCG
Characteristics, Off-Line File Adjustments for FIIG	4		vols 8/9, DIC LCH
Revisions IMM Proposals	2		
Civil Agency Proposals	2		
Classifying an Item	4	•	
Codes, Types of	•		vol 10, table 2
Conflict Notification Data	4		vols 8/9, DIC KNI
Descriptive Method, INC/CAGE Code Combinations			vol 10, table 20
Descriptive Method Tools (FIIG) Revisions	3		
Determining Appropriate Type	4		
Effective Dated Actions, Informative Data	4		vols 8/9, DIC KIF
Federal Cataloging Program	4		
Follow-Up Notification	4		vols 8/9, DIC KFP
Maintenance Responsibilities (IMM)	2		
Multiple DIC Input	4,6		vols 8/9, DICs LMD, KMD 6-2-B
Notification of Approval	4		vols 8/9, DIC KNA
Notification of Return (Submitter)	4		vols 8/9, DIC KRE
Notification of Unprocessable Package (Submitter)	4		vols 8/9, DIC KRU
Notification to Increment File Maintenance Sequence Number	4	•	vols 8/9, DIC KFM
Nuclear Items and Other Security Classified Items	4		
Outputs	.4		vols 8/9
Preparation of II Data	4		1010 0/7
Processing Malfunction			1- 0/0 DIO
r rocessing manufiction	4		vols 8/9, DIC KPM

TITLE	VOLUME	PAGE	OTHER REFERENCES
Proposed FII for the Assignment of a NIIN or PSCN	4		
Quality Control	4		
Reinstatement of Cancelled	4		
Request for Codification and for Registration of User	4		vols 8/9, DIC
			LSA
Request for Codification and for Registration on	4		vols 8/9, DIC
Non-U.S. Manufactured Items	4		LSB
Request for NIIN Assignment (Full Descriptive Method with Reference Numbers)	4		vols 8/9, DIC LNR
Request for NIIN Assignment (Full Descriptive	4		vols 8/9, DIC
Method without Reference Numbers)			LNW
Request for NIIN Assignment (Partial Descriptive	4		vols 8/9, DIC
Method)			LNC
Request for NIIN Assignment (Reference Method)	4		vols 8/9, DIC
D C. DOCK A. I	4		LNK
Request for PSCN Assignment (Full Descriptive	4		vols 8/9, DIC
Method with Reference Numbers)	4		LNP
Request to Add U.S. National/NATO Stock Number as Informative Reference	4		vols 8/9, DIC LAB
Reviewing Action by DLSC/Interested Activities	2		LAD
Revision of Descriptive Method	4		vols 8/9, DIC
The state of Decempor of Leading	•		LCC
Revision, Transfer, and Reinstatement of Item	4		
Identification (NATO/FG)			
Screening Decision			vol 10, table 16
Transfers from Descriptive to Reference Method or	4		
from Reference to Descriptive Method			
Under Emergency Conditions	4		
IMM Proposals	2		
ITEM IDENTIFICATION, TYPES OF, IMSS-6	14		14-4-A
ITEM LOGISTICS, PROCESSING SECURITY CLAS-	4		
SIFIED			
ITEM MANAGEMENT CODES	4		vol 10, table 77
ITEM MANAGEMENT CODING (IMC)	1.3.3.f(2)	1.3-6	vols 8/9, DIC
Adam Cat	6		LVA
Adopt Coding	6		1 0/0 ====
Advice Notification	6		vols 8/9, DIC
Approved Item Name Reclassification Program	6		KVI
* * * * * * * * * * * * * * * * * * *	-		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Authorized Submitters	6		vol 10, table 104
Automatic Recordation of User	6		
Automatic Recordation on Standard Item	6		
Card Identification Codes (CIC)	6		
Change Coding	6		
Federal Supply Classes - IMM	6		vols 8/11, DIC LVA
FSC Change	6		
Inactive Items	6		
Interrogation Results	6		vols 8/9, DIC KIR
Maintenance Coding	6		
New Items	6		
Outputs	6	•	vol 10, sect
•	-		10.3.3
Interrogation Results	6		vols 8/9, DIC
•			KIR
NIIN/PSCN Status/Index	6		vols 8/9, DIC
			KFS vol 10,
			table 18
Notification of Approval	6		vols 8/9, DIC
			KNA
Notification of Return (Submitter)	6		vols 8/9, DIC
			KRE
Notification of Unprocessable Package (Submitter)	6		vols 8/9, DIC
			KRU
FLIS Data Base File Data	6		vols 8/9, DIC
			KFD
FLIS Data Base File Data for Replacement	6	•	vols 8/9, DIC
of a Cancelled NSN/PSCN or Reference Number Screening Results			KFE
Provisioning Supply Support Request	6		
Reactivation Coding - IMM	6		vols 8/9, DIC
	•		LVA
Rejects - IMM to ICP	6		vols 8/9, DIC
			KRE vol 10,
			sect 10.3.8
Retroactive Coding	6		
Return Coding	6		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Special Projects	6		vols 8/9, DIC KVI
Statistics	6,14		14-24-A
Supply Support and Cataloging	6		
Suspense File (DIC KVI)	6		vols 8/9, DIC LVI
ITEM MANAGEMENT STATISTICAL SERIES (IMSS)	14		
ITEM NAME CODE			3-3-A, part 3
ITEM NAMES			
Abbreviations	3		
Approved	3		
Common Usage Criteria	3		
Index in FIIG	3		3-3-A, part 3
Indexing in Federal Item Name Directory	3		, F
Basic Name	3		
Basic Noun Phrase	3		
Colloquial Names	3		
Copyrighted Names	3		
Deletion	3		
Delimitations	3 .		
Drugs and Chemicals	3		
New Proposed	3	•	
Non-Approved	3		
Part Names	3		
Revision	3		
Trade-Mark	3		
ITEM OF SUPPLY			
Change Management for IMM Items	2		
Establish/Withdraw IMM Responsibility	2		
ITEM STANDARDIZATION CODE AUTHORIZED			vol 10, table 94
SPECIFICATIONS AND STANDARDS			,
ITEM STANDARDIZATION CODE COMBINA- TIONS VALID FOR STANDARDIZATION RELA- TIONSHIP			vol 10, table 92
TECM STANDADDIZATION CODES			140 44 00
ITEM STANDARDIZATION CODES	1.4		vol 10, table 91
ITEM STANDARDIZATION, IMSS-10	14	106	14-7-A
ITEM STATUS/CATALOGING RESPONSIBILITY	1.3.3.f(4)	1.3-6	

TITLE	VOLUME	PAGE	OTHER REFERENCES
J			
J-SERIES SOURCE OF SUPPLY CODES JAIEG (JOINT ATOMIC INFORMATION EX- CHANGE GROUP)	6 4		
L.			
L - See Document Identifier Codes (DIC) (Input) LAST-KNOWN SOURCE OF SUPPLY LESS THAN TRUCKLOAD/CARLOAD CODES LEVEL OF AUTHORITY CODES, PICA/SICA LIMITED DISTRIBUTION CODES LMD EFFECTIVE DATE CRITERIA FOR CONCUR RENT SUBMITTAL OF ITEM	6 6,13		vol 8, DIC KSS vol 10, table 86 vol 10, table 74 vol 10, table 26 vol 10, table 145
MANAGEMENT DECISIONS AND CMD BY WHOLESALE MANAGERS LOCALLY PROCURED ITEMS, RESPONSIBLITY	2		
UNDER INTEGRATED MANAGEMENT	2		
M		·	
MAGNETIC TAPE - See Transmittal of Data MAIL SUBMITTALS - See Transmittal of Data MAINTENANCE ACTION CODES (MAC) MAINTENANCE RESPONSIBILITIES, IMM MAJOR ORGANIZATIONAL ENTITY CODES MANAGED ITEMS, COMMON BASIS IN (IMSS)	6 2 14		vol 10, table 51
MANAGEMENT AND TECHNICAL DATA, SUPPLEMENTARY (FIIG) MANAGEMENT CATEGORY CODES - DoD COMMODITY MATERIEL	3		vol 10, table 48
MANAGEMENT DATA LIST (ML) Consolidated	15		15-10-A
Effective Date Considerations Marine Corps	2		15-10-B

TITLE	VOLUME	PAGE	OTHER REFERENCES
Navy MANAGEMENT RELEASE SYSTEM - See FLIS Change Procedures			15-10-D
MANAGEMENT RESPONSIBILITY CODES, IMSS-8 MANAGEMENT RESPONSIBLITY DATA - See MOE Rule	14		14-5-A
MANDATORY CAGE/RNCC COMBINATIONS			vol 10, table 40
MANDATORY/OPTIONAL DATA ELEMENTS FOR DIC LVA			vol 10, table 143
MANUFACTURERS' DATA	1.3.11 <i>f</i> , 1.3.12.b 2,4,5,7	1.3-19, 1.3- 22	
MARINE CORPS			
Combat Essentiality Codes			vol 10, table 72
Management Data List	15		15-10 - B
Management Echelon Codes			vol 10, table 54
Materiel Identification Codes		4	vol 10, table 73
Operational Test Codes			vol 10, table 123
Physical Category Codes			vol 10, table 124
Recoverability Codes			vol 10, table 57
Stores Account Codes			vol 10, table 55
MASS CHANGE PROCESSING	1.3.12	1.3- 21	101 10, 11010 00
Functional Areas/Data Elements	1.3.12.b	1.3-22	
Pre-programmed/Special Project	1.3.12.a	1.3- 21	
Procedures and Formats	1.3.12.c	1.3 -22	
MASS DATA RETRIEVAL (SSR)	1.3.3.f(14),	1.3-10,	
	1.3.12,5	1.3 -21	
Justification for Request	5		
Results from DLSC Internal DIC LTP	5		
Submittals	5		5-1-B
MASS DATA RETRIEVAL (FLIS Data Base)	1.3.3.f.(12)	1.3-9	
Input of Dogwood	1.3.13,5	1.3- 23	
Input of Request Priority	5 5		
Output Results from DLSC Internal DIC LTM	5		1- 9/0 DIC
-			vols 8/9, DIC KTA
Request Submittals	5		5-1-B
Transmittal of Results	5		

TITLE	VOLUME	PAGE	OTHER REFERENCES
MASTER CONSOLIDATED CAGE/ <i>NCAGE</i> FILE MASTER FREIGHT TABLE MAINTENANCE	7 1.3.11. g ,6	1.3-21	
MATCH - Also see applicable search concept			
Exact, Notification to Submitter	4		vols 8/9, DIC KRM
Exact, with Errors in Submitted FII	4		vols 8/9, DIC KMU
Through Association	4		vols 8/9, DIC KFA
MATERIEL CONDITION CODES, GSA			vol 10, table 151
MATERIEL CONDITION CODES, MILSTRAP	,		vol 10, table 152
MATERIEL MANAGEMENT DECISION RULES			
TABLES			
- See MOE Rule and Related Data			
MEDIA/FORMAT SPECIFIED BY SERVICE/	1.3.3.a(2)	1.3-3	
AGENCY FOR OUTPUT			
MILITARY SERVICE-CONTROLLED	4		
COMMERCIAL ITEMS			
MILITARY SERVICE SPECIAL DESIGN ITEMS	4		
MIL-STD-100, ENGINEERING DRAWING	3		
PRACTICE, CONFORMANCE WITH IN FIIG			
DEVELOPMENT			
MILSTICCS CODING FOR FIIGS	3		
MILITARY TRAFFIC MANAGEMENT COMMAND	1.3.11. g ,6,15	1.3-21	15-13-A
(MTMC) FREIGHT DATA			
MINIMIZE	2		2-3-B
MOBILIZATION RESERVE REQUIREMENT	_		vol 10, table 139
MODE CODE USE, SUMMARY TABLE OF	3		
MOE CODES, CONVERSION CHART TO SERVICE/			
AGENCY DESIGNATOR CODES (I&S)	_		
MOE RULE AND RELATED DATA (FLIS Data Base/SSR)	6	•	
Activity-MOE Rule Cross Reference	13		13-6-C
Add Data Elements	6		vols 8/9, DICs
			LAD/KAD
Add MOE Rule Number and Related Data	4,6		vols 8/9, DICs LAU/KAU
Add Total SSR MOE Rule Record	1.3.11.c,6	1.3- 18	vol 8, DIC KUA
Advance Change Notices to Volume 13	1.1.3.b(1),13	1.1-4	,

TITLE	VOLUME	PAGE	OTHER REFERENCES
Cancel SSR MOE Rule with Replacement Cancel without Replacement or Delete SSR MOE Rule Record	1.3.11.c,6 1.3.11.c,6	1.3- 18 1.3- 18	vol 8, DIC KUB vol 8, DIC KUD
Change Data Elements	6		vols 8/9, DICs LCD/KCD
Change MOE Rule Number and Related Data	4,6		vols 8/9, DICs LCU/KCU
Change SSR MOE Rule Record Concurrent Submittals (DIC LMD) Conflict Notification	1.3.11.c,6 6 6	1.3-18	vol 8, DIC KUC 6-2-B vols 8/9, DIC KNI
DAAS Source of Supply Update (DIC KSS)	6		2211
Delete Data Element(s)	6		vols 8/9, DICs LDD/KDD
Delete MOE Rule Number	6		vols 8/9, DICs LDU/KDU
Delete Invalid Logistics Transfer	6		vol 8, DICs LDZ/KDZ
Effective Date Criteria Multiple Inputs (DIC LMD)	6		vol 10, table 145
Follow-Up Notification	6		vols 8/9, DIC KFP vol 10, sect 10.3.7
IMC Suspense File (DIC KVI)	6		vols 8/9, DIC LVI
IMM Responsibility/Registration	2,13		
Informative Data for Pending Effective Dated Actions	6		vols 8/9, DIC KIF
Input to Output DIC Chart			vol 10, sect 10.3.3
Interrogation Results for Logistics Transfer	6		vols 8/9, DIC KIR
Item Management Coding	6		
Item Management Status Data	6		
Materiel Management Decision Rule Tables (MOE Rules)	1.3.11.c,13	1.3- 18	13-6-B
Multiple DIC Input	6		vols 8/9, DIC LMD
NATO/FG MOE Rule Development	13		13-6-B

TITLE	VOLUME	PAGE	OTHER REFERENCES
New Items/Reinstatements	4		
NIIN/PSCN Status/Index	6		vols 8/9, DIC KFS
NIIN/PSCN, Submitted, Security Classified (Originator only)	6		vols 8/9, DIC KSE
NIMSC (Nonconsumable Item Material Support Code)	2,6		vols 8/9, DIC LCD vol 10, table 107
Nonuser (Storage) Function MOE Rules Notifications - See Outputs	6		13-6-B
NSN to Reflect	4		
Nuclear Ordnance Outputs	4		
Add Data Element(s)	6		vols 8/9, DIC KAD
Add MOE Rule Number and Related Data	6		vols 8/9, DIC KAU
Add FLIS Data Base Data	6		vols 8/9, DIC KAT
Add Total SSR MOE Rule Record	1.3.11.c,6	1.3- <i>18</i>	vol 8, DIC KUA
Advance Informative FLIS Data Base File Data	6		vols 8/9, DIC KIE
Cancel SSR MOE Rule with Replacement	1.3.11.c,6	1.3- 18	vol 8, DIC KUB
Cancel without Replacement or Delete SSR MOE Rule Record	1.3.11.c,6	1.3- <i>18</i>	vol 8, DIC KUD
Catalog Management Data Related Outputs	6		vols 8/9, DICs KAM, KDM, KIM
Change Data Element(s)	6		vols 8/9, DIC KCD
Change MOE Rule Number and Related Data	6		vols 8/9, DIC KCU
Change SSR MOE Rule Record	1.3.11.c,6	1.3- 18	vol 8, DIC KUC
Conflict Notification	6	2.0 20	vols 8/9, DIC KNI
DAAS Source of Supply Update	6		vol 8, DIC KSS
Delete Data Element(s)	6		vols 8/9, DIC KDD
Delete Logistics Transfer	6		vols 8/9, DIC KDZ

TITLE	VOLUME	PAGE	OTHER REFERENCES
Delete Total SSR Standard FSC Management Record	6		vol 8, DIC KUF
File Data for Replacement NSNs/PSCNs When Not Authorized for Procurement	6		vols 8/9, DIC KFR
Follow-Up Notification	6		vols 8/9, DIC KFP
Informative Data for Pending Effective Dated Actions	6	·	vols 8/9, DIC KIF
Interrogation Results for Logistics Transfer	6		vols 8/9, DIC KIR
Item Management Coding Advice Notification	6		vols 8/9, DIC KVI
Multiple DICs	6	•	vols 8/9, DIC KMD
New Standard FSC Management Record	6		vol 8, DIC KUE
NIIN/PSCN Status Index	6		vols 8/9, DIC KFS
Notification of Approval	6		vols 8/9, DIC KNA
Notification of Return (Submitter)	6		vols 8/9, DIC KRE
Notification of Unprocessable Package (Submitter)	6	•	vols 8/9, DIC KRU
Notification to Increment FMSN	6		vols 8/9, DIC KFM
Processing Malfunction	6		vols 8/9, DIC KPM
Submitted NIIN/PSCN Security Classified (Originator only)	6		vols 8/9, DIC KSE
FLIS Data Base File Data	6		vols 8/9, DIC KFD
Supplementary Recordings	4		
Wholesale-Retail Grid for Supply Management Responsibility	13		13-6-A
IMM Responsiblity/Registration	2,13		
MOE RULE DISTRIBUTION, IMSS-21	14		14-14 - A
MOE RULE STATUS CODES	13	•	vol 10, table 116
MOE RULES FOR DoD SERVICE-MANAGED			vol 10, table 156
CRYPTOLOGIC ITEMS			

TITLE	VOLUME	PAGE	OTHER REFERENCES
MRC CRTL - FIIG	3		
MULTIPLE DICs	1.3.1.f	1.3-2	vols 8/9, DICs
	4,6	1.5 2	LMD/KMD
MULTIPLE REPLIES (FIIG)	3		
N			
MANGE OF ANOMORAL FORM (DD FORM 100)	3		3-1-A
NAMES TRANSMITTAL FORM (DD FORM 180)			1.10 . 11. 0
NATIONAL CODIFICATION BUREAU CODES	2		vol 10, table 9
NATIONAL SECURITY AGENCY (NSA)	2		1-4-A
Instructions for Registering Activities NATIONAL STOCK NUMBER DEMILITARIZATION	13		15 14 A
CODE (DEMIL) PUBLICATION	15		15-14-A
NATO AND OTHER FOREIGN COUNTRIES - MOE	13		
RULE DEVELOPMENT	13		
NATO/FG INPUT AND REQUESTS FOR SERVICES			
- See International Cataloging			
NATO FORMS - See International Cataloging			
NATO STOCK NUMBERS	4		
NATO COMMERCIAL AND GOVERNMENT	1.3.11. f (2),	1.3- 20	vol 8, DIC KHT
ENTITY (NCAGE)	7.5.11 .7 (2),	1.5-20	voi 6, DIC KITI
NAVY	,		
Cognizance Code Bypass			vol 10, table 129
Cognizance Codes			vol 10, table 62
Issue, Repair, and/or Requisition Restriction Codes			vol 10, table 95
Issue, Repair, and/or Requisition Restriction Code			vol 10, table 157
Error Table			
Material Control Codes			vol 10, table 63
Source of Supply Code			vol 10, table 111
Special Material Identification Codes		•	vol 10, table 60
NET TOTAL ACCUMULATION (IMSS)	.14		,
NIIN/PSCN			
Assignment, Submittal of Data	4		
Cancellation Actions, Submittal	4		
Status/Index	4,5,6		vols 8/9, DIC
			KFS
Submitted Security Classified (Originator)	4,6	٠	vols 8/9, DIC KSE

TITLE	VOLUME	PAGE	OTHER REFERENCES
NIIN/PSCN STATUS CODES			vol 10, table 18
NIIN SEARCH - See Search			,
NIIN STATUS, REFLECTED IN SEARCH/	5		
INTERROGATION OUTPUT			
NIMSC EFFECTIVE DATE CRITERIA			vol 10, table 168
NONCONSUMABLE ITEM MATERIAL SUPPORT	2,6		vol 10, table 107
CODE (NIMSC)			
NONDUPLICATION OF NSN (MRC 9001)	4		10.45
NONUSER (STORAGE) FUNCTION MOE RULES	6		13-6-B
NORMAL SOURCE OF PROCUREMENT			vol 10, table 138
NOTES, STANDARDIZED DIC INPUT/OUTPUT NOTIFICATION	1 2 2 £(1)(L)	126	vols 8/9
NOTIFICATION	1.3.3.f(1)(b), 1.3.11	1.3-0, 1.3-17	
Addition of Data Element(s)	1.3.11 4	1.5-1/	vols 8/9, DIC
Addition of Data Element(s)	4	•	KAD
Approval	4,6		vols 8/9, DIC
· · · · · · · · · · · · · · · · · · ·	.,0	•	KNA
Approval, SSR Transaction	6,7		vol 8, DIC KHP
Change to Standardization Decision Data	4		vols 8/9, DIC
-			KNS
Conflict	4		vols 8/9, DIC
			KNI
DLSC Change Data, Segment 1	4		vols 8/9
Emergency Conditions	4		
Exact Match (Submitter)	4		vols 8/9, DIC
TITLE IN THE STATE OF THE STATE OF			KRM
FIIG Revision Notification Listing	4		1 0/0 DIG
Item Management Coding Advice	2,6		vols 8/9, DIC
Possible Duplicate (Submitter)	1	ē	KVI
1033101c Duplicate (Submitter)	4		vols 8/9, DIC KRP
Possible Duplicate with Errors in Submitted FII	4		vols 8/9, DIC
(Submitter)	7		KPE
Return (Submitter)	4,5,6		vols 8/9, DIC
,	.,0,0		KRE
Return of Cancellation Action, Retained FII Invalid	4		vols 8/9, DIC
,			KRF
NOTIFICATIONS, TYPES OF WITHIN II	1.3.3.f(1)(b)	1.3-6	
NCAGE/FG CODIFICATION BUREAU CODES	·		vol 10, table 131

TITLE	VOLUME	PAGE	OTHER REFERENCES
NSN ASSIGNMENT UNDER EMERGENCY CONDITIONS	4		
NSN DEMILITARIZATION CODE LIST	15		15-14-A
NSN POPULATION INDEX, IMSS-15	14		14-11-A
NUCLEAR ORDNANCE CATALOGING OFFICE (NOCO)	2,4		
NUCLEAR ORDNANCE CONTROL ACTIVITY (NOCA)	4		
NUCLEAR ORDNANCE ITEMS			
Cataloging of	2		
Definitions	.4		
Dissemination of Data by Services/Agencies	4		
Preparation of Data	4		
Release of Cataloging Data to NATO and Other Foreign Governments	4		
Safeguarding Classified Data	4	•	
NUMBERING SYSTEM, DoD 4100.39-M	1.1.4	1.1-4	
O			
OCR - See Optical Character Reader			
OE - See Organizational Entity			
OPTICAL CHARACTER READER (OE)	2,7	•	7-1 - B
ORGANIZATIONAL ENTITY (OE) (CAGE/NCAGE)	1.3.11 .f ,7	1.3-19	, 1 5
Add OE Data to Existing Record	7	1.5 17	vol 8, DIC LHN
Add Total OE Record	7		vol 8, DIC LHT
Change OE Data in Existing Record	7		vol 8, DIC LHP
Change Total OE Record	7		vol 8, DIC LHY
Data Elements	7		
DD Form 1939	· 7		7-1-B
DD Form 2051	7		7-1-C
Delete OE Data from Existing Record	7		vol 8, DIC LHQ
Delete Total OE Record	7		vol 8, DIC LHV
Design Features	7		
Designator Codes			vol 10, table 88
Designator Codes (Status)			vol 10, table 19
NATO Form AC/135-Nr. 2			7-1-D
NIIN File Maintenance Update	7	•	

TITLE	VOLUME	PAGE	OTHER REFERENCES
Organizations/Functions Eligible for CAGE Code Assignment	7		
Output Notifications	_		10 DIG 1111
Approval, SSR Transaction	7		vol 8, DIC KHP
Return, SSR Transaction	7		vol 8, DIC KHR
Unprocessable Package, SSR	7		vol 8, DIC KHS
Reinstate Total OE SSR Record	7		vol 8, DIC LHU
Requests for New OE Code Assignments	7		
SSR File Maintenance Data	7		vol 8, DIC KHN
Status Code	7		vol 10, table 19
Terminology	7		
Types of OE in the System Support Record and the Agency Directorate/Office Responsible for Each			vol 10, table 90
Type		•	
ORIGINATING ACTIVITY CODE			vol 10, table 104
OUTPUT			
Codes, Single/Multiple			vol 10, table 11
Data Request Code - Access Key(s) Data Request Codes			vol 10, table 28 vol 10, tables
			28,30,34
Distribution, Types of	1.3.3	1.3-3	
During MINIMIZE	2		2-3-B
Exceeds Electronic Data Transmission Limitations	4,5		vols 8/9, DIC
File Data Header Segment I			KEC
File Data Header, Segment L Limitations, Screening	5		vols 8/9
Mode/Media Code Table	3		rrol 10 toble 10
Sequence of File Maintenance Output Transactions	1.3.3.b	121	vol 10, table 10
OUTPUT CONTROL PARTICIPATING ACTIVITY	1.3.3.c(2)	1.3-4 1.3-4	
CODE TABLE	1.3.3.0(2)	1.5-4	
OUTPUT HEADER			vols 8/9
OUTPUTS - See Document Identifier Codes, Output			VUIS 6/9
and/or appropriate functional area			
and or appropriate functional area			
P			·
PACKAGE SEQUENCE NUMBER - USE OF PART NAMES	1.3.1.d,2 3	1.3-1	

TITLE	VOLUME	PAGE	OTHER REFERENCES
PERMANENT SYSTEM CONTROL NUMBER - See			
PSCN	•		
PHRASE CODE(S)			vol 10, table 52
And Related Data			vol 10, table 100
Collaboration	2		2-2-A
Correlation			vol 10, table 108
Package Combination			vol 10, table 96
PICA/SICA LEVEL OF AUTHORITY CODES	6,13		vol 10, table 74
PLUS OR MINUS (PORM) CRITERIA	3		
POSSIBLE DUPLICATE - See Duplicate			
PRECIOUS METALS INDICATOR CODE (PMIC)			vol 10, table 160
PREFERRED ITEM DATA, STANDARDIZATION			
RELATIONSHIP - See Standardization			
PREPARATION AND TRANSMITTAL OF DATA TO	2		
DLSC			
PREPARATION AND TRANSMITTAL OF	4		
NUCLEAR ORDNANCE CATALOGING DATA			
PREPARATION OF			
DD Form 180	3		3-1-A
DD Form 1939			7-1-B
DD Form 1982	· 4		4-3-A
DD Form 2021/2021-1	1.4.3	1.4-2	1-4-C
DD Form 2051			7-1-C
Descriptive Method Catalog Data Worksheets	4		
EAM Worksheets for Organizational Entity			7-1-A
Federal Item Identification Guide (FIIG)	3		3-3-A
Item Identification Data	4		
Logistics Reference Number for Transmittal to DLSC	2		
NATO Form AC/135-Nr.2			7-1-D
OCR Form for OE			7-1-B
PRICE VALIDATION CODE, AIR FORCE	11		vol 10, table 177
PRIORITY FOR CANCELLATION			vol 10, table 12
PRIORITY INDICATOR CODES	2		vol 10, table 24
Search/Interrogation	5		701 10, mole 2+
PRIORITY INDICATOR CODES, FSS-3	14		14-22-A
PROBLEM REPORTING - See FLIS Problem	- •		I 1 22 11
Reporting		•	
PROCESSING			

TITLE	VOLUME	PAGE	OTHER REFERENCES
Item Logistics Data Under Emergency Conditions	4		
Nuclear Ordnance Items	4		
Security Classified Item Logistics	4		
PROCESSING MALFUNCTION	1.3.9	1.3-15	vols 8/9, DIC
	4,6		KPM
PROVISIONING AND PREPROCUREMENT SCREENING	2,5		
PROVISIONING SCREENING MASTER ADDRESS	7		vol 10, table 23
TABLE (PSMAT)	,		voi 10, table 25
Add Address	7		vol 8, DIC LUP
Change Address	7		vol 8, DIC LUR
Delete Address	7		vol 8, DIC LUS
Destination Code	7		vor o, Die Beb
Destination Code/Address Card	7		
Maintenance Responsibility	7		
Multiple Address Input	7		
Multiple Addressees	7	•	
Notification to Contractors	7		
Registration	7		7-2-A, 7-2-B
Search Requirement	5		7 2 11, 7 2 B
Single Address Input	7		
PROVISIONING SCREENING OPERATIONS	14		14-21-A
REPORT, FSS-2	17		14-21-11
PSCN (PERMANENT SYSTEM CONTROL			
NUMBER)			
Application	4,6		
Assignment - Preparation as Type 1	4,6		vols 8/9, DIC
Cancel PSCN to an NSN/PSCN	4,0		LNP vols 8/9, DIC
Canon I belt to all Holy I belt			KKP
Change PSCN to a NIIN	4,6	-	vols 8/9, DICs LCP,KCP
Restriction	4		
Format	4,6		
PSN, FORMATTING OF	1.3.1.d	1.3-1	vols 8/9, standard note
PUBLICATIONS			DA
Changes to	15	•	

TITLE	VOLUME	PAGE	OTHER REFERENCES
Distribution	1		
DoD 4100.39-M			
FLIS Advance Change Notices	1.1.3.a(3)	1.1-3	
Volume 13 Changes	1.1.3.a(3)(c)	1.1-3,	
-	1.1.3.b(1)	1.1-4	
Q			
Q	2		
QUALITY ASSURANCE OF DAAS SoS AND FLIS	2		
TBJ RECORDS		•	
CSS-6 Report	2,14		14-19-A
DAAS Interrogation Response Format (DIC QUR)		•	2-13-A
DAASO Responsibilities	2		
DLSC Responsibilities	2		
Document Formats, DAAS DICs QUE, QUR			2-13-A
Interrogation Format (DIC QUE)			2-13-A
QUALITY ASSURANCE OF ITEM INTELLIGENCE	2		
FILE DATA RECORDS (FILE COMPATIBILITY)			
Categories of Participants	2		vol 10, table 149
Comparison Frequency	2		
CSS-6 Report	2,14		14-19-A
DICs	2		vols 8/9/11,
			DICs
	_		LQS,KQF,KQS
DLSC Responsibilities	2	•	
Exception Steps for Air Force, Defense	2		
Supply Centers and Marine Corps Follow-Up	2		
FSC Schedule for Comparison Check	2		vol 10, table 148
Participants' Responsibilities	2		
QUALITY CONTROL PLAN FOR SAMPLED UNITS			vol 10, table 147
QUALITY REVIEW OF CATALOGING DATA	2		
Action by Activities	2		
Action by DLSC	2		
Reject Credits Cataloging Transactions Processed, IMSS 18	2		14 10 4
Cataloging Transactions Processed, IMSS-18 Communications Rejects	2,14 2		14-12-A
QUANTITY UNIT PACK CODES	۷		
QUARTERLY CHANGES TO THIS MANUAL	1 1 2 0(2)	112	vol 10, table 56
QUARTERLI CHANGES TO THIS MANUAL	1.1.3.a(2)	1.1-3	1-4-F

TITLE	VOLUME	PAGE	OTHER REFERENCES
QUARTERLY FILES REPLACEMENT TO NATO SUPPLY CENTERS			vol 8, DIC KFF
R			
K	1.3.4	1.3-10	vols 8/9
RECORD FORMATS FOR FLIS SEGMENTS REFERENCE DRAWINGS	1.3.4	1.5-10	VOIS 6/9
Development/Grouping for FIIG Appendix B	3		3-3-A, parts 11 thru 14
Identification of Drawing Groups	3	•	
Legends, Use of	3		
Lettering	3		
MIL-STD-100, Conformance with	3		
New, Revised, Cancelled Styles	3		
Preparation	3		
Replies to Requirements	4		
REFERENCE NUMBER		•	
Add Reference Number and Related Codes	4		vols 8/9/11, DICs LAR, KAR
Ammunition Code	2		
Change Reference Number Related Codes	4		vols 8/9, DICs LCR,KCR
Collaboration	2		2-2-B
Delete Reference Number(s)	4	•	vols 8/9, DICs LDR,KDR
Differentiation Characteristics (MRC ZZZY)	4		
Formatting and Transmittal	2		vol 10, table 22
Format Code (RNFC)	4		vol 10, table 1
Manufacturers Review, for a Specific CAGE Code	4		
Product Coding System	2		
Provisioning and Preprocurement Screening	2		
Revision of Descriptive Method FII	4		
Security Classified	2		
Segment C	1.3.4.b(2)(e)	1.3-12	vols 8/9
Specification/Standard	2		
Submittal of Reference Number Maintenance	4		

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
Submittal for Screening, Matched to a Security Classified Item	5		vols 8/9, DIC KMS
Transfer Actions	4		
Valid Combinations for Item-of-Supply Concept			vol 10, table 8
Verification of Manufacturers	4		4-3-A
Verification by GIRDER	4		
REFERENCE NUMBER ACTION ACTIVITY CODE			vol 10, table
(RNAAC)			104, part 1
REFERENCE NUMBER ACTUAL OR PROBABLE			vol 10, table 32
MATCH SCREENING DECISION			,
REFERENCE NUMBER CATEGORY CODES			vol 10, table 6
REFERENCE NUMBER DUPLICATION DECISION			vol 10, table 13
REFERENCE NUMBER FORMAT CODES			vol 10, table 1
REFERENCE NUMBER FORMAT CONVERSION			vol 10, table 22
CRITERIA			,
REFERENCE NUMBER JUSTIFICATION CODES			vol 10, table 4
REFERENCE NUMBER SCREENING RNCC/RNVC			vol 10, table 31
ACCEPTABLE COMBINATION			
REFERENCE NUMBER STATUS CODES		•	vol 10, table 17
REFERENCE NUMBER VARIATION CODES			vol 10, table 7
(RNVC)	•		
REFERENCE OR PARTIAL DESCRIPTIVE			vol 10, table 3
METHOD REASON CODE			
Follow-Up Procedure for RPDMRC 5	4		
REGISTRATION, ACTIVITY INTEREST, IMM	13		
REIMBURSEMENT CODES			vol 10, table 153
REIMBURSEMENT FOR CATALOGING SERVICES	1.5	1.5-1	
REINSTATE/REINSTATEMENT			
Cancelled Organizational Entity Record	7		vol 8, DIC LHU
Catalog Management Data	6		vols 8/9, DICs
			LAM, KAM
Full Descriptive Method II with Reference	4		vols 8/9, DIC
Number(s) (NIIN only)			LBR
Full Descriptive Method II without Reference Num-	4		vols 8/9, DIC
ber(s) (NIIN only)			LBW
International Cataloging Considerations	4		
Partial Descriptive Method II (NIIN only)	4		vols 8/9, DIC LBC

TITLE	VOLUME	PAGE	OTHER REFERENCES
Reference Method II (NIIN only)	4		vols 8/9, DIC LBK
REJECT CREDITS			221
Communication Equipment Related	2		
Criteria for Credit	2		
Review for Denied Requests	2		
REJECTION NUMBER (Re) QUALITY ASSUR- ANCE)	2		
REMOTE OUTPUT FORMAT CODES			vol 10, table 170
REMOTE TERMINALS	16		
Remote Output Format Codes			vol 10, table 170
Remote Terminal (Category I) Interrogation by NIIN/PSCN			vol 9, DIC LRI
Remote Terminal (Category 1) Search by Characteristics Data			vol 9, DIC LRC
Remote Terminal (Category 1) Search by NIIN			vol 9, DIC LRF
Remote Terminal (Category 1) Search by Reference Number			vol 9, DIC LRR
Remote Terminal (Category 2) Interrogation by NIIN/PSCN			vol 9, DIC LWI
Remote Terminal (Category 2) Search by Characteristics Data			vol 9, DIC LWC
Remote Terminal (Category 2) Search by NIIN			vol 9, DIC LWF
Remote Terminal (Category 2) Search by Reference			vol 9, DIC LWR
Number			,
Remote Terminal (Category 2) Search by			vol 9, DIC LWN
Reference Number for Other Than Provisioning and			
Preprocurement Screening			
Tailored Data Chain Interrogations			vol 10, table 171
REPARABLE CHARACTERISTICS INDICATOR			vol 10, table 130
CODE - DLA			
REPLACEMENT OF A CANCELLED FSCM - See			
Search by Reference Number		•	
REPLIES TO FIIG REQUIREMENTS	4		
REPLY TABLES, FIIG APPENDIX A	3		
Development of Coded Replies	3		

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
REPLACEMENT NSN/PSCN, FILE DATA FOR,	6		
WHEN NOT AUTHORIZED FOR PROCURE-	•		
MENT			
REPORT TITLES			
Acquisition Advice Codes Assigned by Managing Activity, IMSS-9	14		14-6-A
CMD Statistics, IMSS-20	14		14-13-A
Descriptive Method Item Identifications and	14		14-18-A
Transfers (Performance Against Goals), CSS-4			
Federal Cataloging Program - Status, Progress, Action Report, FSS-1	14		14-20-A
File Compatibility Summary, CSS-6	14		14-19-A
IMC Statistics	14		14-24-A
Input/Output DIC Summaries, CSS-2	14	•	14-16-A
Interchangeability and Substitutability (I&S) Statistics, IMSS-23	14		14-15-A
Item Additions and Reductions, IMSS-12	14		14-9-A
Item Commonality, IMSS-5	14		14-3-A
Item Standardization Codes, IMSS-10	14		14-7-A
Management Responsibility Codes, IMSS-8	14		14-5-A
MOE Rule Distribution, IMSS-21	14		14-14-A
NSN Population Index, IMSS-15	14		14-11-A
Priority Indicator Codes, FSS-3	14		14-22-A
Acquisition Method/Acquisition Method Suffix Code Combinations, IMSS-11	14		14-8-A
Provisioning Screening Operations Report, FSS-2	14		14-21-A
Total Transactions by Submitter and Originator -	14		14-12-A
Federal Cataloging Program, IMSS-18			
Types of Item Identification, IMSS-6	14	•	14-4-A
REPORTING ERRORS, DISCREPANCIES, COM-	15		
MENTS, AND SUGGESTIONS (FLIS PUBLICA-			
TIONS)			
REPORTS			
CSS-2 Input/Output DIC Summaries	14		14-16-A
CSS-4 Descriptive Method Item	14		14-18-A
Identifications and Transfers (Performance Against Goals)			
CSS-6 File Compatibility Summary	14		14-19-A

TITLE	VOLUME	PAGE	OTHER REFERENCES
FSS-1 Federal Cataloging Program - Status, Progress, Action Report	14		14-20-A
FSS-2 Povisioning Screening Operations Report	14		14-21-A
FSS-3 Priority Indicator Codes	14		14-22-A
IMC Statistics	14		14-24-A
IMSS-5 Item Commonality	14		14-3-A
IMSS-6 Types of Item Identification	14		14-4-A
IMSS-8 Management Responsibility Codes	14		14-5-A
IMSS-9 Acquisition Advice Codes Assigned by Managing Activity	14		14-6-A
IMSS-10 Item Standardization Codes	14		14-7-A
IMSS-10 Item Standardization Codes IMSS-11 Acquisition Method/Acquisition Method	14		14-8-A
Suffix Codes			
IMSS-12 Item Additions and Reductions	14		14-9-A
IMSS-15 NSN Population Index	14		14-11-A
IMSS-18 Total Transactions by Submiter and	14		14-12-A
Originator - Federal Cataloging Program			
IMSS-20 CMD Statistics	14	•	14-13-A
IMSS-21 MOE Rule Distribution	14		14-14-A
IMSS-23 Interchangeability and Substitutability	14		14-15-A
REPORTS CONTROL SYMBOL, USE OF	14		
REPORTS GENERATOR	1.3.14,5	1.3- 24	
Output	1.3.14.b,5		
Request for	1.3.14.c,5	1.3 -24	
REQUEST			
Request for Change to NIIN/PSCN Status Code	4		vol 8, DIC LCI
Request for Codification and Registration of User - See International Cataloging			
Request for Codification and Registration on Non-			
U.S. Manufactured Items - See International			
Cataloging	4		1 0/0/11 DIG
Request for NIIN Assignment (Full Descriptive Method with Reference Numbers)	4	•	vols 8/9/11, DIC LNR
Request for NIIN Assignment (Full Descriptive Method without Reference Numbers)	4		vols 8/9/11, DIC LNW
Request for NIIN Assignment (Partial Descriptive	4		vols 8/9/11, DIC
Method)	⁻ ₹		LNC

TITLE	VOLUME	PAGE	OTHER REFERENCES
Request for NIIN Assignment (Reference Method)	4		vols 8/9/11, DIC LNK
Request for NSN Under Emergency Conditions	4		
Request for PSCN Assignment (Full Descriptive Method with Reference Numbers)	4		vols 8/9/11, DIC LNP
Request for Verification of Manufacturers Part Number	4		4-3-A
REQUEST SUBMITTAL FORM LETTER (MASS DATA RETRIEVAL)	5		5-1-B
REQUIREMENT STRUCTURE, FIIG	3		
REQUIREMENTS/REPLY STRUCTURE CONCEPT, FIIG	3		
RESTRICTIONS AGAINST THE OUTPUT OF OTHER COUNTRIES' FILE DATA RESUBMITTAL	4	·	
Data to Correct Error of Suspended Item	4		vols 8/9, DIC LRN
Total Replacement of Suspended Item	4	•	vols 8/9, DIC LRT
RETURN ACTION CODES	10		DI (1
Use of	1.3.1,11	1.3-1	
RETURN ACTION CODES OUTPUT BY IMM AS A		1,0 1	vol 10, sect 10.3.8
RESULT OF PROCESSING IMC DATA			
RETURN CODE FOR DAAS REFERENCE NUMBER REQUISITION		٠	vol 10, table 76
RETURN CODE RJ VALIDATION CRITERIA FOR DIC LCU			vol 10, table 155
REVISION NOTIFICATION LISTINGS, FIIG	4		
REVISION OF A DESCRIPTIVE METHOD	4		vols 8/9, DIC
FEDERAL ITEM IDENTIFICATION			LCC
International Cataloging Considerations	4		
REVISION OF A FEDERAL SUPPLY CLASSIFICA-	4	•	
TION (FSC) ASSIGNED TO AN ITEM			
REVISION TO DESCRIPTIVE METHOD TOOLS -			
See FIIG Revision	•		
ROUNDING INSTRUCTIONS - FIIG	3		

OTHER

TITLE	VOLUME	PAGE	REFERENCES
S			
S			
SADC - See Service/Agency Designator Codes			
SAN (SYSTEM ADVISORY NOTICE) - See FLIS			
Change Procedures			
SCR (SYSTEM CHANGE REQUEST) - See FLIS			
Change Procedures SCREENING			
Add New Destination Code, Screening (DLSC only)	7		vol 8, DIC LUP
(PSMAT)	•		101 0, 210 201
Association Code Match	5		vols 8/9, DIC
			KMA
Characteristics Screening Criteria	3		
Codes	5		vol 10, table 33
DAAS Reference Number Screening Results	5		vol 8, DIC KSD
DAAS Screening by Reference Number	5		vol 8, DIC LSD
DAAS Screening, Reference Number Data, Segment 4			vol 8
Delete a Destination Activity Code/Address (DLSC	7		vol 8, DIC LUS
only) (PSMAT)	,		vor o, Die Des
Exact Match	5		vols 8/9, DIC
			KME
Exact Match with Errors in Submitted FII	4	•	vols 8/9, DIC
(Submitter)			KMU
FIIG Segment A - Screening for NSN Assignment	3		
Matching Reference Number	5		vols 8/9, DIC
Negative Reply	5		KMR
negative Reply	3		vols 8/9, DIC KNR
Partial Match	5		vols 8/9, DIC
A SELECTION AND A SELECTION ASSET AND A		•	KMP
Possible Match	5		vols 8/9, DIC
			KMG
Probable Match	5		vols 8/9, DIC
			KMQ
Reference Number Actual or Probable			vol 10, table 32
Match Screening Decision			

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
Related Screening Data, Segment S Request, NIIN Data, Segment 3 Request, Reference Number Data, Segment 2 Response Header, Segment J Results	5		vols 8/9 vols 8/9 vols 8/9 vols 8/9 vols 8/9, DIC KSR
RNCC/RNVC Acceptable Combination, Reference Number Screening			vol 10, table 31
Single/Multiple Output Codes Types of Screening Concepts P, S, and F SEARCH	5 1.3.3.f(9), (10) 5	1.3-9	vol 10, table 11 vol 10, table 33
SEARCH BY CHARACTERISTICS	1.3.3.f(10) 3,5	1.3-9	vol 10, table 23 vols 8/9, DIC LSC
Authorized Submitters	5		vol 10, table 104
Description of Output	5 3		
FIIG Segment B - Characteristics Search Match Results	<i>5</i>		10 0/0 DIC
Match Results	J		vols 8/9, DIC KSC
No-Match Results	5		vols 8/9, DIC KSN
Notification of Return, Submitter	5		vols 8/9, DIC KRE
Output Content Selection	5		
Output Data Request Code	5		vol 10, table 30
Output Exceeds Electronic Data Transmission Limitations	5		vols 8/9, DIC KEC
Procedures in FIIG Appendix E	3		3-3-A, parts 19 thru 24
Provisioning Screening Master Address Table	5,7		
Remote Terminals	16		vol 9, DICs LRC, LWC vol 10, table 170
Results Distribution	5		
Screening/Search Results	5		vols 8/9, DIC KSR

TITLE	VOLUME	PAGE	OTHER REFERENCES
SEARCH BY NATO - See Search by Reference Number			
SEARCH BY NIIN	5		
Authorized Submitters	5		vol 10, table 104
Error Conditions	5		•
Error Conditions	J		vols 8/9, DIC KRE
Inputs	5		vols 8/9, DIC
mpus	3		LSF
Limitations, Submittal	5	•	LOI
Output Data Request Code	5		vol 10, table 30
Output Distribution	5		voi 10, table 30
Remote Terminals	16		vol 9, DICs
Romote Terminais	10		LRF, LWF vol
			10, table 170
Requested File Data Not Available	5		vols 8/9, DIC
requested 1 no Dam Not I value	J		KTN
Security Classified/Cancelled NIIN	5		vols 8/9, DICS
			KFE,KFS
SEARCH BY REFERENCE NUMBER	1.3.3.f(9)	1.3-9	vol 10, table 23
	5		vols 8/9, DIC
			LSR
Assets Availability Code	5		
Association Code Matches	5		
Authorized Submitters	5	•	vol 10, table 104
Defense Automatic Addressing System	5		vol 10, table 76
Destination Activity Code	5		vol 8, DICs
·			LSD, KSD
Error Conditions	5		vols 8/9, DIC
			KRE
For Other than Provisioning and Preprocurement	5		vols 8/9, DIC
			LSN
Match Results	5	•	vols 8/9, DICs
			KSR, KMR,
			KMA, KME,
			KMG, KMH,
			KMP, KMQ
Match Results for DLSC Internal DIC LST	5		vols 8/9, DICs
			KSR, KMR,
			KFE

TITLE	VOLUME	PAGE	OTHER REFERENCES
Matched Stock Number Assigned by Another NATO Country (Screening)	5		vols 8/9, DIC KMN
NATO/Other Foreign Countries	4,5		vol 8, DIC LSN vol 10, table 104
No-Match Results	5		vols 8/9, DICs KSR, KNR
Output Contents, Selection of	5		
Output Distribution	5		
Output Limitations	5		
Output Results to NATO	4,5		
Preparation/Submission of Transactions	5		
Provisioning Screening Master Address Table	5,7	•	
Remote Terminals	16		vol 9, DICs
Tomote Tommano	10		LRR, LWN,
	•		LWR vol 10,
			table 170
Replacement of Cancelled CAGE Code	5		11010 170
Replacement of CAGE Code Notification	5		vols 8/9, DICs
Replacement of CAGE code Notification	J		KSR, KMR
Returned Error Conditions	5	•	Kok, Kwik
Screening Codes	5		vol 10, table 33
Security Classified Match	5		vols 8/9, DICs
Security Classifica Makif	J		KSR, KMS
Unprocessable Deckage	5		
Unprocessable Package	3 .		vols 8/9, DIC
Without CACE Code on NCACE (DI SC only DIC	5		KRU
Without CAGE Code or <i>NCAGE</i> (DLSC only, DIC LST)	J		
SEARCH ROUTINE OUTPUT DATA REQUEST CODES			vol 10, table 30
SECONDARY SEQUENCE CODED REPLIES	4		
SECONDARY SEQUENCING CODES, USE OF	3		
SECURITY CLASSIFIED CATALOG DATA	2,4		
Action by Activity	2		
Action by DLSC	2,4	•	
Action by Other Interested Activities	2		
Nuclear Ordnance	4		
Reference Numbers	2		
SECURITY CLASSIFIED DATA, FILE DATA MINUS	4		vols 8/9, DIC KFC

TITLE	VOLUME	PAGE	OTHER REFERENCES
SECURITY CLASSIFIED CHARACTERISTICS SECURITY CLASSIFIED, SUBMITTED NIIN/PSCN (ORIGINATOR ONLY)	4		vols 8/9, DIC KSE
SEGMENT 1 - NOTIFICATION OF DLSC CHANGE DATA	4,5		vols 8/9 vol 10, table 120
SEGMENT 2 - SCREENING REQUEST, REFERENCE NUMBER DATA	1.3.4.b(2)(a)	1.3-11	vols 8/9/11
SEGMENT 3 - SCREENING REQUEST, NIIN DATA SEGMENT 4 - DAAS SCREENING, REFERENCE NUMBER DATA			vols 8/9/11 vols 8/11
SEGMENT 5 - DAAS CRITICAL SOURCE OF SUPPLY UPDATE			vols 8/9/11
SEGMENT 6 - DAAS SOURCE OF SUPPLY UP- DATE		,	vol 8
SEGMENT 7 - ITEM MANAGEMENT CODING ADVICE NOTIFICATION	1.3.4.b(2)(b)	1.3-12	vols 8/9
SEGMENT 9 - ITEM MANAGEMENT CODING DATA	6		vols 8/9/11
SEGMENT A - IDENTIFICATION DATA	1.3.4.b(2)(c), 5	1.3-12	vols 8/9/11
SEGMENT B - MOE RULE DATA	1.3.4.b(2)(d)	1.3-12	vols 8/9/11
SEGMENT C - REFERENCE NUMBER DATA	1.3.4.b(2)(e)	1.3-12	vols 8/9/11
SEGMENT D - FLIS DATA MESSAGE CONTROL	2		vol 8
SEGMENT E - STANDARDIZATION DECISION DATA			vols 8/9/11
SEGMENT F - FLIS I&S RELATIONSHIP DATA			vols 8/9
SEGMENT G - FREIGHT CLASSIFICATION DATA			vols 8/9/11
SEGMENT H - CATALOG MANAGEMENT DATA	1.3.4.b(2)(f)	1.3-12	vols 8/9/11
SEGMENT J - SCREENING RESPONSE HEADER			vols 8/9
SEGMENT K - NIIN/PSCN STATUS/CANCELLATION			vols 8/9
SEGMENT L - OUTPUT FILE DATA HEADER			vols 8/9
SEGMENT M - CLEAR TEXT CHARACTERISTICS	1.3.4.b(2)(h)	1.3-12	vols 8/9
SEGMENT P - DATA ELEMENT ORIENTED WITH- OUT VALUE			vols 8/9
SEGMENT Q - DATA ELEMENT ORIENTED WITH VALUE AND RETURN/ACTION CODE	1.3.4.b(2)(h)	1.3-12	vols 8/9/11
SEGMENT R - DATA ELEMENT ORIENTED WITH VALUE	1.3.4.b(2)(h)	1.3-12	vols 8/9/11

TITLE	VOLUME	PAGE	OTHER REFERENCES
SEGMENT S - RELATED SCREENING DATA SEGMENT T - CANCELLATION/DELETE MOE RULE			vols 8/9/11 vols 8/9/11
SEGMENT V - CODED ITEM CHARACTERISTICS DATA	1.3.4.b(2)(h)	1.3-12	vols 8/9/11
Extract and Edit Process	5		vols 8/9/11, DICs LVE,KVE
SEGMENT W - PACKAGING DATA SEGMENT SEGMENT Y - DECLARED EXCESS PROGRAM ASSETS DATA	1.3.4.b(2)(g)	1.3-12	vols 8/9/11 vols 8/9
SEGMENT Z - FUTURE DATA			vols 8/9
Availability	1.3.10	1.3-15	10 1 4
SEGMENT PARAMETERS SEGMENT WORKSHEETS FOR DESCRIPTIVE METHOD FII	4		vol 9, chap 4
SERIAL NUMBER CONTROL CODE, COAST GUARD			vol 10, table 150
SERVICE/AGENCY-CONTROLLED TABLES - See Tables			
SERVICE/AGENCY DESIGNATOR CODES SERVICE CODE, PROVISIONING SCREENING MASTER ADDRESS TABLE	4		vol 10, table 154 vol 10, table 42
SERVICE NUCLEAR ORDNANCE CATALOGING ACTIVITY (SNOCA)	4		
SHELF-LIFE CODES			vol 10, table 50
SIMPLIFIED FILE MAINTENANCE Cumulative Basic Records (Monthly)	1.3.15,2 2	1.3- 24	O 11 A 4h
Cumulative Basic Records (Worthly)	2		2-11-A thru 2-11-J
Data Available	2		2-11- J
File Maintenance Update (Monthly)	2		vol 8, chap 2
Futures Data	2		2-11-J
Monthly Cumulative/Semiannual Replacement	2		2-11-A thru
			2-11-J
Formats Output Media	2		vol 10, table 10
Participation and Data Receivers	2		2-11-K
Replacement Files (Semiannual)	2		2-11-A thru 2-11-J
Restrictions	2		
SINGLE/MULTIPLE OUTPUT CODES (PSMAT)			vol 10, table 11

TITLE	VOLUME	PAGE	OTHER REFERENCES
SINGLE QUALITY NUCLEAR ORDNANCE ITEMS	4		
SINGLE SUBMITTER	2		
SMR (SYSTEM MANAGEMENT RELEASE) - See			
FLIS Change Procedures			
SOURCE CONTROLLED ITEM OF SUPPLY	4		
SOURCE OF SUPPLY	6		
Codes			vol 10, table 103
Defense Automatic Addressing System Acquisition Advice Code Application	6		vol 8, DIC KSS
Critical Source of Supply Update	6		vols 8/9, DIC LSS
Follow-Up	6		
Last-Known Source of Supply	6		vol 8, DIC KSS
Phrase Code Application	6		vol 8, DIC KSS
Service/Agency Notification to Users	6		
Output to			
Defense Special Weapons Agency (DSWA)	6		
Add Nuclear Ordnance Source of Supply	6		vol 8, DIC LTU
Change Nuclear Ordnance Source of Supply	6		vol 8, DIC LTV
Delete Nuclear Ordnance Source of Supply	6		vol 8, DIC LTW
Effective Date Criteria	6		
FSC Changes	6		
Logistics Transfer	6		
Rejects	6	•	
Emergency Updates	6		
Error Reporting	6		
FSC Change	6		
J Series Codes	6		
Maintenance Action Codes (MAC)	6		
Notification - See Outputs			
Output			
DAAS Source of Supply Update	6	•	vol 8, DIC KSS
Notification of Approval	6		vols 8/9, DIC KNA
Notification of Return (Submitter)	6		vols 8/9, DIC KRE
Notification of Unprocessable Package (Submitter)	6		vol 8, DIC KRU
Processing Malfunction	6		vol 8, DIC KPM

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
Pseudo Codes	6		vol 10, table 110
Service/Agency Update Criteria	6		
Tables	6		vol 10, tables 103,114
Transactions Effecting Update	6		
Types of Update	6		
Update Distribution (DAAS)	6		
Updates Under Emergency Conditions	.4		
SOURCE OF SUPPLY MODIFIER CODES			vol 10, table 59
SPECIAL HANDLING CODES			vol 10, table 83
SPECIAL MATERIAL IDENTIFICATION CODES, NAVY			vol 10, table 60
SPECIAL MATERIAL CONTENT CODES			vol 10, table 102
SPECIAL PROCEDURES FOR INTEGRATED	2		•
MANAGEMENT FEDERAL SUPPLY CLASSES			
SPECIAL PACKAGING REQUIREMENT			vol 10, table 140
SPECIAL PROCESSING AT DLSC			
Notification of Impact to Services/Agencies	2		
SPECIAL PROCESSING INDICATOR CODES, TYPE			vol 10, table 125
OF			
SPECIFICATION/STANDARD REFERENCE	2		
NUMBERS			
STANDARD FSC TABLE	1.3.11.d,13	1.3-19	13-2-A
STANDARD INTERFACE TEST CAPABILITY - See		•	
Standard Test Data Base			
STANDARD MRC DATA FOR FIIG ITEMS	4		
STANDARD REPLY CODES FOR FIIG ITEMS	3		
STANDARD TEST DATA BASE (STDB)			
Description	1.7.2.a	1.7-1	
Interface Testing Conditions	1.7.2.h	1.7-2	
Participants	1. 7.2. b	1.7-1	
Procedures	1.7.7	1.7-4	
Maintenance	1.7.2.c	1.7-1	
	1.7.5.a	1.7-2	
Maintenance Periods/Cycles	1.7.2.d,h	1.7-1,	
		1.7-2	
•	1.7.4	1.7-2	
•	1.7.5.a	1.7-2	
		•	

CH 3 DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
Output (Revised STDB)	1.7.6.b	1.7-3	vols 8/9, DIC KIR
Participation, Procedures for	1.7.3 1.7.5.f	1.7-2 1.7-3	
Preparation of Input Data Effective Dated Transactions FLIS Data Base, Changes to	1.7.5.b 1.7.5.d,e 1.7.2.f	1.7-2 1.7-3 1.7-1	
Transmittal Input Data	1.7.5.c	1.7-3	vol 10, table 10
Output Data STANDARDIZATION	1.7.6 1.3.3.f(3)	1.7-3 1.3-6	vol 10, table 10
Add Standardization Relationship	4,6		vols 8/9, DICs LAS,KAS
Cancel PSCN to an NSN/PSCN	6		vols 8/9, DIC KKP
Change Standardization Decision Data in a Standard- ization Relationship	4		vols 8/9, DICs LCS, KCS
Permissible ISC Changes Change Standardization Decision Data Not in a Standardization Relationship	6		vols 8/9, DICs LCZ, KCZ
Delete Standardization Relationship	4,6		vols 8/9, DICs LDS,KDS
Generic Relationship National Stock Number	6 6		,
Cancelled NSNs	6		
Cancellation of Replacement NSN New NSN Assignments	6 6		
Reinstatement of Cancelled NSN NSN/PSCN Replacement for NSN Outputs	6		
Add Standardization Relationship	4,6		vols 8/9, DIC KAS
Cancel PSCN to an NSN/PSCN	6		vols 8/9, DIC KKP
Change Standardization Decision Data in a Standardization Relationship	4,6		vols 8/9, DIC KCS
Change Standardization Decision Data Not in a Standardization Relationship	6		vols 8/9, DIC KCZ

TITLE	VOLUME	PAGE	OTHER REFERENCES
Delete Standardization Relationship	4		vols 8/9, DIC KDS
Notification of Approval	6		vols 8/9, DIC KNA
Notification of Return (Submitter)	6		vols 8/9, DIC KRE
Permanent System Control Number	6		
Change PSCN to NIIN	4		vols 8/9, DIC LCP
PSCN/NSN Superseding PSCN	6		
Request for PSCN Assignment	6		vols 8/9, DIC LNP
Relationship Preferred Item Data	5		vols 8/9, DIC KMT
STANDARDIZED DIC INPUT/OUTPUT NOTES STATISTICAL INDICATOR CODES (SCREENING/ SEARCH)	8,9		vol 10, table 37
STATISTICS - See Reports and Report Titles			
STATISTICS (REPORTS GENERATOR OUTPUT)	1.3.14.d,5	1.3- 24	
STATUS CODE, ORGANIZATIONAL ENTITY	7	_,,	vol 10, table 19
STOCK FUND - See Annual DoD Stock Fund Price			
Change Procedure			
SUBMITTALS - EAM CARDS, MAGNETIC TAPE, OCR INPUT, FLIS PROBLEM REPORT (DD FORM 2029)	2		
SUBMITTED NIIN/PSCN SECURITY CLASSIFIED (ORIGINATOR ONLY)	4	٠	vols 8/9, DIC KSE
SUBORDINATE REQUIREMENTS	3		ROD
SUBSTITUTION CRITERIA (FIIG)	3		
SUPPLY MANAGEMENT OVERVIEW -			
Also see appropriate functional area	1.3.3.f(2),(7)	1.3-6,	
	6	1.3-8	
SUPPLY SUPPORT REQUEST (SSR)	2,6,13		
SURCHARGE PROCESSING	6	•	
SUSPENDED ITEMS			
Resubmittal to Correct Error	4		vols 8/9, DIC LRN
Total Replacement	4		vols 8/9, DIC LRT

TITLE	VOLUME	PAGE	OTHER REFERENCES
SUSPENSE FILES Interrogation of Master Error Suspense File SYSTEM ADVISORY NOTICE (SAN) - See FLIS Change Procedures	1.3.6	1.3-14	
SYSTEM CHANGE REQUEST (SCR) - See FLIS Change Procedures SYSTEM ERRORS	1.3.8.b	1.3-15	
T			
TABLES			
Data Code Tables DRN to Table Number Cross Reference	10	·	vol 10, sect 10.3.2
MOE Rule Tables Participating Activity Code (PAC) Table	13 1.3.3.c(2)	1.3-4	13-6-B
Provisioning Screening Master Address Table Segment/DIC Output Drop Table	5,7 1.3.3.c(1)	1.3-4	vol 10, table 23 vol 10, table
Service/Agency-Controlled Tables Standard Federal Supply Class Table Title to Table Number Cross Reference	1.4.2.f 13	1.4-2	104, part 3 1-4-B 13-2-A vol 10, sect 10.3.1
TAILORED DATA CHAIN INTERROGATIONS TECHNICAL AND MANAGEMENT DATA FOR FIIG ITEMS	3		vol 10, table 171 3-3-A, part 7
TECHNICAL DATA SUPPORT CODE COMPUTATION			vol 10, table 14
TECHNICAL DATA TABLES (FIIG APPENDIX C)	3		3-3-A, parts 15-17
TECHNICAL DEFINITIONS, USE OF STANDARD TELECOMMUNICATIONS PROCEDURE FOR AUTODIN TRANSMISSION	3 2		
TRADEMARK TRAINING QUALITY NUCLEAR ORDNANCE ITEMS	3 4		
TRANSFER OF A FEDERAL ITEM IDENTIFICA- TION	4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Descriptive to Reference Method	4		
International Cataloging Considerations	4		
Reference to Descriptive Method	4		
TRANSMITTAL OF			
Basic OE File on Magnetic Tape	7		
Catalog Data to DLSC by Mail	2		fig 2.3.2-b
Data Under Emergency Conditions	4		
Data by Electronic Data Transmission	2		
Excessively Large Volumes of Transactions	. 2		
Letters/Forms for OE Maintenance	7		
Magnetic Tape by Mail	2		
OCR Documents	2		
OE Data by Electronic Data Transmission	7		
OE Data by other than Electronic Data	7		
Transmission			
TRANSPORTATION - See Freight Classification Data			
TYPE OF ADDRESS CODES			vol 10, table 29
TYPE OF FINANCIAL MANAGEMENT CONTROL			vol 10, table 142
TYPE OF ITEM IDENTIFICATION	4		vol 10, table 2
Assigned under Emergency Conditions	4		
Change Type with FSC and/or Item Name	4	•	
TYPE OF SCREENING CODE	5		vol 10, table 33
TYPES OF ITEM IDENTIFICATION, IMSS-6	14		14-4-A
U			
-	3		
UNIQUE REPLY FOR FIIG REQUIREMENT			
UNIT OF ISSUE CHANGE	6	•	vols 8/9 DICs
			LCD, LCM,
			LTI, KIF
UNIT OF ISSUE CODES			vol 10, table 53
UNIT OF ISSUE CONVERSION FACTORS			vol 10, table 79
UNIT OF MEASUREMENT DESIGNATIONS			vol 10, table 81
UNIT PRICE AND ACQUISITION ADVICE CODES			vol 10, table 97
UNPROCESSABLE TRANSACTIONS	1.3.7	1.3-14	vols 8/9, DIC
		•	KRU
USING SERVICE CODES			vol 10, table 39

	TITLE	VOLUME	PAGE	OTHER REFERENCES
	V			1.10 . 11 . 46
	VALID ITEM MANAGEMENT CLASSIFICATION AGENCY ACTIVITY CODES			vol 10, table 46
	VALID REFERENCE NUMBER COMBINATIONS			vol 10, table 8
	FOR ITEM-OF-SUPPLY CONCEPT VALIDATION			vol 10, table 70
	CRITERIA - PROCUREMENT METHOD			
	CODE/PROCUREMENT METHOD SUFFIX CODE	2		
	VALUE-FOR-VALUE MATCHING	3		1 0 -1 4
	VARIABLE LENGTH SEGMENT PARAMETERS VERIFICATION OF MANUFACTURERS'	4		vol 9, chap 4 4-3-A
	REFERENCE NUMBERS	4		4-3-A
	Review by Manufacturer (GIRDER)	4		
)	w			
		4		
	WAR-RESERVE QUALITY NUCLEAR ORDNANCE			
	ITEMS WHOLESALE-RETAIL GRID FOR SUPPLY MANAGEMENT RESPONSIBILITY	13	•	13-6-A

VOLUME	TITLE
A . 1	General and Administrative Information
2	Multiple Application Procedures
3	Development and Maintenance of Item Logistics Data Tools
4	Item Identification
5	Data Bank Interrogations/Search
6	Supply Management
7	Establish/Maintenance of Organizational Entity and Provisioning Screening Master Address Table
8	Document Identifier Code Input/Output Formats (Fixed Length)
9	Document Identifier Code Input/Output (I/O) Formats (Variable Length)
10	Multiple Application References/Instructions/Tables and Grids
	Edit/Validation Criteria
12	Data Element Dictionary
13	Materiel Management Decision Rule Tables
14	Reports and Statistics
15	Publications
16	Logistics On-Line Access (LOLA)
17	Reserved
18	Automated Mailing Labels System (AMLS)

Above volumes are available as a complete set or on an individual basis.



DEFENSE LOGISTICS AGENCY DEFENSE LOGISTICS SERVICES CENTER 74 WASHINGTON AVE N BATTLE CREEK MI 49017-3084

DoD 4100.39-M Volume 1

DLSC-VPH

1 April 1996

FOREWORD

Congress enacted Public Law 436 in 1952 to provide for an economical, efficient and effective supply management organization within the Department of Defense through the establishment of a single cataloging system. The law further states that "a single item identification will be utilized for each item repetitively used, purchased, stocked or distributed, for all functions of supply from original purchase to final disposal." Implementation of this portion of the statutory requirements within the Department of Defense, in coordination with the General Services Administration, provide the foundation of the Federal Cataloging System and the Defense Integrated Data System which have evolved into the Federal Logistics Information System (FLIS).

The Department of Defense assigned to the Defense Logistics Agency the responsibility for management and administration of the operations of the FLIS. The operating policies and procedures contained in this manual covering the maintenance of a uniform catalog system have evolved through the joint efforts of the Military Services and the Defense Logistics Agency in coordination with the General Services Administration and are issued under the authority of Chapter 145, Title 10, United States Code, and Section 487, Title 40, United States Code. This manual implements DoD Directive 4140.1, Materiel Management Policy, 4 January 1993. The policies, instructions and procedures contained in this manual are mandatory for use by all participants in the FLIS.

This is one of the volumes (see backside of cover for listing) which comprise the FLIS Procedures Manual. The FLIS policy statements contained in this Volume are published under the authority of Department of Defense Directive 4140.1, Materiel Management Policy.

Volume 2 contains information and procedural guidance for several system features that are used throughout the FLIS and are not limited to any one logistics area.

Volume 3 contains technical and administrative information concerning submittal of data for inclusion in the item naming and classification systems and maintenance of cataloging guidance for input and processing of Item Identification transactions.

Volume 4 contains procedural guidance for the entry and maintenance of an item in the Federal Catalog System, including item classification and reference number review criteria.

Volume 5 provides technical and administrative information for the use of several general and special purpose data extraction features that make item and system data available in various formats.

Volume 6 contains procedures for the submittal and use of data required for inventory control and supply support of items entered into the Federal Catalog System through the Item Identification processes.

Volume 7 contains procedures for collecting administrative data from commercial and Government entities for use in the reference number and Provisioning Screening processes in support of the Item Identification and Supply Management functions.

This document supersedes Volume 1, DoD 4100.39-M, October 1994 and changes 1 thru 4.

Volumes 8 and 9 provide element-by-element representations of selected Item Identification, Interrogation/Search, Supply Management, Organizational Entity, Provisioning Screening, and Materiel Management Decision Rule Table segments and input/output transactions.

The data code tables and cross-references contained in volume 10 aid in the preparation of input and analysis of output for all FLIS logistics areas.

Volume 11 lists criteria for the acceptance and processing of transactions by DLSC.

Volume 12 identifies and describes all item-of-supply and management data elements, terms, and acronyms in the FLIS that have been assigned a Data Record Number (DRN). With the exception of the supplementary dictionary pages/partial pages containing the data elements identified by Data Record Numbers (DRNs) 1253-1257, 1282-1287, 1687-1696, 1702-1725, 2631-2634, 2636-2639, 2641-2644, 5100-5728, 5616, 5849-5867, 5869-5933, 5970-5999, 6174-6208, 6291-6458, 7171, 7807, 7869, 8180-8191, 8208-8228.

Volume 13 lists Federal Supply Classification assignments, rules reflecting Item Identification and Supply Management responsibilities and inter-relationships, and criteria for the control and dissemination of such data.

Volume 14 contains technical and administrative information and sample pages for selected statistical summaries of system operation and conditions in the areas of Item Identification, Supply Management, Organizational Entity, Provisioning Screening, Transaction Processing (DICs), and Materiel Management Decision Rules.

Volume 15 contains technical and administrative information, sample pages, and examples of usage for Classification, Item Identification, Supply Management, and Organizational Entity publications, which reflect the content of the FLIS data base.

Volume 16 is a user's guide to accessing the data base through input/output devices available at participating activities. It currently contains information for Search/Interrogation and will be updated as remote capability is implemented for other FLIS functions.

Volume 17, reserved.

Volume 18 contains information on the Automated Mailing Labels Systems (AMLS).

All interface actions between the Defense Logistics Services Center (DLSC) and the Military Services/Agencies will be submitted in accordance with the procedures contained in chapter 1.4.

Changes to this volume will be provided through FLIS Advance Change Notices (ACNs) and/or quarterly numbered changes in accordance with section 1.1.4.

This volume except the FLIS policy statements is prepared and maintained by the Defense Logistics Services Center, Federal Center, Battle Creek, Michigan 49017-3084. Responsible program manager directorates for all narrative are listed in the Table of Contents for Total Manual; program manager directorates for tables are listed in volume 10, section 10.3.1. When a point of contact cannot be determined, technical questions may be directed to the DLSC Customer Service Office in accordance with chapter 1.6, or administrative comments and inquiries may be directed to DLSC-VPH.

Recommendations for additions, deletions and corrections to the FLIS policy statements contained in Volume 1 should be addressed to Director, Defense Logistics Agency, ATTN: MMSLP, Room 4240, 8725 John J. Kingman Road, Suite 2533, Fort Belvoir, VA 22060-6221.

Any request for deviations or exceptions to the policies of this manual will be submitted to HQ DLA, ATTN: MMSLP, via Military Service/Agency Headquarters, Cataloging Offices.

The Federal Catalog System Policy Manual, DoD 4130.2-M, is cancelled and superseded by this manual. Service/Agency distribution is handled through established channels; Defense Logistics Agency publication supply officers may direct inquiries concerning requirements for and/or receipt of volumes and changes to DLSC-VPH.

Content changes appearing in this volume are entered in **bold-face italic** type. Deletions will be mentioned in the Foreword/quarterly change sheet or indicated by italic type in the remaining context, if possible. The major change to this volume is the deletion of the System Management Release (SMR) Process. System updates are now done on a weekly basis eliminating the need for the SMR process.

BY ORDER OF THE DIRECTOR

RANDALL B. HAGLUND

Colonel, USMC Commander

Defense Logistics Services Center

DISTRIBUTION: Defense Logistics Agency: 41, 12

Army: To be distributed in accordance with Special Distribution List.

Navy: To be distributed in accordance with Special Distribution List maintained at NPFC.

Stocked: Commanding Officer
Naval Publications and Forms Center
5801 Tabor Avenue
Philadelphia PA 10120

Philadelphia, PA 19120

Air Force: Distribution "X"

GENERAL AND ADMINISTRATIVE INFORMATION TABLE OF CONTENTS

Volume/ Chapter/ Section	Title	Page/Appendi
1.1	INTRODUCTION TO FLIS	
1.1.1	Scope	1.1-1
1.1.2	FLIS Objectives	1.1-1
1.1.3	Frequency and Media of Changes	1.1-2
1.1.4	Numbering System	1.1-4
1.2	RESPONSIBILITIES	
1.2.1	General	1.2-1
1.2.2	Defense Logistics Agency	1.2-1
1.2.3	DoD/Federal Functional Manager	1.2-2
1.2.4	Military Services/DoD and Civil Agencies	1.2-2
1.3	FLIS CONCEPT AND PRINCIPLES	
1.3.1	DIC Concept and Principles	1.3-1
1.3.2	Provisioning and Other Preprocurement Screening	1.3-3
1.3.3	Types of Output Distribution	1.3-3
1.3.4	Record Formats	1.3-10
1.3.5	Sequence of Processing	1.3-13
1.3.6	Suspense Files	1.3-14
1.3.7	Unprocessable Transactions	1.3-14
1.3.8	Error Processing	1.3-15
1.3.9	Processing Malfunction	1.3-15
1.3.10	Segment Z Availability	1.3-15
1.3.11	System Support Record (SSR) Processes	1.3-17
1.3.12	Mass Change Processing	1.3-22
1.3.13	Mass Data Retrieval	1.3-24
1.3.14	Reports Generator	1.3-25
1.3.15	Simplified File Maintenance	1.3-25
1.3.16	Record Establishment and Maintenance Actions	1.3-25
1.3.17	Emergency Cataloging Support	1.3-26
1.3.18	Automated Design Guidance	1.3-26
1.4	FLIS CHANGE PROCEDURES	
1.4.1	General	1.4-1
1.4.2	Changes of Procedural Matter	1.4-1
143	Preparation and Processing SCRs	1 4-2

Chapter/ Section	Title	Page/Appendix
1.4.4	Status Reports	1.4-5
	Service/Agency Contact Points	1-4-A
	Service/Agency-Controlled Tables	1-4-B
	Guidance for Preparing DD Forms 2021 and 2021-1	1-4-C
	Activities to Receive Information Copies of SCRs, SANs, and SMRs	1-4-D
	FLIS Functional Managers	1-4-E
	Quarterly Change Publication Schedules	1-4-F
	NATO Activities to Receive Information Copies of SCRs, SANs, and SMRs	1-4-G
1.5	REIMBURSEMENT PROCEDURES	
1.5.1	Policy	1.5-1
1.5.2	Services	1.5-1
1.6	CUSTOMER SERVICE OFFICE	
1.6.1	General	1.6-1
1.6.2	Procedure for Inquiries	1.6-1
1.6.3	Limitations	1.6-1
1.7	STANDARD INTERFACE TEST CAPABILITY	
1.7.1	Purpose and Scope	1.7-1
1.7.2	Concepts and Principles	1.7-1
1.7.3	Procedures for STDB Participants	1.7-2
1.7.4	Maintenance of the STDB	1.7-2
1.7.5	Preparation and Transmittal of Input Data for STDB Maintenance	1.7-2
1.7.6	Transmittal of Output Data and STDB	1.7-3
1.7.7	Requirements for Interface Testing	1.7-4
1.7.8	Procedures for Requesting a Full Scale Interface Test	1.7-4
1.7.9	Procedures for Requesting a Mini Interface Test	1.7-4
1.7.10	Reporting of Interface Test Effectiveness	1.7-5
1.7.11	Interface Test Coordinators	1.7-5
1.8	ALPHABETIC INDEX FOR TOTAL MANUAL	1.8-1

CONTENTS FOR TOTAL MANUAL WITH RESPONSIBLE ORGANIZATIONS

Volume/ Chapter	Title	Responsibility (DLSC-)
1	GENERAL AND ADMINISTRATIVE INFORMATION	
1.1	Introduction to FLIS	V
1.2	Responsibilities	V
1.3	FLIS Concept and Principles	V,S
1.4	FLIS Change Procedures	V
1.5	Reimbursement Procedures	V
1.6	Customer Service Office	V
1.7	Standard Interface Test Capability	В
1.8	Alphabetic Index for Total Manual	V
2	MULTIPLE APPLICATION PROCEDURES	
2.1	Special Operating Procedures for FSC Classes Assigned for Integrated Management	S
2.2	Collaboration/Data Exchange Procedures Prior to Submittal to DLSC	S
2.3	Transmittal of Data to and from DLSC	S,V
2.4	Processing of Security Classified Catalog Data	S
2.5	Follow-Up Actions	S
2.6	FLIS Problem Reporting	В
2.7	Quality Review of Cataloging Data	S
2.8	Effective Date Processing	S
2.9	Formatting of Reference Numbers	S
2.10	Simplified File Maintenance	S
2.11	Quality Assurance of DAAS SoS and FLIS TBJ Records	S
2.12	Alphabetic Index	V
3	DEVELOPMENT AND MAINTENANCE OF ITEM LOGISTICS DATA TOOLS	
3.1	Item Logistics Data Tools	S
3.2	Item Names	S
3.3	Federal Item Identification Guides	S
3.4	The Federal Supply Classification System	S
3.5	Department of Defense Ammunition Codes	S
3.6	Alphahetic Index	V

Volume/ Chapter	Title	Responsibility (DLSC-)
4	ITEM IDENTIFICATION	
4.1	General	· ·
4.1		S
4.2	Federal Supply Classification (FSC) Verification of Manufacturers' Reference Numbers	S
4.3	Used in the Federal Catalog System	S
4.4	Proposed Federal Item Identification for the Assignment	S
	of a NIIN or Permanent System Control Number	
4.5	Preparation of a Proposed Descriptive Method	S
	Item Identification	-
4.6	Change PSCN to NIIN	S
4.7	Multiple DIC Input (LMD)	S
4.8	Revision of Federal Item Identifications (FIIs)	S
4.9	Transfer of a Federal Item Identification (FII)	S
4.10	Cancellation of a Federal Item Identification (FII)	S
4.11	Reinstatement of a Cancelled Federal Item Identification (FII)	S
4.12	International Cataloging	S
4.13	Processing of Nuclear Ordnance Items and Other	S
4.14	Sensitive or Security Classified Item Outputs Generated from Processing Item Identification Data	S
4.15	Request for NSN Under Emergency Conditions	S
4.16	Government/Industry Reference Data Edit and	S
1.10	Review GIRDER Program	3
4.17	Request for Change to NIIN/PSCN Status Code	S
4.18	Alphabetic Index	v
	inpluoette iliuex	•
5	DATA BANK INTERROGATIONS/SEARCH	
5.1	General	V,S
5.2	Search by Reference Number or NIIN	V,S
5.3	Tailored Interrogation, FLIS Data Base	V,S
5.4	Tailored Interrogation, SSR	S
5.5	Mass Data Retrieval, FLIS Data Base	V
5.6	Mass Data Retrieval, SSR	V
5.7	MRC Summary	S
5.8	FIIG Functional/Operational Index Outputs	$\cdot \mathbf{V}$
5.9	Output from Reports Generator	V
5.10	Extract and Edit Coded Item Characteristics Data by NSN	S

Volume/ Chapter	Title	Responsibility (DLSC-)
5.11	Alphabetic Index	V
6	SUPPLY MANAGEMENT	
6.1	General	S
6.2	Add, Reinstate, Change, or Delete Catalog Management Data	S
6.3	Add, Change, or Delete MOE Rule and Related Data	S
6.4	Freight Data	S
6.5	Add, Change, or Delete Standardization Data	S
6.6	Add, Change, or Delete DoD Interchangeability and Substitutability (I&S) Family Data	S
6.7	Source of Supply	S
6.8	Item Management Coding Data	S
6.9	Annual DoD Stock Fund Price Change Procedures	S S
6.10	Packaging Data	S
6.11	Alphabetic Index	V
7	ESTABLISH/MAINTENANCE OF ORGANIZATIONAL ENTITY AND PROVISIONING SCREENING MASTER ADDRESS TABLE	
7.1	Establishment/Maintenance, O.E. Master File (CAGE/NSCM)	S
7.2	Establishment/Maintenance of Provisioning Screening Master Address Table (PSMAT)	S
7.3	Alphabetic Index	V
8	DOCUMENT IDENTIFIER CODE (DIC) INPUT/OUTPUT (I/O) FORMATS (FIXED LENGTH)	
8.1	Input DIC Formats	V,S
8.2	Output DIC Formats	V,S
8.3	Segment Formats	V,S
8.4	Standardized DIC Input/Output Notes	V,S
8.5	Alphabetic Index of DIC Titles	V
9	DOCUMENT IDENTIFIER CODE (DIC) INPUT/OUTPUT (I/O) FORMATS (VARIABLE LENGTH)	
9.1	Input DIC Formats	V,S

Volume/ Chapter	Title	Responsibility (DLSC-)
9.2	Output DIC Formats	V,S
9.3	Segment Formats	V,S
9.4	Variable Length Segment Parameters	V,S
9.5	Standardized DIC Input/Output Notes	V,S
9.6	Alphabetic Index of DIC Titles	V
10	MULTIPLE APPLICATION REFERENCES/ INSTRUCTIONS/TABLES AND GRIDS	
10.1	Reserved for Future Use	
10.2	Return Action Codes	E,S
10.3	Various Cross Reference/Grids	E,S
10.4	Data Code Tables	E,S
11	EDIT/VALIDATION CRITERIA	
11.1	Exception Criteria and Unique Edits for Fixed Formats	V,S
11.2	Input Header	V,S
11.3	DICs (in alphabetic sequence)	V,S
11.4	Segments (in alphanumeric sequence)	V,S
12	DATA ELEMENT DICTIONARY AND GLOSSARY OF TERMS/ACRONYMS	
12.1	Group Table Index	E
12.2	Group Table Name to DB2 Element Name Cross Reference	Е
12.3	Usage - Host/Cobol Name to Group Table No.	V
12.4	DRN Definitions, Custodian ID, and Other Reference Data	V
12.5	Clear Text Host/Cobol Name to DRN Cross Reference	
12.6	DRN to Table Group No. Cross Reference	
13	MATERIEL MANAGEMENT DECISION RULE TABLES	
13.1	Introduction	S
13.2	Standard Federal Supply Classification (FSC) Table	S
13.3	Registration of Activity Interest for Level of Authority Codes 01 and 02 by Integrated Materiel Managers (IMMs)	S
13.4	Registration of Activity Interest by Service Integrated Materiel Managers (IMMs)	S

Volume/ Chapter	Title	Responsibility (DLSC-)
13.5	MOE Rule Development for NATO and Other Foreign Countries	S
13.6	Major Organizational Entity (MOE) Rules	S
14	REPORTS AND STATISTICS	
14.1	General Information	S
14.2	Logistics	S
14.3	Logistics On-Line Access (LOLA)	S
14.4	Military Engineering Data Asset Locator System (MEDALS)	S
14.5	Transactions	S
14.6	Ad Hoc Statistical Data	S
14.7	Users Instructions-Introduction	S
14.8	Logistics Statistics Subsystem Processing Reference Guide	S
14.9	Transaction Management Subsystem	S
14.10	Logistics On-Line Access Statistics Subsystem Processing Reference Guide	S
Appendix A	Glossary of Terms and Abbreviations	S
Appendix B	Screen Layouts	S
Appendix C	Error Messages and Recoveries	S
Appendix D	Valid Departments and Class A Managers	S
15	PUBLICATIONS	
15.1	Introduction	V
15.2	DoD Ammunition Catalog (AMMO)	V
15.3	National Stock Number Demilitarization Code (DEMIL)	V
15.4	Federal Logistics Data on Compact Disc (FED LOG)	V
15.5	Federal Logistics Data Record (FILDR)	V
15.6	Cataloging Handbook Groups and Classes (H2)	V
15.7	H2/H6 Advance Notice	V
15.8	Federal Item Name Directory for Supply Cataloging H6 - Hardcopy	V
15.9	H-5 Series (H2, H3, H4/H8, H5, H6)	V
15.10	DoD Interchangeability and Substitutability (I&S)	V
15.11	Master Cross Reference Data (MCRD)	V
15.12	Management Data (MD)	V

Volume/ Chapter	Title	Responsibility (DLSC-)
15.13	Military Engineering Data Asset Locator System (MEDALS)	V
15.14	DoD Medical Catalog (MEDCAT)	V
15.15	DoD Medical Catalog - X (MED CAT-X)	V
15.16	Tailored Information Products	V
15.17	Examples of Publications Use	V
16	LOGISTICS REMOTE USERS NETWORK	V
16.1	General	V
16.2	System Summary	V
16.3	Access to the System	V
16.4	Inquiry Subsystem Processing Reference Guide	V
16.5	Characteristics Search Subsystem Processing Reference Guide	V
16.6	FSG/FSC Functional Processing Reference Guide	V
16.7	LOLA On-Line Update Processing Reference Guide	V
16.8	Freight Search Subsystem Processing Reference Guide	V
16.9	MOE Rule Search Subsystem Processing Reference Guide	V
16.10	LOLA Procedures Subsystem Processing Reference Guide	V
Appendix A	Glossary of Terms and Abbreviations	V
Appendix B	Screen Layouts	V
Appendix C	Error Messages and Recovery Procedures	V
Appendix D	Stop Word List	V
17	RESERVED	
18	AUTOMATED MAILING LABELS SYSTEMS (AMLS)	V
18.1	General	V
18.2	System Summary	V
18.3	Access to the System	V
18.4	Inquiry Subsystem Processing Reference Guide	V
18.5	Update Address and Distribution Subsystem Processing Reference Guide	V
18.6	Label Request Subsystem Processing Reference Guide	V
18.7	Report Request Subsystem Processing Reference Guide	V
18.8	AMLS DLSC Program Management Subsystem Processing Reference Guide	V

Volume/ Chapter	Title	Responsibility (DLSC-)
18.9	Batch Processing Subsystem Processing Reference Guide	V

GLOSSARY PART I - ACRONYMS

		Volume(s)			Volume(s)
AAC	Acquisition Advice Code	6,14,15	APSN	Association Package Sequence Number	
ACN	Advance Change Notice, FLIS	1,2	AQL	Acceptable Quality Level	2,14
ADC	Air Dimension Code	15	AR	Army Regulation	2,6,13
ADP	Automatic Data Processing	1,3,4,7	ARC	Accounting Requirements Code	15
ADPEC	Automatic Data Processing Equipment Identification Code	6,15	ASCII	American National Standard Code for Information Inter-	2
ADPP	Automatic Data Pro-	15	ASD	change	
A DDC	cessing Point Automatic Data Pro-	1	ASD	Assistant Secretary of Defense	
ADPS	cessing System		ASPR	Armed Services Procurement Regulation	7
AEDA	Ammunition, Explosive, and other Dangerous Articles	10	CAGE	Commercial and Government Entity Code	1,2,4,5, 6,7,14,15
AFFC	Air Force Fund Code		CAC		1.5
AFLC	Air Force Logistics Command	6,13	CAC CAO	Civil Agency Catalog Contract Administra-	1,15
AFM	Air Force Manual	6,13		tion Office	_
AIN	Approved Item Name		CIT	Consumable Item Transfer	6
AINRP	Approved Item Name Reclassification Pro-	6	СВ	Change Bulletin	15
	gram	<i>(</i> 1 1	CCAL	Certified Contractor Access List	15
AMC	Acquisition Method Code	6,14	CDA	Catalog Data Activity	6
AMSC	Acquisition Method Suffix Code	6,14	CIC	Card Identification Code,	4,6,14
ANSI	American National Standards Institute, Inc.	2,3,7		Item Management Coding	2
				Content Indicator Code	2

		Volume(s)			Volume(s)
	Continuation Indicator Code		DGSC	Defense General Supply Center	2,14
CIMM	Commodity Integrated Materiel Manager	1, 2, 5, 6,13,14	DHCO	Departmental Head- quarters Catalog Office	2,14
CMD	Catalog Management Data	1,2,4,5, 6,7,14,15	DIA	Defense Intelligence Agency	13
COM-RI	Communications Routing Identifier	2, 6	DIC	Document Identifier Code	1,2,4,6,7, 13,14,15
CSS	Cataloging Statistical Series	2,14	DIPEC	Defense Industrial Plant Equipment	1,2,6,7,13
DA	Description Available	15		Center	
DAAS	Defense Automatic Addressing System	1,2,6	DISC	Defense Industrial Supply Center	2,14
DAASO	Defense Automatic Addressing System	1,2,4, 5,6,14	DLA	Defense Logistics Agency	1,2,4,5,6, 13,14,15
	Office		DLAH	Defense Logistics	
DAC	Document Availability Code	4	DLAR	Agency Handbook Defense Logistics	6,13
DCN	Document Control	1,4		Agency Regulation	
	Number		DLSC	Defense Logistics	All
DCSC	Defense Construction	2,14		Services Center	0.14
D 0031	Supply Center		DM	Descriptive Method (Item Identification)	2,14
DCSN	Document Control Serial Number	6	DNA	Defense Nuclear	2, 4, 6, 13,
DD Form	Department of De-	1,2,3,	~	Agency	14
	fense Form	4,5,7,15	DNACA	Defense Nuclear	4
DEMIL	Demilitarization	4,15		Agency Cataloging Activity	
DESC	Defense Electronics Supply Center	2,14	DoD	Department of Defense	All
DFSC	Defense Fuel Supply Center	2,14	DoDAAC	Department of Defense Activity Address Code	

		Volume(s)			Volume(s)
DoDAAD	Department of Defense Activity Ad-		ELRN	Extra Long Reference Number	2,3,4
	dress Dictionary		EOJ	End of Job	
DoDAC	Department of Defense Ammunition	3	EOT	End of Transmission	2
DoDD	Code Department of De-	1	ERRC	Expendability, Recoverability- Reparability Code	
	fense Directive		ESDC	•	0 0 10 15
DoDI	Department of Defense Instruction	6,14	ESDC	Electrostatic Dis- charge Codes	8,9,10,15
DOE	Department of En-	2,4	FAA	Federal Aviation Administration	1,2,4,6,13
DDMC	ergy Defense Reutilization	1 15	FC	Foreign Countries	2,4,6
DKMS	DRMS Defense Reutilization and Marketing Service	1,15	FD	Functional Description	1
DPSC	Defense Personnel Support Center	2,13,14	FDM	Full Descriptive Method (Item Identification)	2
DRIS	Defense Retail Inter- service Support		FED LOG	Federal Logistics	17
DRN	Data Record Number	1,2,4, 5,6,7,13		Data on Compact Disc	
DSC	Defense Supply Cen-	1,2,4,6	FG	Foreign Government	4
	ter Defense Switched		FII	Federal Item Identifi- cation	2,4,6
DSN	Network (formerly: AUTOVON, Auto-	1,2,3,4,5	FIIG	Federal Item Identifi- cation Guide	1,2,3,4, 5,7,14,15
DOOD	matic Voice Network)		FIND	Federal Item Name Directory	4,15
DSOR	Depot Source of Repair	6	FLIS	Federal Logistics In-	All
EAM	Electronic Account-	1,2,4,		formation System	
	ing Machine	6,7,13	FLIS Data	Federal Logistics Information System Data Base	1, 2, 3, 4, 5, 6, 7, 13,
ED	Effective Date	2,0,12	Base		3, 6, 7, 13, 14
ELCD	Extra Long Characteristic Description	2,3,4			

		Volume(s)			Volume(s)
FMS	Foreign Military Sales	2,13	IIM	Item Intelligence Maintenance	2
FMSN	File Maintenance Sequence Number	2,4,6	ILDT	Item Logistics Data Transmittal	4
FMSO	Fleet Material Sup- port Office	6,13	IMC	Item Management Coding	1,2,6,13,14
FRD	Formerly Restricted Data	4	IMCA	Item Management Classification	2,6
FSC	Federal Supply Classification	1,2,3,4, 5,6,13, 14,15		Activity Item Management Coding Activity	13,14
FSG	Federal Supply Group	1,5,6, 13,14,15	IMM	Integrated Materiel Manager	1,2,4, 6,13,14
GIM	Gaining Inventory Manager	2,6	IMMC	Integrated Materiel Management Com- mittee	6
GIMM	Gaining Inventory Materiel Manager	2,6	IMSS	Item Management Statistical Series	6,14
GIRDER	Government/Industry Reference Data Edit and Review	4	INC	Item Name Code	1,3,4, 5,6,14,15
GSA	General Services Administration	1, 2, 3, 4, 6,7,13,14	IOS	International Organization for Standardization	6
HMC	Hazardous Materiel Code	15	IRRC	Issue, Repair and/or Requisitioning Re-	
HMIC	Hazardous Material Indicator Code	8,9,10,15		striction Code	
I&S	Interchangeability	1,5,6,14	ISAC	Identified Secondary Address Coding	
ICP	and Substitutability Inventory Control	6,13,14	ISC	Item Standardization Code	4,5,6,15
п	Point Item Identification	1,2,3,4, 5,6,13	JAIEG	Joint Atomic Information Exchange Group	4
			JAN	Joint Army-Navy	2

		Volume(s)			Volume(s)
JANAP	Joint Army-Navy-Air Force Publication	2,7	MIC	Material Identification Code	8,9,10
LCL	Less Than Carload Rating Code	15	MIL-RI	Military Routing Identifier	6
LIM	Losing Inventory Manager	6	MILSCAP	Military Standard Contract Administra-	1,7,15
LMF	Language Media Format	2	MILSPEC	tion Procedure Military Specification	3
LOA	Level of Authority	2,6,13,14	MILSTAAD	Military Standard	
LR	Logistics Reassign- ment	4,6		Activity Address Directory	
LS	Lead Service	6	MILSTAMP	Military Standard	6
LTL	Less Than Truckload	15		Transportation and Movement Procedure	
	Rating Code		MILSTD	Military Standard	2,3,4,7
MAC	Maintenance Action Code	6	MILSTICCS	Military Standard Item Characteristics	3,15
MC	Marine Corps	1,2		Code Structures	
MCC	Materiel Category Code Materiel Condition Code		MILSTRAP	Military Standard Transaction Report- ing and Accounting Procedure	15
MCLB	Marine Corps Logistics Base	13	MILSTRIP	Military Standard Requisitioning and	6
MCO	Marine Corps Order	13		Issue Procedure	
MCSA	Marine Corps Supply Activity		MIM	Military Inventory Manager	14
MEC	(Marine Corps) Management Echelon	13,15	MILT MMC	Military Material Management Code	13
	Code		MM	Materiel Manager	
MEDALS	Military Engineering Data Asset Locator System	16	MMAC	Materiel Management Aggregation Code-AF	1,13
MFR	Manufacturer	4			

		Volume(s)			Volume(s)
MMC	Materiel Management Category Code-DoD (Commodity)	: 13	NIMSC	Nonconsumable Item Material Support Code	2,6
MOE	Major Organizational Entity	5, 6, 13, 14	NMFC	National Motor Freight Classification (Code)	1,2,6,15
MOWASP	Mechanization of Warehousing and Shipment Processing	6	NOCA	Nuclear Ordnance Cataloging Activity	2,4
MRC	Master Requirement Code	1,3,4,5,15	NOCO	Nuclear Ordnance Cataloging Office	2,4
MRD	Master Requirement Directory	3,15	NSA	National Security Agency	1,2,4,6, 13,14
MRM	Military Retail Manager	14	NSCM	NATO Supply Code for Manufacturers	1,4,5,7,15
MTMC	Military Traffic Management Command	1,2,4,6,15	NSN .	National Stock Number	1,2,3,4
NADEX	NATO Data Exchange	1	OCR	Optical Character Recognition (Reader)	1,2,7
NAIN	Non-Approved Item Name		ODRC	Output Data Request Code	1,2,4,5,6
NATO	North Atlantic Treaty		OE	Organizational Entity	1,4,5,7,15
NCB	Organization National Codification Bureau	6, 7, 13, 15 2,4	PDM	Partial Descriptive Method (Item Identification)	2,4
NDUP	Non-Duplicate	4	PIC	Priority Indicator	1,2,4,5,14
NHCI	Nuclear Hardness Critical Item	2,4	PICA	Code Primary Inventory	1,2,4,5,
NIDS	Nuclear Integrated	4	DMC	Control Activity	6,13,14
NIIN	Data System National Item Identi-	All	PMIC	Precious Metals Indi- cator Code	6,15
IAITIA	fication Number	All	PORM	Plus or Minus	2,3
			PSCN	Permanent System Control Number	1,2,4, 5,6,15

			Volume(s)			Volume(s)
	PSMAT	Provisioning Screening Master Address	1,5,7	ROFC	Remote Output Format Code	16
	PSN	Table Package Sequence Number	1,2,4,5,7	RPDMRC	Reference/Partial Descriptive Method Reason Code	1,2,4
	PSOS	Pseudo Source of Supply	6	S/A	Military Service/Civil Agency	2,13,14
	PVC	Price Validation Code		SAC	Secondary Address	3,4
	Q/R	Query Response, Electronic Data Transmission		SADC	Code Service/Agency Designator Code	2,4,15
	QUP .	Quantity Unit Pack	2,6,15	SAIC	Secondary Address	
	RCS	Reports Control Symbol	2,14	SCN	Indicator Code System Control Num-	1,4
	RD	Restricted Data	4		ber	
)	RIC	Routing Identifier Code	1,2,6	SCR	System Change Request (FLIS)	1,6,15
	RM	Reference Method (Item Identification)	2,4,14	SFM	Simplified File Maintenance	1,2
		Retail Manager	6	SIC	Statistical Indicator Code	
	RNAAC	Reference Number Action Activity Code	1,2,4	SICA	Secondary Inventory Control Activity	1, 2, 5, 6, 13, 14
	RNCC	Reference Number Category Code	2,4,5,6,15	SICC	Service Item Control Center	2,6,13,14
	RNFC	Reference Number Format Code	4,5	SIN	Submittal Identification Number	
	RNJC	Reference Number Justification Code	1,4	SLC	Shelf Life Code	2,6,15
	RNSC	Reference Number Status Code	4	SMIC	Special Material Identification Code	15
	RNVC	Reference Number Variation Code	5,6,15	SNOCA	Service Nuclear Ord- nance Cataloging Activity	4

		Volume(s)			Volume(s)
SoS	Source of Supply Code	1,2,4,6, 4,15	TIC	Terminal Identifier Code	
SoSM	Source of Supply Modifier Code		TSN	Terminal Serial Number	
SPSN	Submitted Package Sequence Number		UFC	Uniform Freight Classification (Code)	1,7,15
SR	Standard Require-	4	U/I	Unit of Issue	2,6,15
	ment		U/M	Unit of Measure	
SSR	Supply Support Re-	1,2,6,13	U/P	Unit Price	15
	quest System Support Record	1,2,5,6, 7,13,14,15	USCG	United States Coast Guard	1,2,6
STDB	Standard Test Data Base	1	WIMM	Weapons Integrated Materiel Manager	2,4,5,6, 13,14
STIR	Sequential Total Item Record	2,6			
TACOM	U.S. Army Tank- Automotive Com- mand	2,6,13,14			

GLOSSARY PART II - TERMS

Acceptable Quality Level (AQL). The maximum percent defective that, for purposes of sampling inspection, can be considered satisfactory.	2,4,14
Accounting Requirements Code (ARC). See DRN 2665, volume 12.	15
Acquisition Advice Code (AAC). See DRN 2507, volume 12.	2,6,14,15
Acquisition Method Code (AMC). See DRN 2871, volume 12.	6,14
Acquisition Method Suffix Code (AMSC). See DRN 2876, volume 12.	6,14
Activity Code. A two-character code assigned by DLSC, upon request, for use in the Federal Catalog System to identify an activity for cataloging, standardization, or other management purposes.	2,3,4,5,6
Adopt Coding. Application of the approved IMC criteria by an ICP to items of supply currently managed by a IMM, wherein the ICP or another activity within the same Service is not currently recorded as a user in the FLIS Data Base and desires to add user interest and obtain supply support from the appropriate IMM.	6
Advance Change Notice - See FLIS Advance Change Notice	
Air Commodity/Special Handling Code. See DRN 9215, volume 12.	1,2,15
Air Dimension Code (ADC). See DRN 9220, volume 12.	1,2,15
Air Force Fund Code. See DRN 2695, chapter 12.2.	
American National Standard Code for Information Interchange (ASCII). The bit configuration standard subset requirement for FLIS and all Government computer systems.	2
Applicability Key. The code used to reference the applicability of a requirement to an item name in a FIIG.	3
Approved Item Name (AIN). The name which is selected (approved by the Directorate of Item Identification, DLSC, as the Official designation for an item of supply), and delimited where necessary, to establish a basic concept of the item of supply to which the item belongs and with which it should be compared. It may be a basic name, or a basic name followed by those modifiers necessary to differentiate between item concepts having the same basic name. Approved item names, basic names, and colloquial names are published in Cataloging Handbook H6. When two or more names are applicable to an item, the name which is most commonly used by the Government and industry shall be selected as the item name. The other name(s) shall be cross-indexed to the selected name.	3,4,6,15

Approved Item Name Reclassification Program (AINRP). A DoD-directed program designed to (1) identify item names (by five-digit code) which represent large quantities of consumable items originally classified in FSC classes for the next higher assemblies; (2) take action to reclassify such items from the next higher assembly FSC to the "home" FSC class; and, (3) apply IMC procedures to items migrating from weapons system oriented to commodity oriented FSC classes.	6
Association Code. A code number assigned by DLSC, for internal use, to a corporate complex which has two or more divisions, branches, subsidiaries, etc., each of which has been assigned a different Commercial and Government Entity Code (CAGE). This code number is used by DLSC in screening operations for determining duplication and possible duplication when the reference number is the same but the CAGE Code is different.	1,4,5,14
Association Package Sequence Number (APSN). See DRN 8252, volume 12.	
Authorized Item Identification Collaborator Code. See DRN 2533, chapter 12.2.	2,6
Automatic Data Processing Equipment Code (ADPEC). See DRN 0801, volume 12.	8,9,10,15
Cancelled Federal Item Identification. A Federal item identification which is no longer authorized for use to identify an item of supply.	2,4,6
Card Identification Code, Item Management Coding. See DRN 0099, volume 12.	1,2,6,14
Catalog Management Data (CMD). The total range of information compiled and published in Management Data Lists including requisitioning, stock, and financial management and other management control data; and including various referenced relationships to other items, documents, or material management conditions.	1,2,4,5, 6,7,14,15
Cataloging Handbook H2. A handbook containing Federal Supply Classification data in various sequences:	3,4,15
This handbook consists of the structure of the Federal Supply Classification showing all groups and classes in the four-digit FSC code numbering system. Where appropriate, the main inclusions and exclusions which delimit the coverage of a particular class are shown.	3,15
Cataloging Handbook H6. Federal Item Name Directory for Supply Cataloging.	3,4,15
Cataloging Statistical Series (CSS). A series of informational type documents which provide statistical data in support of the Federal Cataloging Program.	2,14
Category A Single Submitter. Where management responsibility includes all items of supply in a given FSC class, the IMM is the sole submitter of cataloging actions related to items of supply in the applicable class. This includes proposals for new or revised cataloging tools; new, reinstatement, or revised item identifications; and new or changed data related to existing item identifications such as add, delete, or change MOE Rule data, changes in item status codes, add or delete references, etc.	2,4

Category B Single Submitter. Where management and cataloging responsibility is established on a by item basis within a given FSC class, the IMM is the sole submitter of proposed catalog data changes against existing item identifications representing items of supply under the management cognizance of that activity. This includes add, delete, or change MOE Rule data; changes in item status codes; add or delete references, etc.; but excludes original and reinstatement item identifications and proposed new or revised cataloging tools.	2
Central Catalog File. See FLIS Data Bank.	2,4
Certified Contractor Access List. Contains all active and registered private sector entities, which have been designated as eligible to receive export-controlled technical data from the Department of Defense (DoD).	1,15
Change Bulletin. Publications issued following a basic edition for updating purposes. The data content is cumulative. Change bulletin is synonymous with the terms "advance notice" and "supplement".	15
Change Coding. The method of changing data elements previously furnished as a result of IMC. Excluded are changes from Service management to Integrated Materiel Management or vice versa. Such latter changes shall be accomplished under initial, maintenance, retroactive, or return coding as appropriate.	6
Change Indicator. See DRN 0122, volume 12.	
Characteristics Reply. The total reply to a FIIG requirement in MILSTICCS format. It consists of the primary address code and may consist of a secondary indicator code, along with a secondary address code (if applicable), or it may consist of a double dollar symbol (\$\$) to identify the AND condition or a single dollar symbol (\$) to identify the OR condition. These symbols will be used to chain materials and the like which do not govern other requirements. Also included is the mode code and the item characteristics (either clear text or coded or a combination of the two as specified in the FIIG) followed by the record separator symbol.	3,4
CIMM Assignment on a By-Item Basis. For items of supply classified in those FSC classes included in the CIMM assignment but the management assignment for each individual item of supply is determined on a by-item management coding basis.	1,2,6
Civil Agency Catalog. Provides specially tailored information for interested Civil Agencies and is the means by which the Defense Logistics Agency (DLA) provides information on National Stock Numbers (NSNs) for supply support of the Civil Agencies.	1,15
Codification Project Code. A two-character alphabetic code assigned by the Defense Logistics Services Center (DLSC) to identify catalog data related to a codification project for NATO or other foreign countries.	4

- **Collaborating Activity.** An activity designated by a Military Service or participating agency 2,4 to review proposed item logistics changes.
- Collaborator Code. See DRN 2533, volume 12.

2,13

1.2.5.6.

13,14

4

Commercial and Government Entity Code (CAGE). Any reference number entered into the Federal Catalog System will have a CAGE Code assigned to it prior to entering the central catalog file. The CAGE Code is a five character data element assigned to establishments which are manufacturers or have design control of items of supply procured by the Federal Government. The first and last positions of a CAGE Code will be numeric. Under certain conditions revision actions shall be initiated by DLSC: When a CAGE Code is cancelled and replaced by a code assigned to a single manufacturer; or when DLSC cannot determine, without collaboration, which items formerly manufactured by a defunct organization are now manufactured by the acquiring organization(s).

Where the applicable CAGE Code cannot be determined under the conditions cited above, recorded cataloging activities shall initiate appropriate action to update the central catalog file. DLSC will not cancel a CAGE Code until all numbers of that manufacturer have been withdrawn.

Commodity Integrated Materiel Manager (CIMM). The activity/agency designated to exercise integrated materiel management for a commodity oriented Federal Supply Classification group/class, commodity, or item on a DoD and/or Civil Agency basis.

Commodity Materiel Management Category Code - DoD. See DRN 2611, volume 12.

Compiler. A term used to denote the activity responsible for the preparation and maintenance of a catalog.

Concept Change. A concept change is determined to exist when the identification characteristics expressed by the proposed revision of a Federal item identification differ in content from those expressed by the Federal item identification, and both item identifications represent possible items of supply.

Condition Codes. A condition code is assigned to Approved Item Names to indicate whether the name may be classified in single or multiple FSC(s) as follows:

- Code 1 The AIN may be classified in only one specific FSC.
- Code 2 The AIN may be classified in two or more specific classes of the FSC structure.
- Code 3 The AIN may be classified in any logical class of the FSC structure.

Consumable Item Transfer (CIT). A special project transferring consumable items now managed by military services to DLA or GSA.

Content Indicator Code. The Content Indicator Code (CIC) consists of four alphabetic characters which appear in positions 5 through 8 of an Automatic Digital Network (AUTODIN) message header and End of Transmission (EOT). It is designed primarily for use by the receiving communications terminal as an aid in determining distribution of data messages. All catalog data being transmitted requires a CIC.	2
Continuation Indicator Code (CIC). See DRN 8555, volume 12.	1,4
Contract Administration Office Code (CAO). See DRN 8870, volume 12.	1,15
Controlled Inventory Item Code (CIIC). See DRN 2863, Volume 12.	15
Conversion. The transformation of a value to an equal or equivalent value in a different term or scale.	3
Coordinating Activity. An activity having the responsibility for inter-Service/Agency coordination.	
Criticality Code. See DRN 3843, volume 12.	1,4,5,15
Data Chain. A name given to the use of two or more logically related data elements. For example, the data chain Document Control Number (DRN 1015) is composed of data elements: Originating Activity Code (DRN 4210), Submitting Activity Code (DRN 3720), Date Transaction (DRN 2310), and Document Control Serial Number (DRN 1000).	4,5
Data Changes. All revisions of published Federal Item Logistics Data Records (FILDRs); all transfers between the descriptive method and the reference method; all reference number changes, item status code changes, withdraw or add owner actions, and cancellations regardless of type of item identification; and item (or part) name and FSC changes for type 2 item identifications.	2,4,6
Data Code. A number, letter, character, symbol, or any combination thereof used to represent a data item. For example, the data codes JV, KX, and XB represent the data items: Strategic Systems Project Office; Defense Personnel Support Center; and Field Command, Defense Nuclear Agency, respectively, under the data element: Submitting Activity Code (DRN 3720).	1
Data Element. A grouping of informational units which has a unique meaning and sub-units (data items) of distinct value. Examples of data elements in FLIS are State/U.S. Possession Abbreviation (DRN 0186), Submitting Activity Code (DRN 3720), and DoD Activity Address Code (DRN 3755).	1,4,5,6, 7,15
Data Element Dictionary (DED). An authoritative reference containing the definition and related features of data elements, data chains, and data use identifiers. See volume 12.	1
Data Element Terminator Code. See DRN 8268, volume 12.	1,4
Data Exchange. The submittal of data, not requiring collaboration, through the single submitter to the Defense Logistics Services Center (DLSC).	2

4,5,6,15

•	
Data Item. A sub-unit of descriptive information or values classified under a data element. For example, the data element Submitting Activity Code (DRN 3720) contains data items such as U.S. Army Electronics Command, Naval Training Device Center, and San Antonio Air Logistics Center.	
Data Range Criteria. Information providing the means (manual or mechanical) for determining item equivalency and substitutability relationships for each item characteristic.	3
Data Record Number (DRN). See DRN 0950, volume 12.	1,2,4,5, 6,7,15
Defense Retail Interservice Support (DRIS) Program. A program designed to use inter-service transfers of material and logistics services to achieve the greatest possible effectiveness and economy in the operations of DoD activities.	
Deletion Reason Code. See DRN 4540, volume 12.	6,14
Demilitarization. The act of destroying the military offensive or defensive advantages inherent in certain types of equipment or materiel. The term comprehends mutilation, dumping at sea, scrapping, melting, burning, or alteration designed to prevent the further use of equipment and materiel for its originally intended military or lethal purpose.	4,15
Department of Defense Activity Address Code (DoDAAC). See DRNs 0395 and 6550, volume 12.	
Department of Defense Activity Address Directory (DoDAAD). The file of all Department of Defense customers clear-text addresses, address codes, and billing codes for use in preparation of bills to customers.	
Department of Defense Ammunition Code (DoDAC). See DRN 3767, volume 12.	3,15
Department of Defense Interchangeability and Substitutability (I&S) Family. A grouping of items which possess such physical and functional characteristics as to provide comparable functional performance for a given requirement.	
Depot Source of Repair (DSOR). An organic or contract activity designated as the source to provide depot maintenance of equipment. Only each Service's Maintenance Interservice Support Management Office (MISMO) assigns DSOR codes through the PICA Service cataloging function.	6
Design Control Reference. The primary number used to identify an item of production, or a range of items of production, by the manufacturer (individual company, firm, corporation, or Government activity) which controls the design, characteristics, and production of the item by means of its engineering drawings, specifications, and inspection requirements.	2,4
Document Availability Code (DAC). See DRN 2640, volume 12.	
Document Control Serial Number. See DRN 1000, volume 12.	1,5,6

Document Control Number. See DRNs 1015 and 3920, volume 12.

Document Identifier Code (DIC). See DRN 3920, volume 12.	1,2,4, 5,6,7, 13,14,15
DoD/Federal Functional Manager. The organizational element responsible for specific functions such as the Federal Catalog Program (DLA-SC), Item Management Coding (DLA-OP), Freight Classification Data (MTMC).	1
DOE Controlled Commercial Items. End items, assemblies, components, and parts (including testing and handling equipment) which are standard commercial items used on or with nuclear weapons. Due to the nuclear weapons reliability concept, they require special testing or DOE control for quality assurance. These items are available only from the DOE through DNA and are all of "war-reserve quality" or "single quality". They are not security classified and are not commodity classified in FSC group 11. Item identifications for these items will each reflect a reference number coded with CAGE 87991.	4
DOE Special Design Items. End items, assemblies, components, and parts (including testing and handling equipment) designed or manufactured by DOE or design controlled by DOE for use specifically in the nuclear ordnance field. These items are available only from the DOE through the Defense Nuclear Agency (DNA) and may be categorized as "war reserve quality", "training quality", or "single quality".	4
Drop Table. Used by DLSC, when requested by Service/Agency activities, to eliminate distribution of unneeded data.	1
Economic Feasibility. The determination of the cost effectiveness of a data system change. Design, development, programming, implementation, and appropriate Automatic Data Processing (ADP) equipment costs (including separate indication of ADP and non-ADP costs) should be related to the value of the automated data system change under development.	1
Effective Date (ED). The year and Julian day denoting the date that a predetermined condition or action becomes effective in the defense logistics system. This date will always be the first day of a month; e.g., 83121 is 1 May 1983. An effective date will be either a "future" effective date or a "standard" effective date.	2,5,6,13
Electronic Data Transmission. This is a world-wide Department of Defense computerized general purpose communications system which provides for the transmission of narrative and data pattern traffic on a store-and-forward (message switching) basis and subscriber (circuit switching) basis. (Formerly, Automatic Digital Network (AUTODIN)).	1,2,4,5,6,7
Electronic Data Transmission Message Control. A procedure that may be used by interested users to identify and verify receipt of FLIS data transmitted electronically for a fixed time period. See volume 8, DIC KWA.	2
Electrostatic Discharge Code. A code to indicate whether an item is susceptible to electrostatic discharge or electromagnetic inteference damage.	8,9,10,15

4,15

End of Transmission (EOT). An ADP term indicating the conclusion of a transmission. Equivalency Criteria. Criteria contained in section II of the FIIG consisting of data range 3 conversion formulas and decision rules criteria used to determine characteristic equivalency and substitutability. Replies are equivalent when they are identical or become equivalent through the application of section II criteria. Replies NOT RATED and ANY ACCEPTABLE in the data base are not to be considered equivalent with respect to other definitive replies to a specific input requirement. Equivalent items are always "offered" to the processing activity requesting NSN assignment from DLSC for review and possible acceptance. Estimated Demand. See DRN 0727, volume 12. Estimated or Actual Price. See DRN 0731, volume 12. Expendability, Recoverability-Reparability Code (ERRC). See DRN 2655, volume 12. Extra Long Characteristics Description (ELCD). Characteristics description data which 2,3,4 consists of 5,000 characters or more. Extra Long Reference Number (ELRN). A reference which exceeds the allowed field of 2.3.4 32 positions and must be carried forward to additional cards. Federal Catalog System. A Federal program administered by DoD in conjunction with 1,3,4,6, GSA. It shall name, describe, classify, and number each item repetitively used, bought, 14.15 stocked, or distributed by the Federal Government so that only one distinctive combination of letters or numerals (or both) identifies the same item throughout the Federal Government. Federal Cataloging Program Statistical Series. A series of statistics required to reflect 14 information pertaining to all Federal Cataloging Program transactions recorded in FLIS files against items which are managed by DoD activities, Civil Agencies, or foreign countries participating in the Federal Cataloging Program. Federal Item Identification (FII). A description of an item of supply which consists of 2,4,6 minimum data essential to establish those characteristics which give an item its unique character, and differentiate it from every other item of supply within the Federal Catalog System, and required related management data. Federal Item Identification Guide (FIIG). A guide prescribing standard requirements, 1,2,3,4, formats, and machine oriented coding structure for the collection of item characteristics and 5,7,14,15 other item-related logistics data.

Federal Item Name Director (FIND). Published as Cataloging Handbook H6 Series;

provides item name data to Services/Agencies for use in development of item identifications.

Federal Logistics Data on Compact Disc. FED LOG utilizes a Personal Computer to access data stored on a Compact Disc - Read Only Memory (CD-ROM) providing a fast and efficient tool to research items currently in the supply system. Designed to replace microfiche, the information contained on this product is equal to seven major microfiche publications (MCRL, ML-C, DoD I&S, FILDR, H4/H8, H2, and selected portions of the H6). In addition to the FLIS data, FED LOG contains service unique data from the Army, Navy and Air Force.	17
Federal Logistics Information System (FLIS). An ADP system designed to provide a centralized data bank in support of the Department of Defense, Federal Civil Agencies, and foreign countries participating in the integrated logistics support program.	All
Federal Supply Classification (FSC). Permits the classification of all items of personal property used by participating activities. Groups and classes have been established for the universe of commodities with emphasis on the items known to be in the supply systems of participating activities. This classification system with its present structure of groups and classes represents those groupings and relationships which are based on current, as well as anticipated, management needs. The Federal Supply Classification structure is modified, as the needs of management change, by the addition of newly developed groups and classes, the subdivision of existing classes, and the revision of definitions of classes. The uniform Federal Supply Classification is governed by daily management requirements and provides uniform management categories throughout military activities and Civil Agency organizations, functions, operations, and supply pipelines. It permits greater uniformity within and between Military Services and Civil Agencies in the operations of reporting, accounting, financial management, inventory control, and budgeting.	1,2,3,4, 5,6,13, 14,15
Federal Supply Classification Group 11, Nuclear Ordnance. A Federal Supply Classification group which includes those nuclear ordnance items which are not specifically commodity classified elsewhere.	4
Federal Supply Group (FSG). See DRNs 3994 and 3996, volume 12.	1,5,6, 13,14,15
File Maintenance Sequence Number (FMSN). See DRN 1515, volume 12.	4,6
Financial Inventory Accounting (FIA). Establishment and maintenance of inventory accounts in monetary terms and the rendition of reports thereon. Covers materiel in storage, in process, on hand, in transit, and on consignment.	
FLIS Advance Change Notice. A notification, to users of DoD 4100.39-M, of changes that must be implemented in the period between quarterly publication of changes and revisions.	1
FLIS Data Bank. A totally integrated logistics information repository, including graphics, necessary to support the various logistics functions. The central data bank is organized in two segments, the FLIS Data Base segment and the System Support Record segment.	1,2,3,4, 5,6,15

FLIS Data Base. The segment of the FLIS data bank containing the sum total of information (words, codes, and numbers) on an item required for identification and related data necessary to support various logistics functions. The FLIS data base is comprised of the following files: NIIN, Characteristics, Reference Number, and Graphics.	1,2,3,4, 5,6,7, 13,14,15
Foreign Countries (FC). (Changed from: Friendly Foreign Governments). A non-NATO nation participating in the Federal Cataloging Program through an agreement which provides for the furnishing of Federal catalog data and cataloging services by the United States on a reimbursable basis.	1,2,4,5, 6,7,15
Freight Classification. The division of articles into groups according to physical characteristics for the purpose of transportation.	1,2,4,5, 6,15
Full Descriptive Method of Item Identification. The descriptive method of item identification establishes and delimits the concept of an item of supply by the delineation of the essential characteristics of the item which give the item its unique character and serve to differentiate it from every other item of supply. It may contain other characteristic data not used in the assignment of an NSN as specified in section III of the specific FIIG. The Full Descriptive Method (FDM) technique of item identification is a type 1 item identification which contains all essential characteristics of an item and differentiates it from every other item of supply.	2,4,14
Functional Description (FD). The FLIS FD provides:	1,8,9
a. The system requirements to be satisfied which will serve as a basis for mutual understanding between the user and the developer.	
b. Information on performance requirements, preliminary design, and user impacts including fixed and continuing costs.	
c. A basis for the development of systems tests.	
Functional Manager, DoD/Federal. See DoD/Federal Functional Manager.	
Functional/Operational Index (F/O). An index in grid form designed to assist the user in relating the item identification characteristics with the various logistic functions for data output products.	3,5,15
Gaining Inventory Manager (GIM). The inventory manager responsible for assuming wholesale material management functions.	2,6
Guide Number, Federal Item Identification Guide (FIIG). See DRN 4065, volume 12.	2,4
Hazardous Materiel Code (HMC). See DRN 2720, volume 12.	1,6,15
Hazardous Material Indicator Code. A code instructing the user on the type of hazardous material(s) used.	8,9,10,15

Immediate Response. The time elapsed from the point at which DLSC receives the last character of input data until DLSC transmits the first character of output data will not exceed one minute.	16
Industrial Plant Equipment (IPE). IPE is that part of DoD-owned plant equipment with an acquisition cost of \$1000 or more; used for the purpose of cutting, abrading, grinding, shaping, forming, joining, testing, measuring, heating, treating, or otherwise altering the physical, electrical, or chemical properties of materials, components, or end items entailed in manufacturing, maintenance, supply, processing, assembly, or research and development operations. IPE is further identified by noun name in joint DoD Handbooks, DLAH 4215 series.	
Initial Coding. Application of the established IMC criteria by the ICPs to all National Stock Numbered items existing in FSC classes newly designated as commodity oriented.	6
Initiating Activity. An activity assigned the responsibility for the development, coordination, reconciliation, and submittal to DLSC of a completed FIIG and follow-up maintenance.	3
Integrated Materiel Manager (IMM). See DRN 9090, volume 12.	1,2,4, 6,13
Interchangeability and Substitutability (I&S). Conditions which permit the exchange of one item for another without affecting design or performance beyond acceptable limits.	1,5,6,14
Inventory Account Code - Coast Guard. See DRN 0708, volume 12.	1
Inventory Control Point (ICP). An organizational unit within the supply system of a Military Service/Defense Logistics Agency which is assigned the primary responsibility for the management of a group of items, either within a particular Military Service or for the DoD as a whole. Responsibilities include computation of quantitative requirements; the authority to require procurement, repair materiel, or initiate disposal; development of world-wide quantitative and monetary inventory data; and the positioning and repositioning of materiel.	6,13,14
Item Characteristics. Physical, performance, and other item-related logistics data required to describe, differentiate, and manage items of supply.	3,4,
Item Identification (II). A collection and compilation of data to describe an item. The minimum data to develop an item identification are a combination of the item name, FSCM, manufacturers' identifying part/reference number, Reference Number Category Code (RNCC), and Reference Number Variation Code (RNVC). The maximum data required are the item name, all of the physical and performance characteristics data prescribed by a specific FIIG, and the manufacturers' identifying part/reference number. It may also include additional related reference numbers.	1,2,3,4, 5,6,13, 14,15
Item Intelligence. The sum total of data for a given item.	4

Item Intelligence Maintenance (IIM). A function in FLIS which provides for the processing of adjustments/revisions to established item identifications and characteristics in the FLIS Data Base.	
Item Logistics Data Transmittal (ILDT). The medium used for formatting data required to be transmitted to the data bank.	4
Item Management Classification Activity (IMCA). See DRN 4075, volume 12.	2,6
Item Management Coding (IMC). The process of determining whether items of supply in FSC classes assigned for integrated materiel management qualify for management by the individual Miltiary Services or other DoD components. Coding is accomplished in accordance with established IMC criteria contained in DoD 4140.26-M, volume I, Defense Integrated Materiel Management for Commodity Oriented Consumable Items.	1,2,6, 13,14
Item Management Coding Activity (IMCA). See DRN 2748, volume 12.	2,6,13,14
Item Management Statistical Series (IMSS). A series of informational type documents providing statistical data in support of the Federal Catalog System.	6,14
Item Name. See DRNs 5010 and 5020, volume 12.	1,3,4, 5,6,15
Item Name Code (INC). See DRN 4080, volume 12.	1,3,4, 5,6,14,15
Item of Production. Consists of those pieces or objects grouped within a manufacturer's identifying number and conforming to the same engineering drawings, specifications, and inspection.	4
Item of Supply. An item of supply may be a single item of production or two or more items of production that are functionally interchangeable or that may be substituted for the same purpose and that are comparable in terms of use. It is more meticulous (a selection of closer tolerance, specific characteristics, finer quality) than the normal item of production, or may be a modification (accomplished by the user or at request of the user) of a normal item of production.	2,3,4, 5,6,7, 14,15
Item Standardization Code (ISC). See DRN 2650, volume 12.	1,4,5, 6,14,15
Key Data Element(s). Data element(s) submitted to obtain the desired interrogation/search output as specified by the Output Data Request Code.	5
Language Media Format (LMF). A code used for AUTODIN transmission to the FLIS data bank. The code indicates source media and preferred output media.	2
Less Than Carload Rating Code (LCL). See DRN 2760, volume 12.	1,2,15
Less Than Truckload Rating Code (LTL). See DRN 2770, volume 12.	1,2,15
List. One of the types of catalogs within a series of publications (e.g., Identification List).	4,15

Volume(s)

Losing Inventory Manager (LIM). The inventory manager responsible classes subject to IMC after initial IMC has been accomplished.	2, 6
Maintenance Action Code (MAC). See DRN 0137, volume 12.	6
Maintenance Coding. Application of the approved IMC criteria by the ICPs to all new or existing National Stock Numbered items which enter FSC classes subject to IMC after initial IMC has been accomplished.	6
Major Organizational Entity (MOE). The principal subdivision of Government organization under which component organizational entities are identified (e.g., Army, Navy, Air Force, Marine Corps, DLA, GSA, etc.).	1,2,3,4, 5,6,13, 14,15
Management Cognizance. The duties and responsibilities of a DSC, a Military Service activity, other DoD activity(ies), FAA, or GSA for management of an item of supply to the extent indicated by the MOE Rule.	2,6
Manufacturer (Mfr). A manufacturer may be an individual, company, firm, corporation, or Government activity that controls the design and production of an item, or produces an item from crude or fabricated materials or components, with or without modification, into more complex items.	4,7
Mass Change Processing. Mass change processing falls into two categories. Preprogrammed mass change is initiated by an SSR transaction which triggers or permits subsequent multiple actions to the DLSC and/or Service/Agency files. Special project mass change will require that original analysis and programming be accomplished to accommodate the requested actions.	1,2,6
Mass Data Retrieval. Mass data retrieval is designed to extract segment data from the FLIS Data Base or partial or complete files from the SSR based on the input of key data element(s). The content of the segments from the FLIS Data Base and the content of data elements from the SSR will be controlled through input of the appropriate Output Data Request Code DRN as indicated in volume 10, table 28 (Output Data Request Code/Access Key(s)).	1,5
Master Requirement Code (MRC). See DRN 3445, volume 12.	1,3,4,5,15
Master Requirements Directory (MRD). A publication containing the requirements, reply tables, Military Standard Item Characteristics Coding Structure (MILSTICCS), Master Requirement Codes (MRCs), and mode codes contained in published Federal Item Identification Guides (FIIGs).	1,3,5
Material Category Codes (MCC) See DRNs 2680 and 9256 volume 12	

Materiel Condition Codes (MCC). See DRN 2835, volume 12.

2,3,4,7

Materiel Management. Direction and control of those aspects of logistics which deal with materiel, including the functions of identification, cataloging, standardization, requirements determination, procurement, inspections, quality control, packaging, storage, distribution, disposal, maintenance, mobilization planning. Encompasses materiel control, inventory control, inventory management, and supply management.	2,6
Materiel Management Aggregation Code - AF (MMAC). See DRN 2836, volume 12.	1,13
Materiel Manager (MM). The director or organizational component responsible for performing the materiel management functions for assigned items.	1
Mechanization of Warehousing and Shipment Processing (MOWASP). A uniform data system designed to maintain consolidated freight location data and shipment handling information.	6
Military Engineering Data Asset Locator System. An automated system designed to quickly locate sources of engineering drawings stored in Military Engineering Data Asset Locator System. An automated system designed to quickly locate sources of engineering drawings stored in technical data repositories of DoD activities nationwide.	16
Military Service-Controlled Commercial Items. End items, assemblies, components, and parts (including testing and handling equipment) which, due to the nuclear weapons reliability concept, require special testing or control for quality assurance. The items or the data for the items are available only from the design controlling military activity; they may be categorized as "war-reserve quality" or "single quality". They are not security classified and are not commodity classified in FSC group 11. Item identifications for these items will reflect a reference number coded with CAGE Code 57991, 67991, or 77991.	4
Military Service Special Design Items. End items, assemblies, components, and parts (including testing and handling equipment), designed or manufactured by a Military Service or design controlled by a Military Service, for use specifically in the nuclear ordnance field. The items or the data for the items are available only from the design controlling military activity; they may be categorized as "war-reserve quality", "training quality", or "single quality". They may be security classified or nonsecurity classified and are not necessarily classified in FSC group 11.	4
Military Specification (MILSPEC). A procurement specification in the military series promulgated by one or more of the military agencies and used for the procurement of military supplies, equipment, or services.	3

Military Standard (MILSTD). An established or accepted level of performance in the military used as a yardstick in evaluating actual progress.

Military Standard Contract Administration Procedure (MILSCAP). MILSCAP will provide uniform procedures, rules, formats, time standards, and standard data elements for the interchange of contract-related information between and among DoD components and contractors. The provisions of the Armed Services Procurement Regulation are to be implemented in machine processable form, where feasible, in MILSCAP. The system administrator and the chairman of the ASPR Committee will assure compatibility between the two procedures.

1,7,15

Military Standard Item Characteristics Code Structures (MILSTICCS). The coding structure used to code characteristics data for item identifications, transmission, storage, and processing.

3.15

Military Standard Requisitioning and Issue Procedures (MILSTRIP). MILSTRIP will prescribe uniform procedures, codes, formats, documents, and time standards for the interchange of requisitioning and issue information for all materiel commodities (unless specifically exempted by the ASD (MRA&L)) between requisitioners and supply control/distribution systems in DoD and other participating agencies. MILSTRIP will include the applicable provisions of the Uniform Materiel Movement and Issue Priority System (UMMIPS).

6

Millstrap Standard Transaction Reporting and Accounting Procedures (MILSTRAP). MILSTRAP will prescribe uniform procedures, data elements, documents, and time standards for the flow of inventory accounting information pertaining to receipt, issue, and adjustment actions between inventory control points, stock control activities, storage sites/depots, and posts, camps or bases (unless specifically exempted by the ASD (MRA&L)). Card formats and data elements employed in MILSTRAP will be designed to complement the techniques prescribed in MILSTRIP and to provide the means for generating financial inventory data required for management and transaction reports and financial reports.

6

Military Standard Transportation and Movement Procedure (MILSTAMP). The MILSTAMP DoD Regulation will contain all necessary forms, formats, codes, procedures, rules, and methods required by DoD components in the movement of materiel. It is a complete reference for policy and procedures governing data elements, documentation and information flow. Supplementing procedures are authorized only to the extent of assuring more detailed operating instruction required by action offices or to cover variances in capabilities.

Prescribed address-marking data elements, formats, and requirements are contained in MILSTAMP and will be reflected in MIL-STD-129, Military Standard Marking for Shipment and Storage, which is maintained by the Department of the Army. MILSTAMP will include the applicable provisions of the Uniform Materiel Movement and Issue Priority System (UMMIPS).

3

Military Traffic Management Command (MTMC). A command under the Department of the Army responsible for procurement, use, cost, and control of commercial transportation services required in the movement of cargo and passengers for the DoD components.	1,2,4,6,15
MINIMIZE. A condition wherein normal message and telephone traffic is drastically reduced in order that messages connected with an actual or simulated emergency shall not be delayed.	2,4
MOE Rule Related Data. Consists of Item Management Status Data and the NIMSC Code, AF Materiel Management Aggregation Code, supplementary data collaborators/receivers, Item Management Code, the IMCA, and effective date.	2,4,6
National Codification Bureau (NCB) Code. See DRN 4130, volume 12.	4
National Item Identification Number (NIIN). See DRN 4000, volume 12.	All
National Motor Freight Classification Code (NMFC). See DRN 2850, volume 12.	1,2,6,15
National Stock Number (NSN). See DRNs 3960, 0126, 8525, 4120, 4150, 0260, 2895, 8875, 8869, 8878, and 8977, volume 12.	1,2,3,4, 5,6,13, 14,15
NATO Stock Number (NSN). An item of supply produced by a NATO member nation other than the U.S. identified by that nation by the assignment of a NATO Stock Number (e.g., 0000-21-000-0000). When such items enter the supply system of the U.S. Government, they will be identified by the NATO Stock Number if codification agreements have been extended to provide for acquisition of foreign item identification data through DLSC. For such items, the NATO Stock Number will be used and recognized as the National Stock Number in internal management of the item in the U.S.	1,4,6
NATO Supply Code for Manufacturers (NSCM). See DRN 4140, volume 12.	1,4,5, 7,15
Navy Cognizance Code. See DRN 2608, volume 12.	1,13
Next Higher Classifiable Assembly. This term is understood to mean the next higher assembly on or with which the item is used as a subassembly, part, attachment, or accessory. Also, the classification of the higher assembly is indicated specifically in Groups and Classes of the Federal Supply Classification (Cataloging Handbook H2-1) or is listed specifically as an entry in the Numeric Index (Cataloging Handbook H2-2). The term "higher assembly" is used for brevity and may actually include components, sub-assemblies, assemblies, and end items or systems.	4
Nominal Value. A value, excluding tolerance, used for the purpose of general identification usually expressed as a fraction, size number or letter, code number, gage number, or decimal number.	

Non-Approved Item Name (NAIN). See DRN 5020, volume 12.

Non-Duplicate (NDUP). When the item identification is sufficiently close to, but not an actual duplicate characteristically of, an existing Federal item identification and there are no matching reference numbers.	4
Normal Source of Procurement. See DRN 0721, volume 12.	
Nuclear Hardness Critical Item (NHCI). As defined in DoD-STD-100C. A hardware item at any assembly that is mission critical and could be designed, repaired, manufactured, installed or maintained for normal operation, and yet degrade system survivability in a nuclear environment if hardness were not considered.	
On Hand/Due In. See DRN 0722, volume 12.	
Operational Feasibility. The determination of whether a data system change will operate properly and be properly used once developed and implemented.	1
Operational Need Date. See DRN 0726, volume 12.	
Optical Character Recognition (Reader) (OCR). A data processing technique (device) which converts, by optical means, the characters placed on paper into a code suitable for input to a computer.	1,2,7
Organizational Entity (O.E.). An organizational element, segment, or entity for cataloging; DoDAAC, bidders, manufacturing, or nonmanufacturing activity or establishment, etc.; and attribute data ascribed in the entity for the purpose of intensifying its meaning, characteristics, responsibility, eligibility, and area(s) of authority.	1,3,4, 5,6,7, 14,15
Original Federal Item Identification. An item identification which has been approved by the Defense Logistics Services Center and assigned a National Stock Number, but which has not been revised, transferred, or cancelled.	4
Originating Activity. Any participating activity which originates proposed new or revised cataloging tools and/or proposed new or revised item identifications and related data for submittal directly or indirectly to DLSC for approval. It may be a managing activity which prepares its own catalog data for submittal or may be another activity functioning as a catalog agent for the managing activity. In those cases where the originating activity is authorized to submit proposals directly to DLSC rather than through an intermediate monitoring activity (e.g., Defense Supply Center; Defense Nuclear Agency), the originating activity assumes the status also of a submitting activity.	
Originating Activity Code. See DRN 4210, volume 12.	1,4,5, 6,15
Output Data Request Code (ODRC). See DRN 4690, volume 12.	1,2,4,5,6
Package Sequence Number (PSN). See DRN 1070, volume 12.	1,2,4, 5,7,14

	(4)
Partial Descriptive Method Item Identification (PDM). A Partial Descriptive Method (PDM) of item identification is a type 4 item identification which contains one or more characteristics in addition to the item name but does not contain all characteristics required for an FDM.	·
Permanent System Control Number (PSCN). See DRN 4250, volume 12.	1,2,4, 5,6,15
Possible Duplicate Item-of-Supply Concepts. An item-of-supply concept expressed by an existing item identification shall be considered a possible duplicate of a concept expressed by a proposed item identification or another existing item identification when (1) there is enough similarity in descriptive data and/or (2) there is one or more common reference number(s) related to each item to indicate that the same item of production is involved, or that the one single concept is adequate or may be established to identify the item of supply. Such cases warrant reference to the managing activity(ies) for verification of descriptive and/or reference data. Reconciliation of such data normally will result in revision of one or both concepts to more clearly differentiate the items or in a proposal to cancel one of the item identifications as an actual duplicate, as invalid, or to use the other item identification (cancel-use).	
Precious Metal Indicator Code (PMIC). A code indicating the presence of precious metals (Gold, Silver, Platinum or a combination).	8,9,10,15
Price Validation Code, Air Force (PVC). See DRN 0858, volume 12.	
Primary Inventory Control Activity (PICA). See DRN 2866, volume 12.	1,2,4,5, 6,13,14
Primary Reference Number. The number used to identify an item of production or a range of items of production by the manufacturer (individual company, firm, corporation, or Government activity) which controls the design, characteristics, and production of the item through its engineering drawings, specifications, and inspection requirements. The number is the "design control reference".	
Priority Indicator Code (PIC). See DRN 2867, volume 12.	2,4,5,14
Production Lead Time. See DRN 0730, volume 12.	
Proposed Original Item Identification. An item identification for an item in or entering a supply system which has not yet been approved by the Defense Logistics Services Center (DLSC) as a Federal item identification assigned a National Stock Number.	2,4
Provisioning Screening Master Address Table (PSMAT). See DRN 0232, volume 12.	1,5,7
Provisioning Supply Support Request. Indicated by Card Identification Code P to show that a Supply Support Request received by the IMM from an ICP is the origin of the request when the item is in an FSC class subject to IMC.	2,6

Qualitative Value. The portion of a reply that expresses quality such as color, shape, material, condition, etc.	3
Quantitative Value. The portion of a reply which expresses a numeric value for such characteristics as dimensions, measure, magnitude, electrical rating, etc.	3
Quantity Unit Pack (QUP). See DRN 6106, volume 12.	6,15
Rail Variation Code. See DRN 4760, volume 12.	1,2,6,15
Reactivation Coding. Application of the approved IMC criteria by the ICPs to inactivated NSNs for which an IMM was the last manager, and the ICP is not currently recorded as a user.	6
Receiver Code. See DRN 2534, volume 12.	
Record Separator. The symbol used to indicate the completion of a characteristic reply or to indicate end of record.	16
Reference Method of Item Identification (RM). The reference method of item identification establishes and delimits the concept of an item of supply by reference(s) to the item-identifying number(s) of one or more manufacturers denoting the item or items of production included under the concept. Thus, under the reference method the essential characteristics of the item of supply are not delineated in the item identification but are ascertainable by research of the data represented by the manufacturers item-identifying number(s).	2,4,6,14
Reference Number. A reference number is any number, other than an activity stock number, used to identify an item of production or, either by itself or in conjunction with other reference numbers, to identify an item of supply. Reference numbers include manufacturers part, drawing, model, type, source-controlling, or specification-controlling numbers and the manufacturers trade name, when the manufacturer identifies the item by trade name only; NATO Stock Numbers; specification or standard part, drawing, or type numbers. The submittal of all known reference numbers related to an item of production or an item of supply, with the applicable Reference Number Category Code, the applicable Document Availability Code, and the applicable Reference Number Variation Code, is mandatory.	2,4,5,14,15
Reference Number Action Activity Code (RNAAC). See DRN 2900, chapter 12.2.	1,4
Reference Number Category Code (RNCC). See DRN 2910, chapter 12.2.	2,4,5,6, 15
Reference Number Category Code Combination. Consists of the Reference Number Category Code (RNCC), Reference Number Variation Code (RNVC), and Document Availability Code (DAC) as expressed in volume 10, table 8.	
Reference Number Format Code (RNFC). See DRN 2920, chapter 12.2.	4,5
Reference Number Justification Code (RNJC). See DRN 2750, chapter 12.2.	1,4

Reference Number Status Code (RNSC). See DRN 2923, chapter 12.2.	
Reference Number Variation Code (RNVC). See DRN 4780, chapter 12.2.	2,4,5,15
Reference/Partial Descriptive Method Reason Code (RPDMRC). See DRN 4765, chapter 12.2.	1,2,4
Reinstated Federal Item Identification. A Federal item identification which has been cancelled but which has subsequently been reauthorized for use to identify an item of supply.	4,6
Remote Ouput Format Code. See DRN 0841, chapter 12.2.	16
Reparability Code - Coast Guard. See DRN 0709, chapter 12.2.	1
Reply. A reply (data item) is the answer to a specific requirement.	3,4
Reply Code. A code that represents an established reply to an approved requirement.	3,4
Reply Table. A listing of replies (data items) applicable to a requirement or group of requirements derived from a single data element. Each reply in the table is assigned a different reply code.	3,4
Report Control Symbol (RCS). Set of letters and numbers which identifies an approved report and authorizes its initiation and preparation.	2,14
Reports Generator. Designed to produce one-time listings or reports from the FLIS files.	1,5
Requirement. A definition of a required characteristic.	3,4
Requirement, Lead-In. A general requirement identifying and providing guidance for reply to a specific range of following requirements. A lead-in requirement is never assigned a PAC/MRC, nor does it ever require a reply.	3
Requirement, Major. A requirement which, in addition to requiring a reply, may necessitate replies to succeeding subordinate requirements (subrequirements) dependent upon the specific reply given to the major requirement (see definition of Requirement, Lead-In and Requirement, Subordinate).	3
Requirement, Subordinate. A requirement for which the reply is dependent on a lead-in requirement or major requirement (also termed "subrequirement").	3
Retail Manager (RM). A materiel manager or another designated activity within a Military Service/Agency having retail responsibility for an item of supply where the wholesale materiel management functions are performed by an IMM, including DNA, NSA, and TACOM.	6
Retroactive Coding. Scheduled application of the approved IMC criteria by the ICPs to item(s) in FSC classes designated as commodity oriented which were previously coded for Service retention.	6
Return Coding. A request to effect the return of an item currently coded for Integrated Materiel Management to Service management by the application of IMC criteria.	6

Routine Reclassification Action. Indicated by Card Identification Code F to show that DLSC has reclassified an item from a weapons system oriented to a commodity oriented FSC class and IMC criteria must be applied.	6
Routing Identifier Code (RIC). A group of letters or numbers assigned to indicate the geographic location of a station, a fixed headquarters of a command, activity, or unit at a geographic location, and the general location of a tape relay or tributary station to facilitate the routing of traffic over the tape relay networks.	1,2,6
Secondary Address Code (SAC). See DRN 8990, chapter 12.2.	1,3,4
Secondary Address Indicator Code (SAIC). See DRN 9485, chapter 12.2.	3
Secondary Inventory Control Activity (SICA). See DRN 2938, chapter 12.2.	1,2,6, 13,14
Service/Agency Designator Code (SADC). See DRN 4672, chapter 12.2.	2,4,15
Service Item Control Center (SICC). An activity which: (1) serves as a Military Service focal point for resolution of support problems for required weapons systems oriented consumable items managed by another Military Service; (2) performs such residual technical functions as configuration control, item qualitative acceptability, allowance list preparation, and maintenance of internal program support responsibility; and (3) provides assistance to the IMM, as necessary, to support requiring Service users on a timely basis.	2,6,13,14
Shelf Life Code (SLC). See DRN 2943, chapter 12.2.	6,15
Simplified File Maintenance (SFM). FLIS output consisting of a monthly maintenance update, a cumulative monthly basic record, and semiannual basic replacement record for activity files shall be provided for Federal Item Identification Data and Catalog Management Data. It shall be distributed in NIIN sequence to authorized subscribing activities on magnetic tapes via mail. Data furnished from two or more functional areas shall be sequenced together.	
Single Quality Items. Items (such as nuclear ordnance test and handling equipment) authorized for use on or with both war-reserve and training nuclear weapons.	4
Single Submitting Activity. See DRN 9255, chapter 12.2.	2,4
Source Controlled Federal Item Identification. A type 1, 1B, 2, 4, or 4B Federal Item Identification (original, revised, transferred, or reinstated) representing one or more specific manufacturer's items of production certified by an end item manufacturer, or by a Government activity, to be the only known items suitable for the specific application.	4
Source of Supply Code (SOS). See DRN 3690, chapter 12.2.	4,5,6, 14,15
Source of Supply Modifier Code (SOSM), See DRN 2948, chapter 12.2	6

V	olume(s)
Specially Designed Item. The term "specially designed item" is an abbreviation of the term "specifically designed for specific use on or with specific individual types of equipment" as used in the notes in Cataloging Handbooks H2-1 and H2-2. In order to be accepted as specially designed, an item does not have to be designed specifically for use on a single piece or single model of equipment; the item may be designed for use with categories of equipment, such as all kinds of printing presses, all kinds of diesel engines.	4
Special Packaging Requirement. See DRN 0725, volume 12.	
Standard Requirement. A lengthy requirement which, because it is used repeatedly in many patterns, has been put in standardized form.	4
Standard Test Data Base (STDB). Maintained at DLSC with data input by Services/Agencies participating in the interface test program.	1
Statistical Indicator Code. See DRN 3708, volume 12.	
Submitted Package Sequence Number (SPSN). See DRN 8328, volume 12.	
Submitter Code. See DRN 2535, volume 12.	
Submitting Activity. Any participating activity which submits proposed catalog data directly to DLSC for approval. The submitting activity may be the activity which originates the catalog data or an intermediate monitoring activity (e.g., Defense Supply Center; Defense Nuclear Agency) through which the originating activity is required to submit its proposals to DLSC.	1,2,3,4, 5,6,7
Submitting Activity Code. See DRN 3720, volume 12.	1,4,5,15
Supply Management Data. Item data which do not affect NSN assignment but are necessary to support logistics functions.	3,6
Supply Support and Cataloging Action Request. Indicated by Card Identification Code V to show that an SSR other than provisioning received by the IMM from an ICP is the origin of the request when the item is in an FSC class subject to IMC.	6
Supply Support Request (SSR). A request submitted by the activity responsible for supporting an end item being provisioned to a Commodity Integrated Materiel Manager which manages some of the support items or is a potential manager of some new support items used in the end item.	2,6
Suspense File. The portion of the process control sector (SSR) which will serve as a temporary repository of unique information of functional value to the Service/Agency for the implementation of a logistics data transaction within DLSC.	1,4,5
System Change Request (SCR). A formal request for modification of the FLIS.	1,6,15

4,6

System Control Number (SCN). See DRN 3735, volume 12.

System Support Record (SSR). The segment of the FLIS data bank containing the sum total of information (guides, program subroutines, tables, rules, controls, statistics, codes, terms) required to support or specify the content and utilization of the FLIS data base. The SSR is comprised of the following files: Organizational Entity, Item Name, FSC, FIIG/DP/Guide, Table Look-Up, Graphics, Process Control, Mass Changes to FLIS Data Base, Mass Data Retrieval, and Tailored Data Interrogations.	1, 2, 5, 6, 7, 13, 14, 15
Technical Feasibility. The determination of whether the development of a data system change is possible within the limits of available technology.	1
Training Quality Items. Items designated for use on or with training nuclear weapons or on nuclear ordnance test and handling equipment but not authorized for use on war-reserve nuclear weapons.	4
Type of Cargo Code. See DRN 9260, volume 12.	1,2,15
Type of Financial Management Control. See DRN 0729, volume 12.	
Uniform Freight Classification Code (UFC). See DRN 3040, volume 12.	1,2,6,15
Unit of Issue (U/I). See DRN 3050, volume 12.	2,6,14,15
Unit of Issue Conversion Factor. See DRN 3053, volume 12.	6
Unprocessable Transaction. Transactions which did not contain the minimum essential control elements required for processing. These transactions are not queued for further processing and are not retained in the FLIS files.	1,2,4,6
Using Service Code. See DRN 0745, volume 12.	
Voluntary Standard. A product standard developed under procedures published by the Department of Commerce. Its adoption by a particular industry, company, or organization is voluntary. It is used as a standard for the procurement and production of a product.	6
War-Reserve Quality Items. Items authorized for use on or with war-reserve nuclear weapons but not designated for use on training nuclear weapons or test and handling equipment.	4
Water Commodity Code. See DRN 9275, volume 12.	1,2,15
Weapons Integrated Materiel Manager (WIMM). The Military Service Inventory Control Point (ICP) which performs the DoD integrated materiel management functions for assigned consumable items.	2,5,6, 13,14
WIMM Assignments on a By-Item Basis. Items of supply classified in those FSC classes included in the WIMM assignment but the management assignment for each individual item of supply is determined on a by-item management coding basis.	2
Withdraw. The word "withdraw" in these procedures refers specifically to activity action	2,6

CHAPTER 1 INTRODUCTION TO FLIS

1.1.1 Scope

The Federal Logistics Information System (FLIS) is a government-wide program established by law and administered by the Department of Defense (DoD) in conjunction with the Administrator of the General Services Administration. The FLIS is a management system designed to collect, store, process, and provide item-related logistics information. The FLIS is open-ended and capable of being expanded to accommodate additional logistics data management concepts and applications. For the purposes of FLIS, logistics is the science of accomplishing the description, acquisition, storage, distribution, maintenance, and disposition of military materiel and civilian products for Government use.

a. The information in the FLIS data bank relates to military activities, Federal Civil Agencies, participating foreign countries, and private industry. The FLIS Procedures Manual provides operating procedures for processing logistics information in the following major areas:

Supply Management
Item Identification
Mass and Tailored Interrogations
DoD Interchangeability and Substitutability
(I&S) Family Data
Standardization

- b. This manual contains operating procedures for the establishment and maintenance of the FLIS data base. It provides responsibilities for participants, general concepts and principles, change procedures, and procedures for interfacing with FLIS. Participants may, when required, issue implementing instructions to their activities relative to and consistent with the procedures contained herein; they must also be consistent with the principles and policies established by the Department of Defense (DoD).
 - c. This manual is designed for practical use by

functional personnel. Policies and principles pertaining to logistics functions supported by FLIS are maintained in other DoD documents such as DoD 4140.1-R, DoD Materiel Management Regulation. DoD 4120.3-M, Defense Standardization Manual; and DoD 4140.26-M, Defense Integrated Materiel Management Manual for Consumable Items.

1.1.2 FLIS Objectives

- a. Provide a uniform system of item identification and nomenclature to describe, classify, and number each item included in the FLIS so that a given item of supply:
 - (1) Is identified by a single stock number.
- (2) Can be distinguished from every other item.
- (3) Has appropriate interchangeability and substitutability decisions recorded.
- b. Establish a central repository of logistics management information (clearly identified as to source, format, and function) based on the current availability or development of:
- (1) A world-wide network designed to transmit logistics data, as transactions occur, on a self-addressing basis, from and to all applicable management levels of the United States and selected foreign governments.
- (2) Standard coding of data elements common to FLIS and related logistics programs.
- (3) Adequate random access storage and retrieval capability which will provide both push and pull methods of information retrieval.
- (4) Incremental implementation of changes, scheduled in phases to minimize disruption to the logistics support and management operations of

participating Services/Agencies (S/As).

- (5) System security for restricting the adding, deleting, or changing of individual data elements to only those activities authorized.
- (6) Positive control and surveillance over data contained in the system from tie of receipt to time of ultimate purging to endure integrity, validity, and currency.
- c. Ensure that storage techniques used at the Defense Logistics Services Center (DLSC) central repository provide a completely integrated FLIS data base which is:
- (1) Structured to provide data responsive to S/A requirements and to avoid the establishment of satelite files and data element redundancy.
- (2) Subjected, as required, to strict communications/automatic data processing (ADP) disciplinary edits and controls.
- (3) Open-ended in design and can provide for expansion and the advancement of a total system concept.
- (4) Capable of monitoring the item range so that DoD components can operate their materiel management systems with the minimum number of items essential to support military operations.
- (5) Designed to facilitate intra and interdepartmental logistics support, promote optimum interchange of data between and along all DoD components, Civil Agencies, NATO, and other foreign countries and industry; strengthen Government/industry relationships; and improve materiel management and military effectiveness, efficiency and economy in logistics operations.
- d. Ensure the development of a management data reporting and/or information portrayal system based

on the intelligence contained in the central repository and the justifiable requirements of materiel managers at all levels. It should:

- (1) Provide the visibility needed to evaluate the progress and effectiveness of various logistics management programs and permit managers to pinpoint problem areas requiring immediate corrective action.
- (2) Improve the operational readiness of DoD components by providing adequate and timely publication of data to support optimum logistics support.

1.1.3 Frequency and Media of Changes

a. Additions/changes/deletions to this manual resulting from actions taken in accordance with chapter 1.3 are disseminated by one of the following methods:

(1) Revisions:

- (a) Represent a reprint of a volume of the manual. This is done when quarterly change page substitutions, in relation to the total page count for a given volume, reach:
 - 50 percent in one quarter, or
 - 125 percent in less than two years, or
- 40 percent (25 percent for volume 13) in not less than two years.
- (b) Include the content of the previous revisions, quarterly numbered changes, changes announced by FLIS Advance Change Notices, additions/changes/deletions that occur as a result of system changes, and/or other applicable changes that occur in the time period. Supersede the previous basic/revision, quarterly changes, and FLIS Advance Change Notices. This supersession is clearly noted at the bottom of the Foreword.

- (c) Are effective on the date(s) cited on the Foreword. In the event that any paragraphs/pages are to be effective on a different date, this date will also be noted in the Foreword.
- (d) Disseminated in accordance with distribution requirements furnished by the S/As in response to DLSC solicitation. S/A distribution is reflected on the Foreword if requested by the Services/Agencies.
- (e) Published and distributed in the same manner as the initial publication. The only identification is the DoD number, date, and supersession notice at the bottom of the Foreword.
 - (2) Quarterly Numbered Changes:
- (a) Published every 90 days in accordance with schedules reflected in appendix 1-4-F and include the changes announced by FLIS Advance Change Notices, additions/changes/deletions that occur as a result of system changes, and/or other applicable changes that occur in the covered time period.
- (b) Prepared as page substitutions. Line entry(s)/paragraph changes are not permitted.
- (c) Forwarded under cover of a change sheet which indicates the significant changes and/or deletions, provides a cross-reference of replacement pages, and cites the effective date(s) for all changes. Any page(s) having an effective date different from the basic date cited for the change will be noted using special symbols and footnotes.
- (d) Disseminated in accordance with distribution requirements furnished by the S/As in response to DLSC solicitation. S/A distribution is reflected on the change sheet if requested by the S/A.
 - (e) Issued as single changes (not cumula-

- tive). Quarterly numbered changes will include changes published in the FLIS Advance Change Notices; superseded advance change notices will be identified at the bottom of the change sheet.
- (f) Sequentially numbered at the top of each page just above the DoD number:

- (g) Prepared by volume, with change numbers for each volume assigned sequentially. (Since a quarterly change will be issued only for volumes that are affected, the latest change number may vary from volume to volume.)
- (h) Remain in effect until superseded by subsequent quarterly change, revision, or advance change notice.
 - (3) FLIS Advance Change Notices (ACNs):
- (a) Used to issue changes/additions/deletions that must be implemented during the period between quarterly publications and revisions.
- (b) Issued when one or more of the following conditions prevail:
- (1.) The identification of errors, conflicts, or voids in this manual that require immediate update because they affect input to or output from the FLIS.
- (2.) Changes required to reflect emergency type system changes.
- (c) Disseminated by DLSC in the form of notifications, except those for volume 13. Complete page changes will be issued for all changes to volume 13. For notifications, the following criteria apply:

9

- (1.) Minor changes will be issued in the form of word, sentence, or paragraph changes.
- (2.) Complete pages will be furnished in an ACN only when pages are added or extensive changes are made to a page. An extensive change is one which extends to more than fifteen percent of a page.
- (3.) Page replacements will be furnished for all changes in the next scheduled quarterly change or revision.
- (d) Sequentially numbered and issued by volume. The number will consist of the calendar year, the volume number, and a sequence number; e.g., 83-1-1, 83-1-2, etc., for volume 1. The sequence numbers are assigned serially by volume and begin at 1 for each calendar year. The subject and distribution lines will also indicate the affected volume of DoD 4100.39-M, FLIS Procedures Manual.
- (e) Expiration date will not exceed 180 days from date of the change notice.
- (f) Distributed to selected addressees who are recipients of FLIS ACNs. Requests for changes to addresses/copies of the FLIS ACN distribution lists will be directed to DLSC-VPH.
- b. Changes on replacement pages are indicated by bold-face italic type, or the special characters listed below. Significant deletions will also be mentioned in the Foreword or quarterly change sheet.
- (1) Replacement pages for advance change notices to volume 13 will use the following indicators for Major Organizational Entity (MOE) Rule/Federal Supply Classification (FSC) changes (see volume 10, table 166, or volume 13, paragraph 13.1.3.d):

A - New	D - Deleted
C - Cancelled	R - Revised

1.1.4 Numbering System

a. Volumes are numbered and subdivided as follows:

Volume	1
Chapter	1.1
Section	1.1.1
Paragraph	a.
1st Subparagraph	(1)
2nd Subparagraph	(a)
3rd Subparagraph	(1.)
4th Subparagraph	(a.)
5th Subparagraph	1.

b. Pages are numbered consecutively for each chapter. When changes require the addition of pages within a chapter, a point (.) and number will be added to the preceding even page number.

Example:	1.1-2.1
Volume	1
Chapter	1.1
Page	2
Page added	.1

NOTE: Exceptions to this numbering system occur in volumes 8 through 11; each input/output Document Identifier Code (DIC), data code table, and edit/validation begins with page number 1. Pages may be added within volume 10 data code tables only.

c. Appendices are placed at the end of the applicable chapter. Appendices are identified with the volume number followed by a dash, the chapter number, a second dash, and an alpha designator (e.g., 1-1-A).

CHAPTER 2 RESPONSIBILITIES

1.2.1 General. The Director, Defense Logistics Agency, is the Federal Logistics Information System Administrator. In this capacity the Director has designated the Assistant Director, Plans, Program and Systems (DLA-Z) as the Automatic Data Processing (ADP) System Administrator and the Executive Director, Supply Management (DLA-MMS) as the Functional Administrator. Responsibility for the design, programming, and maintenance of the DLSC data system portion of the FLIS has been assigned to the Commander, Defense Logistics Services Center.

1.2.2 Defense Logistics Agency

- a. The Assistant Director, Plans, Programs, and Systems, DLA will:
 - (1) Monitor System Change Requests (SCRs).
- (2) Review and approve/disapprove all SCRs which require additional ADP equipment or operational running time.
- (3) Provide information to DLSC and the Services/Agencies on system improvement features/goals.
- (4) Provide policy and overall direction for the implementation of approved SCRs in the automated data system.
- b. The Executive Director, Supply Management, DLA will:
- (1) Participate as the FLIS Functional Administrator with responsibilities as follows:
- (a) Provide policy and overall direction for the development, coordination, and approval of SCRs.
- (b) Review information copies of all SCRs to determine compatibility with the total FLIS Functional Description (to ensure no conflicts with on-

going requirements) and that the SCR is sufficiently comprehensive to achieve desired results.

- (c) Effect final approval on proposed SCRs that have been processed, coordinated, and recommended by DLSC and which are operationally and economically feasible.
- (d) Provide information to DLSC and the Services/Agencies on the coordinated SCR implementation priorities.
- (e) Assure that related policy and procedures manuals affected by the FLIS changes are revised as appropriate.
 - (f) Monitor the FLIS Functional Description.
- (2) Participate as a functional manager with responsibilities as outlined in section 1.2.3.
- c. The Commander, Defense Logistics Services Center, will:
 - (1) Receive and control all SCRs.
 - (2) Review all SCRs for completeness.
- (3) Originate SCRs for DLSC-recommended changes to the FLIS.
- (4) Coordinate all SCRs with the DoD/Federal functional manager.
- (5) Coordinate SCRs with affected Services/Agencies.
- (6) Obtain cost savings/benefits (tangible/intangible) data on all SCRs.
 - (7) Evaluate and assess impact of SCRs.
- (8) Perform the ADP design and programming of approved SCRs in accordance with prescribed

SCR implementation schedules furnished by DLA-MMS.

- (9) Prepare and maintain the FLIS Procedures Manual (DoD 4100.39-M) and the FLIS Functional Description in accordance with the guidance furnished by HQ DLA.
- (10) Propose schedules and conduct necessary system/interface testing and workshops.
- (11) Provide training materials and hold seminars for the Services/Agencies for implementation of SCRs by the Services/Agencies when appropriate.
- (12) Provide monthly status reports of all outstanding SCRs to HQ DLA (DLA-Z and DLA-MMS), functional managers, and S/A contact points.
- 1.2.3 DoD/Federal Functional Manager. The FLIS is a manifold system requiring multiple functional managers. For example, all policy matters concerning the FLIS are the responsibility of the Federal Catalog Administrator (Chief, Logistics Information, Product Definition, Executive Directorate, Supply Management HQ DLA (DLA-MMSLP)). (See appendix 1-4-E for a list of FLIS functional managers.) The various DoD/Federal functional managers will, for their assigned areas:
- a. Prepare SCRs for recommended changes to FLIS.
- b. Review functional manager-generated SCRs and SCRs received from DLSC to assure consistency with OASD(MRA&L) policies, completeness and reasonableness, and inclusion of adequate justification to include, all costs, savings and/or benefits (tangible/intangible).
- c. Recommend approval/disapproval of SCRs to DLSC.

- d. Assure the conduct of training when required to implement the SCR.
- e. Determine the need for conducting functional tests of SCRs.

1.2.4 Military Services/DoD and Civil Agencies are responsible for:

- a. Designating a contact point for functional system requirements and interfaces. The designated contact points are maintained in appendix 1-4-A.
- b. Assuring continuous liaison with the FLIS Administrator and other participating Services/Agencies.
- c. Preparing SCRs for recommended changes to FLIS.
- d. Developing, documenting, and submitting to HQ DLA the S/A position on all system requirement revision proposals, recommended implementation dates, costs, savings and/or benefits (tangible/intangible), and interface test requirements (see section 1.4.3).
- e. Developing and executing time-phased programs to implement changes to the FLIS.
- f. Accomplishing internal training to assure timely and effective implementation and continued operation of the FLIS.
- g. Providing representation to joint system design and development efforts.
- h. Reviewing internal procedures continually with the objective of eliminating and preventing duplication of record keeping, reports, and administrative functions related to information provided by the FLIS.

CHAPTER 3 FLIS CONCEPT AND PRINCIPLES

1.3.1 DIC Concept and Principles

- a. Three-position Document Identifier Codes (DICs) are used for FLIS transactions. The first position signifies input or output; the second position identifies the type of action. In many cases the third position identifies the functional area.
- (1) All input transactions to the DLSC will be identified with high order (first) position L. Output transactions from DLSC will contain the letter K. The input DIC will be reflected in the K output header for the convenience of the recipient.
- (2) Unique DICs have been assigned to identify all uncommon conditions. Significant codes were assigned where possible to relate the second position to the action represented by the transaction. Visibility has been incorporated into the second position of the DIC as follows:
 - A Add
 - B Reinstate
 - C Change
 - D Delete
 - K Cancel
 - *N New Submittal
 - Q Files Compatibility
 - *R Resubmittal
 - *S Screening/Search
 - *T Interrogation
- *Input DICs only
- (3) Other visibility has been incorporated into the third position of the DIC structure but does not always hold true because of certain limitations. For example, LAF represents an input transaction to DLSC to add freight; KCM represents an output transaction from DLSC to change management data.
- (4) All FLIS DICs are listed in volume 10, table 105.

- b. There is an input header, an output header, and segments containing several types of logistics data. In the FLIS a segment is a group of related data elements, functionally categorized, used to add or update a given record and to output required data from the data bank. Segments within an input DIC transaction package should be arranged in sequence by segment whenever possible. It is mandatory that each variable length format package begin with a header record.
- (1) FLIS data base segments are identified by a single numeric digit or alphabetic symbol; e.g., 1, 2, 3, A, B, C.
- (2) The System Support Record (SSR) portion of the FLIS uses three numeric digits to identify each SSR segment. The initial high order digit is always a numeric 8. The additional two digits (the Supplemental Segment Code, e.g., 21) identify the specific SSR function. (Segment 821 identifies the name/
- address data in the FLIS Organizational Entity record.)
- c. Any error detected in an input transaction which cannot be corrected mechanically will result in return for correction. All error conditions contained in the input transaction will be identified to the degree possible in the return transaction. In addition, certain transactions will be suspended at DLSC for subsequent corrective action by the submitter.
- d. A three-position Package Sequence Number (PSN) will be used to sequence and indicate the number of records in a FLIS input/output package.
- (1) The PSN will be constructed by entering A01 in the first segment record, A02 in the second segment record, A03, etc.
 - (2) The last segment record will contain the

letter Z in the first position of the PSN to designate the last record for a DIC. It will be suffixed by the next successive number(s) in positions two and three (e.g., A01, A02, A03, Z04).

- (3) An input/output package with only one record will contain a PSN of Z01.
- (4) When data is output from DLSC as notification (except data output from provisioning screening), the last position will be alphabetic, i.e., A0A, A0B, etc.
- e. The data element oriented format identifies data fields through the use of a Data Record Number (DRN) as reflected in volume 12, or by a Master Requirement Code (MRC) as reflected in Federal Item Identification Guides (FIIGs) and the Master Requirements Directory (MRD). Several segments of this type are:

Segment 1

Segment M

Segment P

Segment Q

Segment R

Segment V

Segment Z

(See volume 8, chapter 8.3 or volume 9, chapter 9.3 for segment definitions and formats.)

- f. Multiple DICs will be used within a transaction package when multiple actions must be processed together to assure that predetermined concepts are retained. This condition will be identified in the input header by showing a primary DIC of LMD. Additional DICs will be included in the package (same Document Control Number (DCN)) indicating specific actions required.
- g. Multiple NSNs will be used within a transaction when two or more NSNs are required to be

processed simultaneously as an entity to assure that predetermined concepts are retained. This condition will be identified in the input header by showing a Primary DIC of LMX. Additional DICs will be included in the package (same DCN) indicating specific actions required.

- h. All variable length input/output packages will consist of a header record containing a DIC followed by additional segments when applicable, each identified by a segment code. Refer to section 1.3.3 and volume 8, chapter 8.3 for fixed record formats.
- i. Segment B must be used when adding or changing a Major Organizational Entity (MOE) Rule. However, other MOE Rule data elements are altered using a data element oriented record (segment R). When a data element oriented record is used to add, delete, or change data field(s) in a segment B record, the MOE Rule being affected must be cited in the transaction.
- j. Any add, delete, or change to data element(s) in segment C (Reference Number Segment) must be accomplished by using the segment C format in lieu of the data element oriented format. Data elements within the C segment which are not involved in the transaction will be omitted.
- k. DIC LCG (not LCD) will be used when a Federal Supply Class (FSC) change is to be processed by itself or in combination with item identification type, Item Name Code, or Reference/Partial Descriptive Method Reason Code (RPDMRC) changes.
- 1. The return/action code is used in conjunction with a DIC to identify precise conditions. Return codes will be applied by DLSC to indicate the reason specific transactions are returned. Action codes will be applied by the submitter to advise DLSC of action to be taken with resubmissions. In

both instances pertinent data elements may be identified by a DRN/MRC.

- m. Whenever a multiple transaction (DIC LMD) submitted to DLSC results in multiple maintenance type outputs (i.e., two or more update actions on the same item with the same DCN), DLSC will generate an output package with KMD as the primary DIC. The specific maintenance actions will be identified in the output package with the applicable DICs. For example, if an LMD was submitted to DLSC containing maintenance action DICs LCD, LCC, and LAR, the resulting output would reflect output DICs KCD, KTD, and KAR. These DICs would be included in one output package having the primary DIC KMD in the output header.
- n. DIC LCC is submitted to add, delete, or change characteristics data. DLSC will generate and forward a complete revision of the characteristics data in lieu of only those characteristics that were added, deleted, or changed. Output DIC KTD will be used.
- 1.3.2 Provisioning and other Preprocurement Screening. Provisioning and other Preprocurement Screening is the requirement to screen all known reference numbers associated with an item of supply against the FLIS database to reveal their association with existing NSNs. It is designed to:
- a. Limit the entry of new items in the DoD supply system to those necessary to support logistics requirements.
- b. Utilize available stocks of items already in the supply system to meet provisioning and other logistics requirements so as to avoid unnecessary procurements.
- c. Execute the mandatory requirement to screen reference numbers for all support items recommended or being considered for procurement.

- d. Facilitate the requirement on the contractor or government activity to furnish all known reference numbers for each item to be screened prior to procurement or cataloging action.
- e. Provide for the screening of data files on releasable stocks, transferable retention stocks and DoD potential excess stocks for materiel utilization purposes.
- 1.3.3 Types of Output Distribution. Catalog Output Data will be distributed to data receivers authorized by the S/As. FLIS output generated by DLSC is either file maintenance or notifications. FLIS data base file maintenance is any add, change, or delete action reflecting data related to a National Item Identification Number/Permanent System Control Number (NIIN/PSCN) or establishment of a new National Stock Number (NSN). Notification data is output to inform designated recipients that the data has been received and processed. Information concerning mechanized file maintenance of SSR tables and files is contained in paragraph 1.3.3.f.(14) and section 1.3.11.
- a. The major distribution concept is to provide whatever output is required by the Services/ Agencies. Forward requests for original or revised distribution requirements through your respective head-quarters to:

Commander
Defense Logsitics Services Center (DLSC)
ATTN: DLSC-SB
Federal Center
Battle Creek, Michigan 49017-3084

- (1) Distribution will be made to S/A central points or individual activities as specified by the S/A.
- (2) Media and format will be as specified by the S/A for each data recipient. Format choice is

either variable length or fixed length. Media choices include magnetic tape, Electronic Data Transmission (message data), or Federal Item Logistics Data Records. Exceptions are that SSR output will be in fixed format only, and Simplified File Maintenance will be in a specific format and will be available only on magnetic tape.

- (a) See volume 2, section 2.3.2 for distribution of magnetic tape by mail.
- (b) When electronic data transmission is selected, the activity must indicate fixed or variable length and furnish a routing identifier code. An alternate output media (magnetic tape or punched cards) must also be furnished for use when electronic facilities are not available or an output transmission is restricted from electronic transmission.
- (3) Controls have been established to ensure that a specific activity does not receive the same output more than once.
- b. The sequence of FLIS data base file maintenance output transactions is NIIN/PSCN primary, File Maintenance Sequence Number secondary; SSR maintenance from DLSC will be output in Document Control Serial Number sequence. FLIS data base notification will be in Document Control Serial Number sequence; provisioning screening results will be in Submitter Control Number sequence. Simplified File Maintenance will be in NSN or NIIN sequence. (Simplified File Maintenance is distributed as an alternative to regular FLIS data base file maintenance only by special request. See volume 2, chapter 2.11 for additional information.)
- c. Tables are used to store information concerning S/A/activity distribution decisions. Some of the tables are multi-use, such as the MOE Rule Table and the Standard Federal Supply Classification (FSC) Table which are used to edit input as well as to determine output recipients. Other tables have

been developed solely for use in the output process:

- (1) Drop tables are used by DLSC to eliminate distribution of file maintenance/notification data when an activity has specified that such data is not desired. The File Maintenance Drop Table will drop segments, DICs, and segments within DICs. The File Notification Drop Table will not drop segments individually but will drop DICs and segments within DICs (see volume 10, table 104, part 3).
- (a) The undesired data must be predetermined by the activity and registered in the DLSC drop table. Elimination (dropping) of data cannot be on an item-by-item basis, but must be applied either to all output, certain DICs, or other recognizable category. DLSC will suppress data element oriented (segment R) output maintenance data related to other segments that are dropped in accordance with the drop table.
- (b) For example, if an activity requested that segment G be dropped from its file maintenance data, it would not receive KAF, KCF, or KDF freight classification transactions. Any activity having a drop table request must provide the information in accordance with paragraph 1.3.3.a and table 104.
- (2) The Output Control Participating Activity Code Table consists of the following information:
- (a) Media prescribed for type of data being output.
 - (b) Format required, variable or fixed.
 - (c) Activity drop requirements.
- (d) The alternate media for electronic data transmission under MINIMIZE conditions.
- (e) Magnetic tape (mail output) configuration (density, blocking factor, etc.). (See volume 2, section 2.3.2.)

- (f) Any other conditions which will influence output data distribution to a particular activity.
- (3) Provisioning screening output is determined by the Provisioning Screening Master Address Table (volume 10, table 23) and DoD 4100.38-M, Provisioning and Other Preprocurement Screening.
- (4) The priority schedule for all FLIS transaction processing is reflected in volume 10, table 24.

d. File Compatibility.

- (1) At intervals of three months, a random sample of items within prescribed FSCs will be selected (DLSC will select for the Services; the DSCs will do their own selecting). Output will be to selected S/As which have been designed as participants in file compatibility checking. This data will be provided/received in NSN sequence, on magnetic tape or via electronically. Two basic categories of data have been designated for compatibility checking: Item Intelligence Data and Catalog Management Data (segment H). (See Volume 2, Chapter 2.10.)
- (2) Quality Assurance of the Defense Automatic Addressing System (DAAS) Source of Supply (SoS) Code and FLIS TBJ Records. At intervals of 120 days, DLSC will select a random sample of 2,000 NIINs to be used for comparison. These NIINs are to be provided to the DAAS on magnetic tape. Comparison of data is used to reveal discrepancies/differences and to initiate corrective action. (See Volume 2, Chapter 2.13.)

e. Data Recipients.

- (1) File maintenance data recipients will be categorized as follows:
- (a) Item Identification (II) data receivers as specified in the MOE Rule Table, the Standard FSC

Table, and supplementary activities in segment B on an item-by-item basis.

- (b) Central control points as specified by the S/As. These central control points can be in lieu of II data receivers or in addition to II data receivers.
- (c) Catalog management data recipients as identified by the S/As.
- (d) Freight data recipients as identified by the S/As for confirmed and nonconfirmed data.
- (e) SSR data recipients as identified by the S/As.
- (2) Notification data recipients will be categorized as follows:
- (a) The originating activity of the input transaction.
- (b) The submitting activity of the input transaction.
- (c) The destination activity specified in the Provisioning Screening Master Address Table (PS-MAT) (volume 10, table 23) for the Destination Activity Code, Screening.
- (d) The catalog management data activities designated by each S/A (see volume 6, appendix 6-2-A).
- (3) FSC distribution is predicated upon the recordation of FSC managers on the Standard FSC Table. File maintenance (excluding data suppressed by "drop" tables) and advance informative notifications (DIC KIE/KIF) are forwarded to FSC managers recorded in volume 13. If the FSC manager is recorded on the actual item, he will receive the above output as a result of his item recordation and not FSC distribution; output will not be duplicated. FSC distribution of advance informative notification

(KIE) will be output only as a result of FSC changes.

- f. Description by Function.
- (1) Item identification (II) data submitted to DLSC for processing in FLIS will generate output for use by the originator/submitter/receiver as follows:
 - (a) File Maintenance Update.
- (1.) Actions requesting stock number assignment or reinstatement are approved and result in records being established in the master file.
- (2.) Maintenance actions which add to, change, or delete established data. Maintenance actions may have been previously output as advance notifications in the case of effective dated actions.
 - (3.) Actions which cancel existing records.
- (b) There are four types of notifications within item identification.
- (1.) Notification to the originator and submitter that the input transaction has been approved.
- (2.) Notification to the originator and submitter that the input transaction has not passed specific edit/validation criteria. This can be either a reject or a notification of suspense.
- (3.) Advance notification to the data receiver of a future effective dated action.
- (4.) Notification to the originator/submitter that an input transaction has resulted in a match condition in the FLIS data base. Actual degree of item identification match is required for proper use of the Reference Number Justification Code and/or MRC 9001. Degree-of-match visibility is provided by use of the Degree of Match Code, DRN 0595, as depicted in volume 10, table 27.

NOTE: Distribution of item identification file maintenance update output will be to item identification data receivers as previously defined.

- (2) Item Management Coding (IMC) The submission to DLSC of transactions to provide IMC Data (segment 9) for NIINs in FSC classes subject to IMC. The IMC card data is to be submitted only if the item is coded for Integrated Materiel Manager (IMM) management. DLSC output will be as follows:
- (a) Notification to the submitter that the transaction has been approved or rejected.
- (b) Notification to the Item Management Classification Agency providing interrogation results. This consists of segments A, B (all except NATO), E, H, 9, applicable futures file data, and, if the input Card Identification Code is D, Output Data Request Code 0274 Data (SoS).
- (c) All notification will be output at the time the input transaction is processed.
- (3) Standardization The submission of transactions to add or delete standardization relationships and change standardization decision data (Item Standardization Code, originator, date) either in or not in a relationship. Output will be as follows:
- (a) File Maintenance Updated file data (segment E) will be provided to item identification data receivers.
- (b) Notification of approvals or rejects to the originator/submitter.
- (4) Item Status/Cataloging Responsibility The submission of transactions to add, change, or delete MOE Rule recordings with related data elements for individual NIINs. Output will be as follows:

(a) File Maintenance - Updated file data will be provided to item identification data receivers.

(b) Notifications:

- (1.) Notification to the originator/submitter that the transaction has been approved or rejected.
- (2.) Notification to the responsible activities that a transaction has been approved but has caused a conflict condition.
- (3.) Advance notification to II data receivers that a future effective dated action has been approved.
- (4.) Notification to the responsible activity that DLSC has not received the response to a notification of conflict or a notification of future effective dated action (follow-up).
- (5.) Notification to all authorized II data receivers that DLSC has deleted a logistics transfer from the futures file, as authorized by the DLA Logistics Reassignment Monitor (MMSP-CIMO).
- (c) Frequency of Distribution. File maintenance update for effective dated actions will be output on the effective date. File maintenance update for non-effective dated actions and all notifications will be output at the time the input transaction is received.
- (5) Catalog Management Data (CMD) The submission to the FLIS data bank of a transaction to add, change, or delete a complete segment H or specific CMD data elements for an assigned NSN. Resultant outputs are depicted in volume 6, appendix 6-2-A and are summarized as follows:
- (a) File Maintenance Update In contrast to MOE Rule registrations citing "data receivers" or "data submitters", CMD file maintenance output is based on management assignments applicable to an

item. Output requirements do differ depending on the MOE involved in or affected by CMD update action. The following output criteria apply:

- (1.) Defense Supply Centers (DSCs) will receive file update on the effective date for CMD actions initiated by the DSC. They will not receive maintenance when initiated by a retail Secondary Inventory Control Activity (SICA).
- (2.) The Navy will receive CMD updates in accordance with volume 6, appendix 6-2-A, from Navy zero effective dated CMD.
- (3.) The National Security Agency (NSA) and the Federal Aviation Administration (FAA), when functioning as either the wholesale (Primary Inventory Control Activity (PICA)) or the retail (SICA) activity, will receive updates as a result of zero effective dated CMD.
- (4.) The Marine Corps (MC) will receive updates only for those actions submitted by the MC with a zero date. Marine Corps submitter activity may be functioning either as a PICA or SICA.
- (5.) The Army will receive CMD file updates based on a data distribution look-up table. This table (volume 6, appendix 6-2-A) will identify those Army activities which will receive/maintain CMD without regard to PICA or SICA level of responsibility.
- (6.) Air Force CMD file updates will be furnished to activity code SA in response to AF zero effective dated CMD submittals.
- (7.) NATO will receive file maintenance update on the effective date of CMD input for NSNs on which NATO is recorded.
- (8.) The U.S. Coast Guard will receive CMD file updates based on volume 6, appendix 6-2-A.

- (b) Notification Data The following types of output notification pertinent to CMD maintenance actions will be provided:
- (1.) Notification to the submitter that transaction has been approved or rejected.
- (2.) Notification to designated activities that a future effective dated CMD update action has been approved (advance notification).
- (3.) Notification to recorded SICAs that the Integrated Materiel Manager (IMM)/Lead Service has updated its segment H record. Air Force and Marine Corps recipients of this notification are not required to update their CMD records if the record was updated automatically in accordance with Volume 6, Appendix 6-2-D. Navy recipients of this notification from IMM submittals are not required to respond with input, since their Service CMD record was updated automatically by the IMM input. (NOTE: DLSC does not update Navy SICA segment H from Lead Service submittals.)
- (4.) Notification to the Navy central cataloging activity (activity code GM) that a non-Navy IMM/Lead Service update has been processed by DLSC.
 - (c) Frequency of Distribution:
- (1.) File Maintenance The effective date for approved CMD update actions will govern when file maintenance data will be distributed. Output will be furnished on a monthly basis except for zero effective dated input which will be furnished immediately.
- (2.) Notification of approval or rejection of input transactions and notifications generated from input of approved future effective dated transactions will be forwarded on the processing date.
 - (3.) Notification to the retail Services that

- the wholesale manager updates have been processed will be output 45 days prior to the effective date for effective dated input or on the processing date of zero effective dated input (volume 6, appendix 6-2-A).
- (6) DAAS SoS Update The submission to the FLIS data bank of transactions to add, change, delete, or reinstate that portion of CMD which involve or affect SOS information maintained by the DAAS. Includes the submission of that data required to effect immediate SoS update to be used by DAAS. Output will be as follows:
- (a) File Maintenance Update The DAAS will be the only recipient of tailored SoS updates. Other CMD recipients, including submitter, will receive normal file update package through applicable CMD processing.
- (b) Notification Data Notifications resulting from normal CMD update (involves/affects SoS) will not be provided the DAAS.
- (c) Frequency of Distribution The DAAS will be furnished normal SoS file update based on effective date time frames. Critical SoS file updates will be furnished immediately.
- (7) Freight Classification Data Submission to the FLIS data bank of transactions to add, change, or delete Freight Classification Data by the Item Managers or Military Traffic Management Command (MTMC). Resultant outputs are:
- (a) File Maintenance Update Updated file data will be provided to Freight receives identified in volume 10, chapter 4, table 115.
- (b) Notification Data Notification to the originator/submitter that the transaction has been approved or rejected.
 - (8) DoD Interchangeability and Substitutabil-

ity (I&S) Family Data - The submission to the FLIS data bank of transactions to add, change, or delete the I&S Family data applicable to the Master or Related NSN. Output will be as follows:

(a) File Maintenance - Updated file data will be provided to I&S receivers.

(b) Notifications:

- (1.) Notification to the originator/submitter that the transaction has been approved or rejected.
- (2.) Advance notification to I&S receivers that a future effective dated action has been approved.
- (9) Search by Reference Number Search by NSN. All output will be a form of notification.
- (a) Notification of reject will be output to the activity identified by the Activity Code, Screening, except for provisioning screening.
- (b) The Provisioning Screening Master Address Table (volume 10, table 23) will be used to determine the activities to receive search results and the media and format for these activities.
- (c) Notifications and results in response to search by reference number transactions using the DCN in lieu of the Submitter Control Number will be based on the Submitting Activity Code.
 - (10) Search by Characteristics.
- (a) The input transaction will carry the Activity Code, Screening and Submitter Control Number.
- (b) Notifications of rejects will be distributed only to the submitting activity.
 - (c) Notifications of search results will be

distributed in accordance with the Provisioning Screening Master Address Table (volume 10, table 23).

- (11) FLIS data base Tailored Interrogation An extract of data based on the submitted NIIN/PSCN. The content may be an individual data element, groups of data elements from a segment, a complete segment of data elements, or a combination of various segments as designated by the submitting activity through the Output Data Request Code (ODRC). Notifications, either rejects or interrogation results, will be distributed only to the submitting activity.
- mass extract of multiple items from the FLIS data base based on the submitted key data element, such as the item name or INC, FSC, Federal Supply Group (FSG), Commercial and Government Entity Code (CAGE Code), NATO Supply Code for Manufacturers (NSCM) noun or noun phrase, or MOE Code. Input will be through the DLSC program manager who will control the scheduling. All output will be a form of notification. The content of the output data for each individual item extracted will be as designated by the ODRC.
- (a) Rejects will be returned to the program manager who will either correct the error or communicate with the submitter.
- (b) Interrogation results will be forwarded to the submitter. The output will be forwarded by mail in accordance with the Output Control Participating Activity Code Table. When the originating activity is an electronic data recipient, the output will be as designated by the Alternate Output Media Code.
- (c) Sequence of output will be by DCN for the overall package and by NSN within the package.
 - (13) Supply Support Record (SSR) Tailored

Interrogation - An extract of SSR data based on the submitted key data element, such as CAGE Code, NATO Supply Code for Manufacturers (NSCM), Cataloging Activity Code, item name or INC, FSC, or FIIG number. The content of the output will be designated by the submitters ODRC. All output will be a form of notification.

- (a) Rejects will be returned to the program manager who will either correct the error or communicate with the submitter.
- (b) Interrogation results will be forwarded to the submitter. The media will be specified by the program manager as magnetic tape, electronic data transmission, or machine listing.
- (c) Sequence of the output will be by DCN for the overall package. Within the package the data will be sequenced as designated by the ODRC or, if not indicated in the ODRC, by the sequence of the input key data element(s).
- Retrieval A mass extraction of SSR data for multiple records, such as all approved item names, colloquials, basic names, or index entry codes from the SSR Item Name/FSC Sector or related item name data applicable to a FIIG. The key data element on input would be the type of item name or the FIIG number, respectively. Input will be through the DLSC program manager who will control the scheduling. All output will be a form of notification. The content of the output data will be as designated by the submitter through the ODRC.
- (a) Rejects will be returned to the program manager who will either correct the error or communicate with the submitter.
- (b) Interrogation results will be forwarded to the submitter. The media will be specified by the program manager as magnetic tape, electronic data

transmission, or machine listing.

- (c) Sequence of the output will be by DCN for the overall package. Within the package the data will be sequenced as designated by the ODRC or, if not indicated in the ODRC, by the sequence of the input key data element(s).
- (15) SSR. DLSC will provide mechanized file maintenance of three SSR files to S/As:

Commercial and Government Entity Code (CAGE) (O.E. Master File).

MOE Rule Table.

Standard FSC Table.

Adds, deletes, or changes to these files within FLIS will result in external distribution of the following output:

- (a) SSR file maintenance is furnished to S/A activities recorded as SSR file maintenance recipients.
- (b) FLIS data base file maintenance occurring as a result of changes to the System Support Record will be distributed in accordance with the rules for item identification file maintenance.
- (c) Notifications of rejects or approvals will be forwarded to the originator/submitter.

1.3.4 Record Formats

a. Fixed length card formats have been designed primarily for use in the interchange of data. They allow a physical record to be maintained in a master card file and permit sorting on unit record equipment. (Fixed length records used in FLIS will be restricted to eighty (80) column card systems using the Hollerith codes.) Every effort has been made to standardize data positioning to minimize error, as well as to assure that each record contains enough control information for identification and/or filing

purposes. Volume 8, chapter 8.3 contains the fixed length formats for each of the headers and segments which have been established for FLIS data base input/output transactions.

- (1) Except for segment 6 (applicable only to DAAS), the Package Sequence Number (PSN) is contained in card columns 4-6, and the Priority Indicator Code is entered in card column 7 (including continuation cards). All records (except DAAS and SSR related transactions) will show in card columns 8-26 a combination of either the Originating Activity Code, Submitting Activity Code, date, and Document Control Serial Number; or the Activity Code, Screening and Submitter Control Number.
- (2) Output records will include, in card columns 24-26, the File Maintenance Sequence Number, when that data applies. The FSC and NIIN/PSCN/SCN (System Control Number), when applicable in accordance with the DIC, will be shown in card columns 27-39 of all header/ segments except segments 2, 4, J, and S. The FLIS Segment Code will be shown in card column 40 on all input/output segments except those which apply only to the DAAS.
- b. Fixed Length Packages. Circumstances exist when all data for a given segment cannot be shown on a single 80-column card. When multiple cards are required, they must contain PSNs assigned consecutively and in sequence. As necessary, segments provide for use of a one-position Continuation Indicator Code (CIC) (DRN 8555) in card column 80 to identify the specific format of a segment and/or to signal that another card follows. This is required either to complete a lengthy data element value (e.g., segment V) or to accommodate segment data which cannot be contained on one card due to space limitations (as in segments G and H). (The CIC will never be used in a complete card simply to indicate the presence of additional complete cards in

the package containing the same segment code (e.g., segment E).)

- (1) When the first card and all subsequent continuation cards are in the same format (as in segment M), the CIC will be a dash (-) (11-punch). The end of a segment will be signaled by a blank in card column 80 of the last card of the segment.
- (2) In those segments which have multiple fixed formats (e.g., segment H), a CIC is formed for each different format by adding a 1, 2 or 3-punch to the 11-punch.
- (a) For example, in a segment H using three cards, card 1 would show a J (1 and 11-punch), card 2 a K (2 and 11-punch), card 3 a 3. The appearance of a 1, 2, or 3-punch without the 11-punch identifies that card as the last one of that segment. If four or more cards are needed to contain all prescribed segment data (e.g., segment H), card 1 will contain a J, card 2 a K, and the first card 3 an L (3 and 11-punch). Each additional card 3 except the last will contain an L, and the final card 3 will show a 3.
- (b) Segment N may consist of multiple cards 1 and 2. When this occurs, each card 1 will contain a J and each card 2, except the last, a K. The final card will show a 2 in card column 80. This exception does not apply to any other FLIS data base segment.
- (3) Criteria and Examples (see also volume 2, section 2.3.2 and volume 10, section 10.3.5):
- (a) Screening by reference number (segment 2) can normally be requested by submission of a single card. Two cards will be required only when the DIC requires inclusion of the INC or Non-Approved Item Name, as part of requests submitted by NATO and foreign countries.
- (b) Segment 7, to be generated by DLSC as an item management coding advice notification

document, will extend into multiple cards if more than three MOE Rules apply to the NSN involved in the transaction.

- (c) The MOE Rule data segment (segment B) can reflect three collaborators and/or receivers on one item without requiring a continuation card. A total of nine (9) collaborators and/or receivers can be accommodated with the submission of only one continuation card.
- (d) The vast majority of logistics reference numbers can be contained in one segment C record; however, the relatively small number of reference numbers which exceed 16 positions will require the use of a continuation card. (The 32 positions allotted for DRN 3570 have been equally divided between card 1 and card 2 of segment C.)
- (e) The number of freight classification data records (segment G) necessary for each NSN will be one or two.
- (f) The number of segment H records needed to provide complete Catalog Management Data also varies. DIC LDM requires only one card; all other CMD DICs need a minimum of two cards, with the use of additional cards depending on the number of Related NSN/Technical Document Number entries applicable to the prime NSN.
- (g) DICs output in response to NATO/foreign country submissions which require an INC or Non-Approved Item Name in segment J will use a continuation card to contain such data.
- (h) Variations in data volume will frequently require the use of one or more continuation cards when segments P, Q, R, and V are produced. For example, data returned for corrections (segment P/Q) might involve multiple errors encountered in processing; segment R could contain multiple DRN values whose combined lengths exceed the 80 card

column limitation; segment V may easily contain numerous Characteristic Data Groups.

(i) Segments M, N, Q, R, and V contain data elements of unpredictable lengths; therefore, fields that are referred to as "value" or "reply" must, of necessity, be freeflowing. These elements may be continued from one card to the next; i.e., a data element which cannot be completed on a given card will be continued to the next card. Overflow of segments which do not have fixed formats for continuation cards will follow the same formats for control data. Segment data elements, however, which require continuation card(s) for overflow will begin in the following card columns on succeeding card(s).

Segment	Continuation Card(s) Begin in Card Column
7	43
M	46
P & O	47
P & Q N & R	41
V	42

- (1) Segment Q, R, and V data groups of unpredictable length give rise to special requirements. To simplify processing, a convention requires that second and/or succeeding data groups which cannot be fully accommodated in the remaining unused positions on any given card will be started in the succeeding card, leaving the unused positions blank. Detailed instructions concerning the specific data groups and card columns for each affected segment are contained in volume 8, chapter 8.3.
- (2) The Data Element Terminator Code (#) is required to signal the end of certain data elements, the length of which is unpredictable, when used in segments designed specifically to accommodate a range of entries. Listed below are the FLIS data base segments and DRNs for which this convention applies:

Segment	DRN	Title
M	0113	Master Requirement Code
		Clear Text Reply Field
N	3616	Reply Data, Descriptive (Para-
		graph Identification List)
Q	9979	Submitted DRN/MRC
		Value/Reply
R	9975	DRN Value
V	3317	Characteristics Data Group
		-

(The Data Element Terminator Code is not required in those segments in which data elements can be predicted and fixed positions have been provided for the maximum data length; e.g., item name (19 positions) in segment G; logistics reference number (32 positions) in segment C (which provides fixed positions in card 1 and overflow to card 2).)

- (3) All entries of alphanumeric data elements for which maximum length fixed fields are provided will begin in the left-most positions, leaving unused positions blank in all cases. Data elements contained in each segment are not required for all DICs. When individual data elements are not required for inclusion in a specific DIC, the field will be left blank.
- c. Variable Length Format. Variable length formatted data requires the presence of one header followed by applicable segments; header information is not repeated. The segment length field indicates length of each segment; it can exceed 80 characters.
- (1) When optional data or data not required appears at the end of a segment, the segment will be truncated, except for segment V which will use the special character (#) as the Data Element Terminator Code to distinguish the end of a variable length field. Data fields occurring within segments must be space filled.

(2) Within the segments, there may be variable length data elements (data elements that can vary in length) or instances where a fixed length field can occur a varying number of times. In both cases counters are used to indicate length or number of occurrences.

1.3.5 Sequence of Processing

- a. Input transactions will be queued (after processing through input control) in logical processing groups (application queues) so that an operation, or string of operations, may be initiated to process the data contained in a queue. Input transactions fall into two categories: Dynamic scheduling by condition and fixed interval scheduling.
- (1) Dynamic Scheduling. A file will be maintained which will reflect the contents of the queues and their related response requirements priority; i.e., emergency NSN requests, interrogations, search, and provisioning screening. Based upon this queue status information and various optimum processing decision factors, the system controller will determine what application is to be initiated, and what priority it is to receive in relation to the applications currently in operation.

(2) Fixed Interval Scheduling.

- (a) Certain operations are not triggered as a result of the receipt of an input transaction but are required as the result of an event such as time passage (e.g., daily, weekly, annually). The system controller will recognize the need for the scheduling of these operations and determine if a specified condition has been reached.
- (b) FLIS data base update transactions, including NIIN assignment other than emergency, fall into the fixed interval category and are normally scheduled for once-a-day processing. Within the FLIS data base update group, item status transac-

tions (i.e., LAU, LCU, LDU) are processed deletes first, followed by changes, followed by adds. All other FLIS data base update transactions are processed deletions first, followed by adds, followed by changes.

- b. All transactions input through input control are assigned a processing control number when processed through input control. The control number includes the date (Julian day) that the control number is assigned. Transactions are queued for processing by control number. Queues containing FLIS data base update transactions are sorted prior to processing to achieve the sequence indicated in preceding paragraph. Electronic data transmission transactions are processed through input control in the order in which they are received. Likewise, mailed transactions are generally processed in the order received, but may be processed out of sequence if so required.
- 1.3.6 Suspense Files. The suspense file is that portion of the FLIS process which serves as a temporary repository for transaction information of functional value to the S/A. The suspense files contain information necessary to perform the following functions:
- a. To maintain a temporary record of all FLIS "L" and "K" transactions for 60 days after processing completion. This provides a S/A the ability to follow-up on the status of a submitted transaction for which final disposition was never received. Follow-up interrogations will be transmitted to DLSC using DIC LFU. The information on output DIC KFU will allow the requestor to determine what subsequent action, if any, must be initiated to implement the intent of the original transaction.
- b. To maintain a temporary record of conflict conditions for selected data pertaining to approved FLIS transactions. Periodically, as specified by the applicable condition, these records will generate follow-up notifications to the responsible activities.

The DIC KFP transactions will reflect the need to correct the file inconsistencies. Corrective data will be sent to DLSC on transactions to add, change, or delete the applicable FLIS data base data causing the conflict condition (e.g., DICs LCC, LDR, LAU, LCD).

1.3.7 Unprocessable Transactions

- a. Unprocessable transactions are those which did not contain the minimum essential control elements required for processing. These transactions are not queued for processing but are retained on the FLIS transaction history file for processing as specified in paragraph 1.3.6.b.
- b. Unprocessable transactions are returned under DIC KRU (to submitter) if this activity is mechanically identifiable. When the submitter is not mechanically identifiable, the transaction is dumped for manual review and further resolution within DLSC before return to the submitter. DIC KRU gives quick visibility to the submitter that the transaction was terminated without being subjected to all system edits, screens and other processes. It must be corrected and resubmitted in its entirety when specific error conditions are produced through the use of return codes.
- c. Unprocessable transactions terminate processing because the missing or invalid control data or conflicts with control data are such that the system cannot determine which processes, edits, guides or decisions the transaction should be subjected to or processed under.
- d. Some types of errors which cause transactions to be unprocessable are:

The submitter and the routing identifier codes conflict.

The originator and/or submitters are invalid or blank.

The controlling document number contains errors or blanks.

Invalid Document Identifier Codes.

Conflicts between DICs in an LMD transaction. Conflicts between DIC and mandatory/allowable segments; invalid segment codes.

Invalid Package Sequence Numbers.

Segment counters do not agree with data submitted

Established lengths/occurrences exceed allowable limitations.

1.3.8 Error Processing.

- a. The FLIS concept of returning conditions which fail to pass the established edit/validation criteria (volume 11) involves the use of either a segment P or Q. If the value of the data element(s) is to be included with the return code, segment Q is used; otherwise segment P is used. See volume 10, chapter 10.2 for return codes.
- b. In addition, system errors are conditions encountered during processing which terminate any further processing of the input and suppress output notification to data receivers of the specific transaction. Some conditions that produce system errors are as follows:

FLIS data base imbalances. FLIS requirement voids. Computer operation errors.

- (1) When a system error is encountered during processing, DLSC will output notification by use of DIC KRE, segment P, return code TP, and any other errors that occur up to the point of system error. Return code TP is also defined in volume 10, chapter 10.2.
- (2) Normally, when return code TP is received, an activity should not generate DIC LFU; however, if an LFU is generated to DLSC, DIC KFU,

follow-up status code BX, segment P, return code TP, will be output.

1.3.9 Processing Malfunction

- a. DIC KPM provides the FLIS with a method to notify participating activities that a malfunction has been discovered and DLSC has reprocessed input data after corrective action has been taken. Data to be reprocessed will be restricted to file maintenance actions.
- b. When a processing malfunction is discovered, DLSC will isolate the problem area and determine when the malfunction began and how far back in time the input image file must be searched to reestablish appropriate input transactions. FLIS transaction volumes require that recovery from a processing malfunction using the DIC KPM process be limited to a maximum of eight days.
- c. Reprocessing of the file maintenance actions will restore the item to its correct state, and the resulting output will be a DIC KPM with total file generated on a transaction-by-transaction basis. File data will be forwarded to all normal data recipients after reprocessing has occurred.
- d. Activities which received file maintenance data on an item during the malfunction and are not recorded after reprocessing has occurred will receive file data on the item. These activities should review the KPM transaction and take action to add their activity as a user and resubmit supply management data if an interest in the item exists. If the item is recorded in an activity's files for which an interest does not exist, and the activity wishes to remove the item from its files, that activity should take action based on the KPM transaction, as additional transactions will not be provided.

1.3.10 Segment Z Availability

a.	Se	gment Z (Futu	re	Data)) co	ntair	is data v	vhich
will	be	effective	on	a	date	in	the	future.	This
segment will be output by DLSC (when it is avail-									
able) in conjunction with the following DICs:									

DIC	Title	Note
KAT	Add FLIS Data Base Data	1
KDZ	Delete Logistics Transfer	3
KFA	Match Through Association	1
KFC	File Data Minus Security Classi-	1
	fied Characteristics Data	
KFD	FLIS Data Base File Data	1
KFE	FLIS Data Base File Data for	1
	Replacement of a Cancelled	
	NSN/PSCN, Related Generic	
	NSN, or Reference Number	
	Screening Results	
KFR	File Data for Replacement	1
	NSN/PSCNs when not Autho-	
	rized for Procurement	
KIE	Advance Informative FLIS Data	1
	Base File Data	
KIF	Informative Data for Pending	1
	Effective Dated Actions	
KIR	Interrogation Results	2
KIS	Search Results of National Item	2
	Identification Number Screening	
KMA	Association Code Match (Screening)	2
KME	Exact Match (Screening)	2
KMG	Possible Match (Screening)	
KMH	Actual Match (Screening)	2 2
KMP	Partial Match (Screening)	2
KMQ	Probable Match (Screening)	2
KMÙ	Exact Match with Errors in Sub-	1
MDE	mitted FII	-1
KPE	Possible Duplicate with Errors in Submitted FII	1
KPM	Processing Malfunction	1

DIC	Title	Note
KRM	Notification of Exact Match	1
KRP	(Submitter) Notification of Possible Duplicate (Submitter)	1
KTA	Mass Data Retrieval Results (FLIS data base)	2
KTS	Interrogation Results Minus Security Classified Characteristics Data	2
Note 1:	rogations - Segment Z data will be cluded in the output package when the segment Z data pertains to the ments normally furnished with this or (2) the segment Z data pertains FSC change or a cancellation action	seg- DIC to an n. oga- uded seg- ats (2) the
Note 3:	the segment Z data is requested by ODRC. All segment B, H, and T records cotained in the futures file (segment Z are being deleted will be output.	n-
b. The use of segment Z always requires the inclusion in the output package of the actual segment (B, H, M, R, T, V) containing the effective dated information as follows: (If segment B data is effective dated, the segment Z will contain the entire B segment.)		
Segmen	t Effective Dated Data	

B Add or change a MOE Rule.

H Add, change, or delete Catalog Management Data (CMD) (and/or DoD I&S family data).

1/M Add, change, or delete descriptive characteristics input through segment V.

R Change FSC.

1/R Change data elements such as type of II, Federal Item Identification Guide Number, FIIG Criticality Code, INC and/or item name (segment A data).

R Add, change, or delete segment H (CMD) data elements.

T Deletion of a MOE Rule.

T Cancellation of an item identification.

2/V Coded characteristics.

1/ Change data elements for segment A data submitted through segment R and/or characteristics data output through segment M will be effective dated only when related to an FSC change.

2/ The segment V, coded characteristics, is output only when requested through interrogations and for NATO or other foreign countries search by reference number.

- c. When segment Z is included in the output, the current data will be output first in the appropriate segment sequence. The segment Z will follow at the end of the current data. In the variable format the segment of data which contains the future data will be included with the segment Z. In the fixed format the segment of data which contains the future data will follow the segment Z as a separate card record. All segment Z output will be sequenced by the effective date. The output of effective dated characteristics contains some exceptions to this process as described in the following paragraphs.
- (1) The only time characteristics data is established in the futures file is when characteristics maintenance actions are submitted in conjunction with an FSC change under DIC LMD. The KIF output resulting from an FSC change with charac-

teristics maintenance action(s) will not contain the effective dated characteristics, and segment Z will only cite the DRN 9111 without value. A constant of LCC will always be contained in the Z segment input DIC field regardless of whether characteristics were added, changed, or deleted.

- (2) Outputs other than KIF that contain futures data will include the effective dated characteristics within the current segment M data that precedes the segment Zs. A segment Z with the applicable effective date and segment M DRN 9111 will be output to indicate that the preceding segment M contains imbedded effective dated characteristics. The effective dated characteristics will not be output with the segment Z.
- (3) When segment V coded characteristics are requested by NATO/foreign countries through reference number search (DIC LSN), any effective dated characteristics will be output with the current segment V data. The Z segment with the effective date and referencing DRN 9118 only will be output at the end of the package. NOTE: This V segment will be decoded by the NATO or other foreign country to the applicable government's language.
- (4) When an interrogation (DIC LTI) requires segment V output, the current segment V will be output; a segment V with imbedded effective dated characteristics will also be output in the segment Z convention described in paragraph 1.3.10.c.

1.3.11 System Support Record (SSR) Processes

a. The SSRs are the tables, indexes, guides, files, etc., that interface with the FLIS data base in the processing of FLIS input transactions. These SSRs are maintained by specific DICs; content and vehicles for their update are set forth in the following paragraphs:

MOE Rule File Maintenance

1.3.11.c

Standard FSC Table	1.3.11.d
SSR Organizational Entity (OE) File	1.3.11.e
SSR Master Freight File Maintenance	1.3.11.f

- b. Input/Output Formats. The fixed length designs stated in section 1.3.4 for the FLIS data base apply, except for those that are unique to the OE SSR. Data chains have been constructed into segments for SSR processing as follows:
- (1) SSR Input Segment 800 (DRN 0231). This is a control data segment for input transactions to the FLIS SSRs.
- (2) Segment Code, Supplemental 801 SSR MOE Rule Maintenance Segment (DRN 0331). An input/output data chain required to control the processing of maintenance actions for SSR MOE Rule data based on input DIC.
- (3) Segment Code, Supplemental 802 SSR MOE Rule Data Element Segment (DRN 0330). A data chain consisting of homogeneous data elements pertinent to the SSR MOE Rule.
- (4) Segment Code, Supplemental 803 SSR MOE Rule Management Exception Rule Segment (DRN 0228). A data chain consisting of homogeneous data elements pertinent to the notes applicable to a given SSR MOE Rule and a card identification number.
- (5) Segment Code, Supplemental 804 SSR MOE Rule Cancel with Replacement Segment (DRN 0229). A data chain consisting of homogeneous data elements pertinent to the replacement SSR MOE Rule.
- (6) Segment Code, Supplemental 805 SSR Standard FSC Management Maintenance Segment (DRN 0241). An input/output data chain required to control the processing of maintenance actions for

- SSR Standard FSC Table in volume 13 based on input DIC.
- (7) Segment Code, Supplemental 807 SSR Master Freight Table Maintenance Segment (DRN 0240). An input data chain required to effect maintenance actions, other than deletes, to the SSR Master Freight Table.
- (8) Segment Code, Supplemental 812 Establish/Cancel INC Output Segment (DRN 0441). A data chain, output to the Military Traffic Management Command (MTMC) only, consisting of data pertinent to the establishment or cancellation of an INC in the FLIS INC Validation File.
- (9) Segment Code, Supplemental 821 OE Name/Address Data Segment (DRN 0249). A data chain consisting of the OE line segment numbers in combination with the clear text data required to identify an OE
- (10) Segment Code, Supplemental 822 OE Mail Routing Data Segment (DRN 0246). A data chain consisting of the OE line segment number 10 in combination with the applicable ZIP Code, Contract Administration Office (CAO) Code, Automatic Data Process Point (ADP) Code, and CAO/ADP Exception Processing Code.
- (11) Segment Code, Supplemental 825 OE File Maintenance Data Segment (DRN 0251). A data chain consisting of data elements required for output to update files of selected customers who have previously been furnished a basic file.
- (12) SSR Interrogation Output Segment 866 (DRN 0258). An output data chain consisting of homogeneous data elements pertinent to SSR interrogation results.
- (13) SSR Output Segment 890 (DRN 0242). A dual purpose output data chain consisting of the data

required to return supplemental 800 segment data elements without value. In an abbreviated form it will be used as an output header for other types of SSR output. The abbreviated segment 890 will contain all elements up to and including DRN 0252, Segment Code, Supplemental, Input.

MOE Rule File Maintenance.

- (1) All proposed file maintenance actions will be submitted by the DLSC program manager only. No provision for direct file access from external sources will be made. Procedures for manually requesting changes are outlined in volume 13.
- (2) All proposed file maintenance actions will be subjected to machine edit/validation to assure completeness and accuracy. Printed listings will be routed to the DLSC program manager reflecting results (rejected inputs) of processing.
- (3) A mechanized data distribution system will be used for S/A file maintenance. Specific data receivers for such updates will be determined by each requiring S/A. The following FLIS output DICs/data will be used to update S/A files:

DIC Title

- KUA Add SSR MOE Rule Record (Total rule record due to new MOE Rule or reinstatement.)
- KUB Cancel SSR MOE Rule with Replacement (Rule status code update with replacement, segment 803.)
- KUC Change SSR MOE Rule Record (Total rule record will be replaced.)
- KUD Cancel without Replacement or Delete SSR MOE Rule Record (Delete rule record or status code update.)
- (4) Effective date controls will be used and maintained against future effective dated transac-

tions. Add MOE Rule record with future effective date must cite a status code of 4. Future dated cancel/delete actions will cause the retention of the current record/image along with the forthcoming futures record.

- d. The Standard FSC Table contains the FSCs listed in Cataloging Handbook H2-1, Federal Supply Classification, Groups and Classes. This part consists of the structure of the FSC, showing groups and classes in the four-digit FSC code numbering system. Arrangement of the FSCs in the table is in numerical order from the lowest to the highest. (See volume 13.)
- (1) Those entries within the table which identify materiel management responsibility assignments are reflected by an **If** and **Then** condition statement. Example: **If** FSC is subject to Integrated Materiel Management (IMM), **then** the IMM activity code will appear in the IMM column.

(2) The Standard FSC Table will be used to:

Validate functional assignments by FSC in accordance with published directives.

Validate FSC codes.

Determine which activities will receive output distribution on an FSC basis.

e. SSR OE Master File.

(1) Input from the Services and Agencies for adding, changing, or deleting OE type A CAGE Code, E NSCM records will be based on receipt of DD Form 2051. Correspondence and/or DD Forms 2051 received directly from the manufacturer will also be processed by DLSC.

(2) Types of Organizational Entities:

(a) Commercial and Government Entity Code (CAGE). A five-position all alphanumeric code (e.g., 2A123) assigned to U.S. and Canadian

organizations which manufacture and/or control the design of items supplied to a Government military activity or Civil Agency. The CAGE Code file provides the data base for Cataloging Handbooks H4-2, H4/H8 CAGE Handbook, United States and Canada and Handbooks H8-1/H8-2, Non- Government Organization Codes for Military Standard Contract Administration Procedures (MILSCAP).

- (b) North Atlantic Treaty Organization (NATO) Supply Code for Manufacturers (NSCM). A five-position alphanumeric code (e.g., (2345B) assigned to organizations located in NATO member nations (excluding U.S. and Canada) and other foreign countries which manufacture and/or control the design of items supplied to a Government military activity or Civil Agency. The NSCM file provides the data base for Cataloging Handbook H4-3, Commercial and Government Entity Code excluding U.S. and Canada.
- (3) Requests for new CAGE/NSCM code assignments and proposed maintenance affecting existing FLIS data bank OE records (name/location changes, etc.) may emanate from any U.S. activity/agency, NATO nation, or other foreign country. The specific procedures pertaining to OE input types A, E, and F are set forth in volume 7, chapter 7.1 Establishment/Maintenance, OE SSR CAGE/NSCM.
- (4) Prior to submission of a request for code assignment or maintenance action, activities/agencies which maintain mechanized H4/H8 file(s) (see volume 7, paragraph 7.1.1.e) will screen their files to ensure an CAGE/NSCM has not already been assigned or updated for that particular organizational entity. Activities/agencies which are not recipients of the mechanized files will screen against the latest H4/H8 publication. In addition, S/As should use DIC LHR, SSR OE Interrogation (Tailored), to make this determination.

- (5) All input transactions received by DLSC will be subjected to front-end machine edit/validation processing. They are then suspended for DLSC program manager review and certification of approval or return (rejection).
- (6) End processing of proposed input transactions will result in external distribution of the following types of OE output data:
- (a) Notification to the submitter that the proposed transaction has been processed and approved or rejected.
- (b) File maintenance to recipient S/As resulting from add, change, or delete transactions which have been processed and approved by DLSC.
- (c) Following approval/processing of an CAGE Code or NSCM which involves one or more reference numbers, DLSC will provide the applicable receivers appropriate file maintenance data for their National Item Identification Number (NIIN) records. Update actions for deletion of cancelled OE code and addition of replacement OE code will be accomplished by machine-generated DIC KDR and KAR transactions.
- (7) A mechanized data distribution system will notify submitting activities of DLSC approval or return (rejection) of proposed input transactions. Specific data receivers of OE file maintenance data and NIIN file maintenance update will be determined by each requiring S/A. The following FLIS output DICs will be used to forward output data to activities/agencies: (The procedures governing OE outputs are set forth in volume 7, section 7.1.9.)

DIC Title

KHS Notification of Unprocessable SSR Transaction Package (Forwarded to submitter as a result of proposed input failing initial input control edit/ validation processing; e.g., input DIC garbled, etc.)

KHN SSR OE File Maintenance Data KDR/ NIIN File Maintenance Update

KAR (Forwarded to applicable receiving activities/agencies as a result of DLSC processing an approved input transaction in which one or more reference numbers were transferred from a cancelled OE code to a replacement OE code.)

(For DIC KHN, OE SSR File Maintenance Data, the normal output mode will be electronic data transmission. (The basic KHN file will be available only on magnetic tape. This basic file can be obtained on a bi-monthly replacement basis, if desired.))

(8) DLSC sends out computer-generated letters to coded contractors requesting verification of the organization's status, making one complete cycle of the file annually. This factor should be considered; however, an activity/agency should not withhold available information concerning an OE because of this process.

f. SSR Master Freight Table Maintenance.

(1) All input transactions for maintenance of the SSR Master Freight Table must contain XZ activity code, both as originator and submitter. Processing this transaction through the SSR update procedure will include replacing the submitting activity with a DLSC activity code to indicate mass change as a result of SSR processing. This will also preclude the possibility of any rejects or notifica-

tions of approval through FLIS data base processing.

- (2) Under no conditions will the SSR file(s) or the FLIS data base file be updated until the program manager reviews the impact of the mass change and forwards a notification to the mass-change process to proceed with applying all changes and notifications. Under this concept incompatibilities will not exist between the SSR Master Freight Table, and the FLIS data base.
- (3) If a National Motor Freight Classification (NMFC) Sub-Item Number/Uniform Freight Classification (UFC) is to be added to the SSR Master Freight File, input DIC LUT (Add New SSR Freight Classification Record) will be submitted.
- (4) If an NMFC/NMFC Sub-Item Number/UFC is to be replaced by an existing NMFC/NMFC Sub-Item Number/UFC, input DIC LUV (Replace SSR Freight Classification Record) will be submitted. This input will identify the NMFC/NMFC Sub-Item Number/UFC combinations involved and will identify the NIINs involved for a mass change. Upon approval by program manager, all actions will be applied and NIIN-oriented KCF output will be provided to all S/As receivers as applicable.
- (5) If an NMFC/NMFC Sub-Item Number/UFC is to be deleted from the SSR Master Freight File, input DIC LUX (Delete Total SSR Freight Classification Record) will be submitted. This input will identify the NMFC/NMFC Sub-Item Number/UFC combination involved and will identify the NIINs involved for a mass change. Upon approval by program manager, all actions will be applied and NIIN-oriented KCF output will be provided to all S/A receivers as applicable.
- (6) All changes of data elements relating to an established NMFC/NMFC Sub-Item Number/UFC will, after program manager approval, effect a NIIN-oriented output (KCF) to all S/A receivers.

- (7) If a transaction is suspended awaiting DLSC program manager notification, no subsequent input transaction will be authorized. Transaction will be rejected using return code 5F.
- (8) All input transactions to maintain the SSR Master Freight Table are provided for MTMC use only.

DIC	Title
LUT	Add New SSR Freight Table Record (add total new record)
LUV	Replace SSR Freight Table Record (de- lete old from file, replacement must exist on file)
LUX	Delete Total SSR Freight Table Record (eliminate complete record)
*LUW	Change Data Element(s) on an SSR Freight Table Record

*May not change NMFC, NMFC Sub-Item Number or UFC using this DIC.

(9) A mechanized data distribution system will be used for S/A file maintenance update. Specific data receivers for such updates will be determined by each requiring S/A. The following FLIS output DICs will be used to update S/A files.

DIC	Title
KAF KCF KDF	Add Freight Data Change Freight Data Delete Freight Data

(10) The following FLIS output DICs will be used as notification of approval or reject to MTMC.

DIC	Title
KHP	Notification of Approval

DIC Title

KHR Notification of Reject (includes output header, input DIC, input PSN, input supplemental segment, DRN in error, and return code)

1.3.12 Mass-Change Processing. Mass-change processes are initiated by maintenance actions to the SSR; e.g., tables, guides, edits, cataloging tools, etc. Such mass changes involve changes to multiple FLIS data base items and/or to other sections of the SSR. Each mass- change request is submitted through, and/or initiated by, a DLSC program manager. This is done to minimize the possibility of inadvertent contamination or deterioration of the files and to retain ADP scheduling control for DLSC.

a. Two methods of mass change are used by DLSC: The pre-programmed mass change and the special project. In all cases the change criteria must be furnished by the S/A/DLSC program manager that requires the change. A pre-programmed mass change is one for which an established program exists at DLSC and no additional programming is required. A transaction that triggers a pre-programmed mass change as indicated in paragraph 1.3.12.c will cause the following actions to occur:

Identify the affected file items.

Complete the maintenance actions required on the items.

Generate the appropriate output.

NOTE: A request for a special project mass change will also require that the preceding actions take place; however, programming will have to be initiated to provide for those actions. Pre-programmed mass change and mass change will be considered synonymous terms for use in the remainder of this section.

- (1) Pre-programmed mass changes are triggered by transactions input or requested by a S/A/DLSC program manager to update or revise a SSR. For example, a change in manufacturers code (CAGE Code) submitted in accordance with volume 7, paragraph 7.1.3.a or 7.1.3.c will cause reference number change transactions to be generated. The CAGE Code will be changed in the FLIS data base wherever it appears against a reference number.
- (2) An example of a special project mass change is the item management change from IMM to IMM for all the items under a specific FSC. The losing IMM is obligated to coordinate the management change with the gaining IMM. The gaining IMM is required to provide DLSC with the criteria necessary to generate LCU transactions to change all the affected MOE Rules on those items for which the losing IMM is recorded as manager. Under normal operating conditions DLSC would require ninety days to program this example.
- (a) The criteria DLSC would require to initiate this special project is as follows:

The identity of the items to be changed, e.g., all items under a specific FSC.

The superseding MOE Rule.

The action required on the supplemental collaborators and receivers.

- (b) The item status codes and catalog management data recorded against affected items will not be changed. Required maintenance will be input by the responsible activity on a by-item basis.
 - b. Functional Areas/Data Elements:

_		
т	т	NΙ

Commercial and Government Entity 9250 Code (CAGE)

	DRN
NATO Supply Code for Manufacturers (NSCM)	414()
National Motor Freight Classification Code (NMFC)	2850
National Motor Freight Classification Sub-Item Number	0861
Uniform Freight Classification Code (UFC)	3()4()
Freight Data Elements:	
Less Than Truckload Rating Code	2770
Freight Description	4020
Assigned Federal Supply Class (FSC)	399()
FIIG Data Elements:	
Characteristics Data Group	3317
Master Requirement Code	3445
Coded Reply	3465
Clear Text Characteristic Reply	4128
Mode Code, Permissible	4735
AND Symbol	8950
OR Symbol	8951
Secondary Address Code	8990
Guide Number, FIIG	4065
Item Name Code 4080	

- c. Procedures and Formats.
- (1) CAGE/NSCM Mass-Change Processing: See volume 7, paragraphs 7.1.3.a and 7.1.3.c.
- (2) NMFC/NMFC Sub-Item Number/UFC Mass-Change Processing:

See volume 6, paragraph 6.4.8.a for NMFC/NMFC Sub-Item Number/UFC mass-change processing against the SSR Master Freight File. See volume 8, chapter 8.1, DICs LUT, LUV and LUX for input formats.

(3) Freight Data Element Mass-Change Processing: See volume 6, paragraph 6.4.8.a for the

mass-change processing of the freight data elements listed in paragraph 1.3.12.b. Freight data element mass-change processing updates freight classification records previously established in the SSR Master Freight File. See volume 8, chapter 8.1, DICs LUW, and for input formats.

(4) FSC Mass-Change Processing:

- (a) The change of MOE Rules and related data elements that becomes necessary as a result of a forthcoming FSC mass change will be accomplished by the DLSC Directorate of Logistics Information Management on a special-project basis or input by the affected Departments/Agencies on a by-item basis. See volume 3, paragraph 3.6.1.b for information relative to FSC/MOE Rule processing.
- (5) FIIG Mass-Change Processing: Characteristic mass change will occur as a function of the FIIG revision process or as a result of a FIIG page change. Characteristic mass change is initiated by the DLSC Directorate of Logistics Information Management through the use of internal transactions. The mass-change actions will be internal and will act upon the FLIS data base characteristic records. A change to the technical content of the characteristic description will result in the output of updated FLIS data base data (DIC KTD).
- (a) See volume 4, chapter 4.12 for information on FIIG revision.
- (b) The mass-change processing that occurs as a result of a FIIG page change will cause characteristic file maintenance to authorized receivers when technical changes result in the output of updated FLIS data base data (KTD).
- d. All requests for special-project mass-change processing of data elements will be addressed through normal channels to DLSC. The requests will be prepared in letter form citing all criteria necessary

to create the mass change.

- **1.3.13 Mass Data Retrieval.** Mass Data Retrieval is designed to extract segment data from the FLIS data base or partial or complete files from the SSR based on the input of key data element(s).
- a. All requests for mass retrieval of FLIS data base data must be submitted by letter to the DLSC program manager. The letter should include the key data element(s) and value(s) to be interrogated and an ODRC to designate the FLIS data base segments required. (See volume 10, table 28 for selecting the appropriate ODRC DRN and key data elements.) For example, if an activity requires all recorded freight classification data for all items within INC 10875, the request should include ODRC DRN 9952, key data element DRN 4080 and DRN Value 10875. If the activity desires to control or identify output on a project basis, a three-position project number such as PM1 should also be included; it will be perpetuated in the output Document Control Serial Number.
- b. The DLSC program manager will input the FLIS data base mass data retrieval transaction through the use of internal DIC LTM. The DCN will be constructed as follows: The activity code of the requester as the Originating Activity Code; the DLSC program manager code as the Submitting Activity Code; the induction date as the Date, Transaction; the requester's three-position project number; and a sequentially assigned four-position number. If the requester did not provide a project number, the last seven digits will be sequentially assigned for each different mass data retrieval input transaction.
- c. The mass data retrieval results will be output through DIC KTA which will include a header for each NIIN or PSCN and the requested segments applicable to each item. All headers applicable to a specific mass data retrieval transaction will include

the same DCN. The Package Sequence Number (PSN) will be applied to the records for each NIIN/PSCN as a separate package.

- d. The output data will be sequenced by NIIN/PSCN within the DCN package.
- e. On mass data retrieval by FSG (DRN 3994) and FSC (DRN 3990) only, output of segment K for cancelled items will be optional at the request of the submitter. All other mass data retrievals will not include cancelled items.
- f. Due to the electronic data limitation of 39,840 characters per transaction, all mass data retrieval results will be forwarded to the interrogating activity by mail in a manner designated by the distribution table or as prescribed by the requester.
- 1.3.14 Reports Generator. Through a survey of products requested in the past, FLIS was able to include within the mass data retrieval processes the capability to produce most of them as normal pre-programmed FLIS outputs. They may be produced at the request of the FLIS customer, and particular attention has been given to products for which a requirement occurs repetitively. Periodically, however, requirements for products from the FLIS file which are nonrecurring in nature and satisfy a one-time need only are received. The Reports Generator is designed to produce these one-time listings or reports.
- a. Proper use of the mass data retrieval and Reports Generator capabilities will minimize requests that require special projects and programming, with their attendant delays, for production.
- b. Processing available to the customer through the Reports Generator consists of the following:
 - (1) Extracts of data by DRN from a FLIS file,

all data found or only that data within specified limits.

- (2) Counts of data by DRN from a FLIS file, all data found or only that data within specified limits.
- (3) Mathematical treatment of counts of data by DRN (add, subtract, multiply, divide) including summaries and vertical or horizontal totalling.
- (4) Sorting and formatting of processing results as specified.
- (5) Generation of the output in the media, mode, and number of copies desired.
- c. To use the reports generator, requests for special data extracts, including justification, shall be submitted to the program manager (DLSC-V). HQ DLA will exercise final approval authority for all special requests (Reports Generator) requiring in excess of 100 man-hours. Input is made to the Reports Generator by DLSC; the product is generated, examined for quality, and mailed to the customer.
- d. The utility and service rendered by the Reports Generator will be satisfactory provided all customers observe the rules of use. The Reports Generator will not be used if any other FLIS product will supply the necessary data. The Reports Generator will be used only for one-time output products.
- 1.3.15 Simplified File Maintenance (SFM). This type of data is furnished to selected customers who desire to receive maintenance data on a periodic basis in lieu of regular file maintenance. Those SFM recipients who elect to receive notification data will receive such data as it is processed. It is developed and distributed in accordance with volume 2, chapter 2.11.

1.3.16 Record Establishment and Maintenance

Actions. These procedures provide instruction in the preparation of data required to establish or maintain item intelligence by S/As and participating governments for their logistics functions. The data will be forwarded to DLSC to be processed, distributed, and maintained by the FLIS.

- a. The use of this manual requires the following steps to be performed in data preparation.
- (1) Determine the transaction for the logistics function.
- (2) Refer to the applicable DIC in volume 8 or 9.
- (4) Prepare data in accordance with prescribed formats.
 - (5) Submit data to FLIS data bank.
- b. Data must be prepared in fixed length format or variable length format as determined by activity capability. Formats contain instructions for each method, as applicable.
- c. Collaborations must be performed in accordance with volume 2, chapter 2.2 prior to submittal to the FLIS data bank.
- d. Personnel should become thoroughly familiar with the tables of contents for the various volumes to develop an awareness of the scope of coverage included.
- e. Care should be taken in data preparation to avoid errors which may cause the return of transactions. The following guidelines are offered to assist in preparing acceptable data:
- (1) Ascertain that all item intelligence data required is included in the transaction.

- (2) Ascertain that the data has been properly formatted.
- (3) Verify completeness and correctness of data element values.
 - (4) Verify proper submittal mode selection.
- f. Manual quality control measures should be applied before submittal of worksheet for mechanization as follows:
- (1) Is the transaction in accordance with the latest logistics data tools?
 - (2) Are all the related segments included?
 - (3) Do the segments reflect the proper DICs?
- (4) Is an input header included with the transaction?
- (5) Is the data prepared in the appropriate mode fixed or variable length input?
- (6) Has the data required for fixed fields in all segments been properly positioned?
 - (7) Is the PSN properly applied?
- **1.3.17 Emergency Cataloging Support.** The FLIS is designed to ensure effectiveness, reliability and survivability in time of war or emergencies. Regardless of emergency conditions the following Federal Catalog processes will continue on a noninterruptable basis:
- a. NSN assignment by use of the CAGE Code, logistics reference numbers, RNCC and RNVC.
- b. Provisioning and preprocurement screening basically by use of the same data.
- 1.3.18 Automated Design Guidance. The FLIS

data bank is composed of two basic sectors: FLIS data base and the SSRs. The FLIS data base contains item oriented logistics management data; e.g., stock numbers, item characteristics, reference numbers, user recordation, standardization data, freight data, catalog management data. The SSR contains system oriented data; that is, data that is used in support of

the FLIS data base. This sector includes tables or indexes of FSC Codes, MOE Rules, activity addresses, edit/validation tables, etc., and can be accessed to support FLIS data base processing. In addition, its content is updated directly by SSR maintenance transactions, or by automatic interface of DLSC/FLIS programs.

CHAPTER 4 FLIS CHANGE PROCEDURES

1.4.1 General

- a. Revisions to the FLIS result from release or change of General Services Administration/Department of Defense (GSA/DoD) directives; policy changes; and recommendations of the Military Services, Defense Agencies, Federal Civil Agencies, NATO, and other foreign countries (hereafter referred to as the Services/Agencies).
- b. Proposed changes to the FLIS will be processed as follows:
- (1) Proposed changes which are solely of a procedural nature will be processed as outlined in section 1.4.2. Changes to the Service/Agency-controlled data code tables listed in appendix 1-4-B and the MOE Rules outlined in volume 13 will be processed by DLSC without further coordination, following receipt from the responsible Service/Agency contact point. Changes of this nature do not require a DD Form 2021.
- (2) Proposed changes to the FLIS Functional Description will be submitted as a System Change Request (SCR) as outlined in section 1.4.3.

1.4.2 Changes of Procedural Matter

a. Recommendations for additions, deletions, and changes to only this manual (i.e., not in combination with or as a result of a system change) must contain the proposed language for the manual and rationale for the revisions. Recommendations must be forwarded to the appropriate Service/Agency contact point (see appendix 1-4-A) which will forward them to the Commander, DLSC, by mail. Emergency conditions warrant using telephone or other expeditious media. Whenever telephone is used, immediate follow-up by letter/electrical transmission is required to confirm request for changes to the FLIS Procedures Manual.

- b. DLSC will review all recommendations received from the Service/Agency contact points for validity and applicability. Those changes agreed to by DLSC (except as discussed in paragraph 1.4.2.f) will be coordinated with the Service/Agency contact points listed in appendix 1-4-A and the DoD Federal functional managers. (The normal coordination time will be 45 days; however, when additional time is required, recipients may request an extension by contacting DLSC-VPH, DSN 932-4594, FTS 552-4594 or commercial 616-961-4594). Following finalization of coordination, the additions, changes, or deletions will be prepared for printing and distribution by DLSC. (The FLIS Automated Data System Manager (DLA-ZS) will be provided an information copy.)
- c. DLSC will return changes found to be invalid or without merit to the originating S/A contact point with appropriate justification/ explanation of disapproval, with information copies to Hq DLA (MMSLS and MMSLP). If the originating S/A does not agree with the DLSC justification/explanation, the contact point will forward the recommendation to HQ DLA (DLA-MMSLP), with a copy to DLSC, for resolution with the DoD/Federal functional manager.
- d. All changes submitted by the S/A contact points will include a recommended effective date (i.e., effective immediately, upon publication, 30 days from date of publication, etc.). DLSC will acknowledge same and either agree with the effective date or propose/negotiate another acceptable to all parties concerned.
- e. Any change to this manual, except those exclusions provided for in paragraphs 1.4.2.f and 1.4.2.g, will be distributed to activities a minimum of 30 days in advance of the effective date. If the 30-day requirement cannot be met, DLSC will announce the change to impacted activities by telephone or electrical transmission, as appropriate, with

subsequent confirmation by normal revision.

- f. Changes to the volume 10 tables listed in appendix 1-4-B may be published by DLSC without further coordination following receipt from the responsible S/A contact point. This assumes that the requested change(s) does not impact any S/A other than the one requesting the change(s). Included in appendix 1-4-B are the applicable table numbers and titles, the responsible S/A, and the responsible DLSC program manager. The minimum time period stated for completing a change begins upon receipt of the proposed change by DLSC.
- (1) Notification of receipt of changes, and confirmation of the date when the program change will be made, will be furnished by DLSC. This will be done sufficiently in advance of the effective date to ensure the submitting S/A adequate time to change its internal automatic data processing (ADP) system. If necessary, such notification can be accomplished by telephone and confirmed by letter.
- (2) DLSC's acknowledgment will indicate the number of the quarterly change to the FLIS Procedures Manual in which the revised volume 10 table will appear. (Quarterly changes are prepared, printed, and distributed in accordance with the schedules reflected in appendix 1-4-F.)
- (3) The S/A-controlled tables are subject to publication by FLIS Advance Change Notice (ACN) only as noted in appendix 1-4-B. Such changes will be announced by ACN only when they cannot be published in a regular revision or quarterly numbered change to reach users sufficiently in advance of the effective date (normally 30 days). (Updates to tables not listed in appendix 1-4-B are subject to publication in ACNs in accordance with paragraph 1.1.3.a.(3).)
 - g. Changes to MOE Rules in volume 13 with an

immediate (zero) effective date are distributed after the effective date.

1.4.3 Preparation and Processing SCRs

a. General.

- (1) All Federal Logistics Information System (FLIS) System Change Requests (SCRs) will be documented in accordance with the instructions contained in appendix 1-4-C. Impact to the FLIS, the Services/Agencies (S/As) Systems, and DoD Materiel Management Standard System, here after referred to as the Systems, must be documented.
- (2) DLSC National Codification Division will prepare and process NATO Codification Bureau (NCB) initiated NATO Codification SCRs (NCSCR) in accordance with the NATO Manual on Codification, Allied Codification Publication No. 1 (ACodP-1). If a NCSCR impacts the FLIS, DLSC will document the NCSCR in accordance with the instructions contained in appendix 1-4-C.
- (3) Design and programming of the input, internal processing, and output of FLIS will be the responsibility of the Central Design Activity (CDA). The design and programming of the FLIS S/A interfacing support systems will be performed by the respective S/As, to include the DoD Materiel Management Standard System.
- (4) Emergency corrections which may alter or impact any aspect of expected/published input to or output from the FLIS, even if such changes are required to conform to existing requirements, must be coordinated with the S/As and the Federal Cataloging Committee (FCC) by the most expedient methods available.
- (5) FLIS SCRs that are developed and/or coordinated by joint action of the S/As will require FCC action. Examples of this type of action are the

results of a joint task group formed to study and/or implement an action directed by higher authority or the results of a joint S/A meeting to discuss specific subjects for the purpose of making changes.

- (6) SCRs will normally be implemented on Sundays; emergency changes may be implemented otherwise.
- (7) FLIS procedures changes required as a result of an SCR will be incorporated in a revision or numbered change to DoD 4100.39-M in accordance with Appendix 1-4-F. The revision or numbered change may include changes other than those associated with an SCR.

b. Processing SCRs.

- (1) Submitters of SCRs should coordinate requirements with the S/A representatives listed in Appendix 1-4-A and the DoD Federal Functional Manager as listed in Appendix 1-4-E prior to submission of the SCR. This will ensure the SCR is developed compatible with all S/A requirements and will determine an SCRs designation as to minor or major.
- (2) All Service/Agency initiated SCRs will be submitted to DLSC by the appropriate S/A contact points listed in Appendix 1-4-A.
- (3) Each SCR received by DLSC will be reviewed within 10 calendar days of receipt to determine completeness. The SCR will be returned to the originator if any blocks are left blank.
- (4) After this review, DLSC will initiate a technical review of the proposed change as submitted. The review will reveal the cost, manpower resources, programming required and impact on ADP equipment. No more than 35 calendar days will be allowed for this review.
 - (5) After this review, DLSC will forward the

SCR to the DoD FFM as listed in Appendix 1-4-E for policy review, preliminary cost savings benefit evaluation and approval. If the SCR was prepared by the DoD FFM and is submitted to DLSC with FFM approval, DLSC will forward the SCR for S/A coordination as outlined in paragraph 1.4.3.b.(7)(a-c).

- (6) Within 35 calendar days of receipt of the SCR, the DoD FFM will provide policy approval/disapproval with justification. In addition, the DoD FFM will determine if the change is warranted in terms of cost/benefits or return on investment, or higher level policy direction. If the DoD FFM determines the SCR is valid, then the approval and a recommendation for S/A coordination will be forwarded to DLSC.
- (7) Within 20 calendar days of receipt of the approved SCR from the FFM, DLSC will:
- (a) Expand the change description to include, new Data Record Number (DRN) names when required.
- (b) Send the SCR and DD Form 2021-1 to the S/A contact points listed in Appendix 1-4-A. S/As listed in Appendix 1-4-D and the FCC will receive information copies of the SCR.
- (c) The DLSC International Codification Division will send the expanded SCR to the NATO NCBs and Secretariat when NATO Codification System (NCS) is affected, in accordance with the NATO Manual on Codification (ACodP-1).
- (8) DLSC will take the following actions if the SCR is disapproved by the DoD FFM:
- (a) DLSC will advise the originator of the SCRs of DoD FFM disapproval. A rebuttal of the rejection may be made by the originator by submitting a letter to the DoD FFM.

- (b) In the event of continued disagreement between the DoD FFM and the originator, the SCR will be forwarded by HQ DLA (MMSLS) to the Office of the Assistant Secretary of Defense DUS-D(L)MDM for resolution.
- (9) Each S/A will staff the SCR for review of technical and operational feasibility and/or concept as it pertains to the Systems.
- (a) Each S/A sustaining impact and/or gaining benefits (tangible/intangible) from the proposed SCR, will document and return it to DLSC along with their written response.
- (b) If an SCR has no impact on S/A, a "no impact" statement will be provided in writing to DLSC.
- (c) Normal time allowed for this review is no more than 60 calendar days for a routine minor SCR and no more than 120 calendar days for a routine major SCR. To prevent the elapsed time from going over the above prescribed number of days, which in turn lengthens the entire implementation cycle, a suspense is established. This suspense will begin five days after the transmittal date on the SCR and will run for the prescribed number of days. Following expiration of the suspense, DLSC will contact the delinquent S/As telephonically or electronically. Extensions may be granted upon justified request. Upon expiration of the extended suspense, a three workday grace period will be given prior to accepting a non-response as concurrence to the proposed change.
- (10) Within seven calendar days of receipt of all S/A responses, DLSC will initiate a review of said responses and determine concurrence/non-concurrence of the SCR.
- (a) DLSC will ensure that all responses received from the S/As are individually analyzed.

- (1.) If the comments are accepted, they will be incorporated into a revision to the SCR and recoordinated with all participants. A resolution grid showing the S/A comment and DLSC's response will be attached to the revision. Any change to the SCR will be marked with an asterisk.
- (2.) If DLSC disagrees with the S/A comments, they will reconcile the differences. If reconciliation is not feasible, DLSC will document all facts bearing on the problem and make them known to the DoD FFM for reconciliation. If reconciliation cannot be accomplished within 45 calendar days, DLSC will forward the SCR to DoD FFM for a final decision. The DoD FFM will initiate resolution action within 45 calendar days of receipt of the SCR from DLSC.
- (b) Within 30 calendar days after reconciliation of all nonconcurrence/comments, or if S/A replies were all concurrences, DLSC will reassess the FLIS workload/cost estimates for manpower resources, programming required and impact on ADP equipment. Using cost/benefit data provided by the S/As and DLSC, DLSC performs a final cost/benefit analysis and proposes an implementation date. The results of the analysis will be documented on part III of the DD Form 2021-1.
- (11) DLSC will add the SCR to the agenda for the next FCC meeting, for FCC approval/disapproval. The FCC representatives must be prepared to address/discuss technical and operational aspects, concept and proposed implementation dates, as they pertain to the Systems.
- (12) The FCC will review the SCR and determine approval/disapproval. FCC approved SCRs with implementation dates will be forwarded to the Administrator of the Federal Catalog System (FCS) or designated agent for signature.
 - (13) FCC action will be noted in the FCC

minutes which will be attached to the SCR.

- (a) Rationale for disapproval of an SCR will be noted in the FCC minutes along with instruction for disposition of the SCR.
- (b) If the SCR is cancelled, DLSC will return the SCR with rationale to the originator, and notify S/As listed in Appendix 1-4-A.
- (c) If the SCR is to be revised, DLSC will return the SCR with rationale to the originator, and notify S/As listed in Appendix 1-4-A.
- (d) If the SCR is deferred, DLSC will notify the originator and S/As listed in Appendix 1-4-A, and place on hold until further action is deemed necessary.
- (14) DLSC will send a copy of the final approved SCR to the S/As listed in Appendices 1-4-A and 1-4-D and the FCC. The final copy will have all the newly assigned DRNs and new/revised return codes, when required.
- c. Exception Processing by DLSC. All modifications to the FLIS must have DoD FFM, S/A and FCC approval before implementation except:
- (1) Add, change, or delete information from S/A controlled tables listed in appendix 1-4-B. This applies only to changes which do not impact more than one S/A.
- (2) Add, change, or delete MOE Rule data furnished by the S/As as outlined in volume 13.
- (3) Changes required to optimize the system, provided such optimization has no effect on S/A interface with the FLIS.
- (4) Those required revisions to ADP programs which are not operating within the published FLIS Procedures/Functional Description, (i.e., system

voids), providing such revision has no effect on S/A interface with the FLIS. This includes emergency corrections required to keep the FLIS operational, providing such corrections do not affect any aspect of the input to or output from the FLIS.

- **1.4.4 Status Reports.** DLSC will provide a status of SCRs, monthly, to the S/A contact points listed in Appendix 1-4-A and quarterly to the S/As listed in Appendix 1-4-D. The report will be segregated as follows:
- a. Open SCRs. A list of SCRs in process. Included as a minimum will be:

SCR Number

Title

Description

Proponent

Impact

Benefit

Required Implementation

Scheduled Implementation

Status

Action

Action Office

b. SCRs implemented/cancelled since the last report.

CHAPTER 4 APPENDIX 1-4-A SERVICE/AGENCY CONTACT POINTS

Executive Director

Logistics Support Activity

ATTN: AMXLS-CM

Redstone Arsenal, AL 35898-7466

Commander, Cataloging & Standardization Center

ATTN: POM Federal Center 74 Washington Ave N

Battle Creek, MI 49017-3094

Headquarters HQMC (LPP-2) 2 Navy Annex Washington, DC 20380-1775 DSN 226-1051/1052

GSA

Logistics Data Management Division

ATTN: FCSP

Washington, DC 20406

Federal Aviation Administration Material Management Division ATTN: ALM-300

800 Independence Ave., S.W. Washington, D.C. 20591

Director, Defense Logistics Agency

ATTN: MMSLS, Room 4146

8725 John J. Kingman Road, Suite 2533

Fort Belvoir, VA 22060-6221

ILSC MMP

1864 Fourth Street STE 1

Wright-Patterson AFB, OH 45433-7131

Defense Medical Logistics Standard Support AIS

Program Office 5109 Leesburg Pike Skyline 6 Suite 502 Falls Church, VA 22041

Commandant, U.S. Coast Guard

ATTN: G-ELM-2 2100 2nd Street, S.W.

Washington, DC 20593-0001

Commander

U.S. Naval Supply Systems Command

ATTN: SUP41242A

PO Box 2020

Mechanicsburg, PA 17055-0788

Commander, Field Command

Defense Nuclear Agency ATTN: FCDNA/FCPNF 1680 Texas Street S.E.

Kirtland AFB, NM 87117-5669

Director, National Security Agency

ATTN: L1112

Fort George G. Meade, MD 20755-6000

Department of Veterans Affairs

Hines Service and Distribution

Item Management Division

P.O. Box 27

Hines, IL 60141-0027

Commanding Officer

Naval Inventory Control Point

Code M0418

PO Box 2020

Mechanicsburg, PA 17055-0788

CHAPTER 4 APPENDIX 1-4-A SERVICE/AGENCY CONTACT POINTS

Chief, Int'l Codification Div ATTN: DLSC-SD 74 Washington Ave N Battle Creek, MI 49017-3084

HQ Defense Mapping Agency Operations Directorate Distribution Division 8613 Lee Highway Mail Stop A12 Fairfax, VA 22031-2137

National Weather Service Logistics Management Section SSMC2 W/OSO322 1325 East West Highway Silver Springs, MD 20910

FOR PASSTHROUGH:

DLA Systems Automation Center ATTN: DSAC-OLA P.O. Box 1605 Columbus, OH 43216-5002

Defense Automated Add Sys Cmd ATTN: Steve Norman 1080 Franklin Street Dayton, OH 45444-5320

CASC/POM ATTN: Mike Eddy 74 Washington Ave N Battle Creek, MI 49017-3094

Executive Director USAMA Logistics Spt Acty ATTN: AMXLS-CM Redstone Arsenal, AL 35898-7466

CHAPTER 4 APPENDIX 1-4-B SERVICE/AGENCY-CONTROLLED TABLES

VOL 10 TABLE NUMBER	TITLE	RESPON- SIBLE S/A	DLSC PROGRAM MANAGER
9**	National Codification Bureau Codes	DLSC	DLSC-S
14	Technical Data Support Code Computation	DLSC	DLSC-S
23	Provisioning Screening Master Address Table (PSMAT)	S/A-DLSC	DLSC-S
47	Activity Codes and Message Address for FLIS Users	S/A	DLSC-S
49**	Hazardous Materiel Codes	DLSC	DLSC-S
52	Phrase Codes (numeric code changes other than 3 or 7)	AF/MC	DLSC-S
54*	Marine Corps Management Echelon Codes	MC	DLSC-S
55*	Marine Corps Store Account Codes	MC	DLSC-S
57*	Marine Corps Recoverability Codes	MC	DLSC-S
60*	Navy Special Material Identification Codes	Navy	DLSC-S
62*	Navy Cognizance Codes	Navy	DLSC-S
63*	Navy Material Control Codes	Navy	DLSC-S
64*	Army Accounting Requirements Codes	Army	DLSC-S
65*	Army Materiel Category Codes	Army	DLSC-S
66*	Air Force Materiel Management Aggregation Codes (MMAC)	AF	DLSC-S
67*	Air Force Budget Codes	AF	DLSC-S
68*	Air Force Fund Codes	AF	DLSC-S
69*	Air Force Expendability/Recoverability/ Reparability/Category Codes	AF	DLSC-S
72*	Marine Corps Combat Essentiality Codes	MC	DLSC-S
73*	Marine Corps Materiel Identification Codes	MC	DLSC-S
82**	Type of Cargo Code	DLSC	DLSC-S
83**	Special Handling Codes	DLSC	DLSC-S
84**	Air Dimension Codes	DLSC	DLSC-S
85**	Air Commodity and Special Handling Codes	DLSC	DLSC-S
86**	Less than Truckload/Carload Codes	DLSC	DLSC-S
87**	Army Recoverability Codes	Army	DLSC-S
95*	Navy Issue, Repair, and/or Requisition Restriction Codes	Navy	DLSC-S
100	Phrase Code and Related Data (numeric code changes only other than 3 or 7)	AF/MC	DLSC-S
102*	Special Material Content Codes	Navy	DLSC-S

CHAPTER 4 APPENDIX 1-4-B SERVICE/AGENCY-CONTROLLED TABLES

VOL 10 TABLE NUMBER	TITLE	RESPON- SIBLE S/A	DLSC PROGRAM MANAGER
104	Activity Codes and Addresses for Authorized Originators, Submitters, RNAAC, and DICs Authorized for Submitting Activities	S/A (parts 1 and 4)	DLSC-S
111	Navy Source of Supply Code	Navy	DLSC-S
115	Authorized Nonconfirmed/Confirmed Freight Data Submitter/Receiver	S/A	DLSC-S
117	Depot Source of Repair Code	S/A	DLSC-S
119*	Army Source of Supply Conversion	Army	DLSC-S
121	Edit Criteria for Service-Peculiar CMD	S/A	DLSC-S
123	Marine Corps Operational Test Code	MC	DLSC-S
124	Marine Corps Physical Category Code	MC	DLSC-S
126	Depot Source of Repair Code to Nonconsumable	S/A	DLSC-S
	Item Management Support Code Compatibility		
127	Coast Guard Inventory Account Code	CG	DLSC-S
128	Coast Guard Reparability Code	CG	DLSC-S
129	Navy Cognizance Code Bypass	Navy	DLSC-S
147	Quality Control Plan for Sampled Units	DLSC	DLSC-S
148	FSC Schedule for File Compatibility Checks	DLSC	DLSC-S
150	Coast Guard Serial Number Control Code	CG	DLSC-S
156	MOE Rules for DoD Service-Managed CRYPTOLOGIC ITEMS	NSA	DLSC-S
157	Navy Issue, Repair and/or Requisition Restriction Code Error Table	Navy	DLSC-S
158	Acquisition Advice Code Processing for Army Maintenance Action Code MS CMD	Army	DLSC-S
177	Price Validation Code	AF	DLSC-S
184	Reserved for Future Use	DLSC	DLSC-S
185	Item Name/FIIG/RPDMRC Correlation	DLSC	DLSC-S
186	PICA/SICA CMD Compatibility	DLSC	DLSC-S
187	Valid MOE Rule Combinations	DLSC	DLSC-S
188	Valid MOE/MAC/LOA Combinations	DLSC	DLSC-S

NOTES:

1. The Defense Logistics Services Center requires 4 weeks to make programming changes after receipt of table updates.

CHAPTER 4 APPENDIX 1-4-B SERVICE/AGENCY-CONTROLLED TABLES

- 2. Program manager column indicates the DLSC directorate to which table updates should be addressed. A yearly solicitation of changes is made.
- 3. Tables marked with an asterisk (*) will be maintained current in this manual based upon information received from the responsible Military Service.
- 4. Tables 47 and 104 are subject to normal FLIS Advance Change Notice procedures. Tables marked with a double asterisk (**) will be maintained by ACN notification 60-90 days before the effective date of change.
- 5. Table 121 contains FLIS edit criteria for Catalog Management Data (CMD) input.

- 1. General. All requests for system modification will be documented on DD Form 2021 and DD Form 2021-1. If the space provided is inadequate, continue on plain bond paper beginning with the title and control number on each additional page.
- 2. **Title.** Enter a short and concise title describing the proposed change.
- 3. Control Number. A nine-position alphanumeric number will be assigned to each FLIS System Change Request (SCR) by the initiating activity. Initiating activities will maintain a control register to assure sequential assignment of control numbers. The control number is constructed as follows:

XX	XXXXX	XX
Activity	Julian Date	Serial Number

a. **Activity.** A two-digit alpha code used to identify the initiating activity:

Code	Activity
CA	National Weather Service
DA	Army
DF	Air Force
DG	National Security Agency
DH	Defense Nuclear Agency
DM	Marine Corps
DN	Navy
DP	Defense Mapping Agency
DS	Defense Logistics Agency (DLA-
	CAN/MM)
GE	Federal Aviation Administration
GP	Coast Guard
TG	General Services Administration
VA	Veterans Administration
ZA	DLA-MMSPL - Federal Catalog Pro-
ZB	gram Military Traffic Management Command - Freight Classification

Code	Activity
ZC	DLA-MMSLP - Interchangeability
	and Substitutability
ZD	DLA-MMSLS - Item Management
	Coding/Logistics Reassignments/
	Supply Support Requests
ZE	Defense Reutilization and Marketing
	Service (DRMS)
ZF	DLSC (Logistics Information Distri-
	bution Directorate)
ZG	DLSC (Logistics Information Distri-
	bution Directorate)
ZH	DLSC (all other directorates)
ZI	DLA-CANM - Defense Automatic
	Addressing System
ZJ	Demil
ZZ	Other activities not assigned a Major
	Organizational Entity (MOE) Code
	or functional manager Z-code

b. **Julian Date.** A five-digit numeric code representing the date of preparation of the SCR, constructed as follows:

First two positions will represent the last two digits of the year. Positions 3, 4, and 5 will represent the numeric day of the year. For example, 1 December 1994, would be represented by the code 94335.

- c. **Serial Number.** Enter a consecutively assigned number, beginning with 01 for each change in Julian date.
- 4. Part I. Routing and Approval/Disapproval. This part of the form will be used to expedite the routing of the proposal and to indicate approval/disapproval action. All approval/disapproval actions must be signed by an individual authorized to represent the requesting/evaluating activity. Final approval/disapproval action for implementation must be signed by the Federal Logistics Information

System (FLIS) administrator or designated agent. Electronic signature and transmission is also acceptable. Letters of transmittal are not required for processing of SCRs.

5. Part II. Requested FLIS Modifications.

- a. Block 1. Background/Facts Bearing on the Proposal. This block should identify the references and the policy decisions that were the basis for defining the scope of the change. For instance, if the SCR is the result of a meeting or letter, or the result of a joint tasking, state which meeting, when, where, who the sponsor is, and the exact tasking. If the SCR is a result of a meeting or joint tasking, include a list of the attendees. References to internal correspondence and regulations will not be used. To facilitate understanding, specific paragraphic type references can be incorporated throughout the text of the proposed change (block 5). It should also identify whether the SCR has minor or major impact to Service/Agency (S/A) support systems
- b. Block 2. Proposed Implementation Date. Enter the proposed implementation date, taking into consideration the coordination cycle for approval of the SCR and the time frames required for implementation.
- c. **Block 3. Priority.** Enter the appropriate priority, as follows:
- (1) Routine Minor. An SCR requiring at least 60 calendar days for S/A coordination and distribution of the system change by DLSC a minimum of 180 days prior to implementation. A routine minor SCR requires a **minimum** of 370 days from date of submission of the SCR to final implementation.
- (2) Routine Major. An SCR requiring from 61-120 calendar days for S/A coordination and distribution of the system change by DLSC a minimum of 240 days prior to implementation. A routine

major SCR requires a **minimum** of 430 days from date of submission of the SCR to final implementation.

- (3) Expedite. An SCR requiring at most 60 calendar days for S/A coordination and distribution of the system change by DLSC a minimum of 90 days prior to implementation. An expedite SCR requires a **minimum** of 198 days from date of submission of the SCR to final implementation.
- (4) Emergency. An SCR required to maintain the operational status of FLIS. (See paragraph 1.4.3.a.(5).)
- d. **Block 4. Justification.** Provide detailed justification for assignment of an expedite or emergency priority.
- e. Block 5. Recommended Description of Change. The following paragraphs indicate the level of detail to be provided:
- (1) General Objectives. Establishes in narrative form a description of the overall system objectives to be accomplished by the system change for the function being served. Establishes what is to be done without stating specific criteria to be met in accomplishing the automatic data processing (ADP) needs of the function.
- (2) Specific objectives should include, as a minimum, functional statements that delineate what shall be accomplished to ensure that the general objectives are met to the satisfaction of the functional manager. The following elements of detail will be included as specific functional requirements:
- (a) Input. Cite who the data shall be received from and what elements of data shall be input to FLIS to satisfy the objective. When constrained by other functions or systems, the configuration of the data element may be identified (new Data Record

Numbers will be assigned after approval). When new Document Identifier Code input formats are proposed, they should be reflected as: establish DIC L-- (to be assigned), entitled ___, which will contain segment(s) ___. (New DIC and segment codes will be assigned after approval.) Volumes involved in changes should be projected by initiator when applicable.

- (b) Edit/Validation. Cite the checks and balances for the function being performed. These shall consist of rules, tables, comparisons, relationships of input data elements and, in accordance with prescribed criteria, comparison or validation of data retained in the FLIS file.
- (c) Data Retention Requirements. This paragraph should state the functional requirements to store (retain) data elements in the system. It should cite what data elements will be retained in the FLIS file, what conditions, if necessary, shall be met in terms of how long to retain the data, what data elements will be effective dated and futures filed, or other similar constraints necessary to retain the data and establish and protect its integrity while in the file.
- (d) Output. Cite who the data shall be output to, media modes, and what elements of data shall be output from FLIS to satisfy the objective. When constrained by other functions or systems, the configuration of the data element may be identified (new Data Record Numbers will be assigned after approval). When new DIC output formats are proposed, they should be reflected as: establish DIC K-(to be assigned), entitled ___, which will contain segment(s) ___. (New DIC and segment codes will be assigned after approval.) Volumes involved in changes should be projected by initiator when applicable.
- (e) Publications. Cite the requirement for a new or revised publication, including frequency of

publication, publication format, distribution, etc.

- (f) Statistics. Cite the requirement for new or revised statistical information. Include source of data, what is to be counted, how it is to be counted, and how the data is to be displayed.
- (g) Interrogate/Search/Data Retrieval/Passthrough. Cite the requirement to extract data from the FLIS data bases through interrogation, search, or mass data retrieval. Cite media mode when required.
- f. Block 6. Cost Savings/Benefits. Include all attributable cost savings/benefits/return on investment that can be realized if SCR is implemented. Provide detailed information which indicates why this SCR provides a more efficient or responsive system. Indicate if savings and/or benefits are one-time or recurring. Intangible benefits may be included when appropriate, but they must be identified by type and/or kind (e.g., quicker response, easier to read, etc.). Include cost/impact for when disapproval would create an adverse impact.
- g. **Block 7. Project Officer.** Enter the name, office symbol, and telephone number of the individual to be contacted if any questions arise concerning the SCR.
- 6. **DD Form 2021-1. Continuation, Part III, Impacts.** This form will be completed in conjunction with data entered on Block 6, part II of the DD Form 2021.
- a. Enter the title and control number from the basic SCR.
- b. **Block 1. Man Resources.** Study the proposed changes and determine the manpower resources required to accomplish the total change.
- c. Block 2. Time Required to Complete. State the elapsed time in the number of man-weeks,

man-months, or man-hours that it will take to complete the change.

- d. Block 3. ADP System Cost Estimates. Enter the estimated man-hours and dollar costs associated with analysis, programming, preparation of ADP documentation, and testing. Include one-time costs related to developments that are incurred after implementation, such as follow-on documentation and post implementation review. Also, include what the impact will be if not implemented.
- e. Block 4. Documentation Cost Estimates. Enter the estimated man-hours and dollar costs associated with the preparation of external documentation. DLSC will complete lines (1) and (2).
- f. Block 5. ADP Equipment Costs Estimates. State the type of ADPE and estimated machine hours and dollar costs associated with any additional operational running time required to implement the SCR.
- g. Block 6. Future ADP Equipment Estimates. State the type of ADPE and estimated machine hours and dollar costs associated with any additional operational running time required to implement the SCR.
- h. Block 7. Recommended Target Date for Implementation. Based on the impact of this SCR, state a recommended target date, taking into consideration the functional manager's recommended implementation date.

- i. Block 8. Cost/Benefit Assessment. Provide an estimate of the benefits/savings that can be realized by implementation of the proposal. Provide any information which indicates how the change will produce a more efficient product or system design; improve maintenance or control of the system, eliminate redundant or overlapping systems. Such information should be quantifiable, i.e., capable of being measured. If the benefits/savings cannot be determined by the evaluator, he should include a statement to that effect. Intangible benefits should be included if appropriate. Also indicate if the savings recur monthly, semiannually, annually or if they are one-time savings.
- j. Block 9. Remarks. Cite whatever details are necessary to convey the thoughts and facts that will be needed to make a sound decision in relation to the change being proposed. Enter explanation of estimates for ADP systems cost estimates and documentation cost estimates. Also include file conversion costs or organizational change costs.
- k. Block 10. Signature and Date. The signature block will be completed by an individual authorized to represent the activity evaluating the SCR.

CHAPTER 4 APPENDIX 1-4-D ACTIVITIES TO RECEIVE INFORMATION COPIES OF SCRs AND SANs

Commander
U.S. Army Materiel Command
ATTN: AMCIO-TS
5001 Eisenhower Avenue
Alexandria, VA 22333-0001

Commander
USAMC Systems Integration and Management
Activity
ATTN: AMXAL-H
P.O. Box 1578
St. Louis, MO 63188-1578

Commander (Code 851) Marine Corps Logistics Base 814 Radford Blvd Albany, GA 31704-1128

Commander of DLA Systems Automation Center ATTN: DSAC-OL P.O. Box 1605 Columbus, OH 43216-5002

Defense Logistics Agency MMSLP, Room 4240 8725 John J. Kingman Road, Suite 2533 Fort Belvoir, VA 22060-6221

Commanding Officer Naval Inventory Control Point Code 0424 P.O. Box 2020 5450 Carlisle Pike Mechanicsburg, PA 17055-0788

Commanding Officer Naval Inventory Control Point Code 0421 700 Robbins Avenue Philadelphia, PA 19111-5096 Commander, DLA Systems Automation Center ATTN: DSAC-OFL P.O. Box 1605 Columbus, OH 43216-5002

Director Strategic Systems Programs ATTN: SP206 1931 Jefferson Davis Highway Arlington, VA 22241-5362

Director Strategic Systems Programs c/o Vitro Corporation ATTN: Code MSD 45 West Gude Drive Rockville, MD 20850-1160

Commander
Defense Electronics Supply Center
ATTN: DESC-EIST
1507 Wilmington Pike
Dayton, OH 45444-0001

Commander Defense Supply Center Columbus ATTN: DCSC-RPS Columbus, OH 43215-5000

Commander
Defense Supply Center Richmond
ATTN: DGSC-RPM
Richmond, VA 23297-5000

Commander
Defense Industrial Supply Center
ATTN: DISC-LR
700 Robbins Avenue
Philadelphia, PA 19111-5096

CHAPTER 4 APPENDIX 1-4-D ACTIVITIES TO RECEIVE INFORMATION COPIES OF SCRs AND SANS

Commander

Defense Personnel Support Center

ATTN: DPSC-ZS 2800 South 20th Street

Philadelphia, PA 19101-8419

Defense Nuclear Agency ATTN: DNA/LELD 6801 Telegraph Road

Alexandria, VA 22310-3398

NASA Headquarters

Logistics Management Office

Code JLG

Washington, DC 20546-0001

Commander

HQ Air Force Materiel Command

ATTN: LGIM

Wright-Patterson Air Force Base, OH 45433-5006

Commanding Officer

U.S. Coast Guard Supply Center, Baltimore

ATTN: Code 320

707 East Ordnance Road Baltimore, MD 21226-1791

Commanding Officer

U.S. Coast Guard Supply Center, Curtis Bay

ATTN: Code 4220

2401 Hawkins Point Road Baltimore, MD 21226-1792 Commanding Officer

U.S. Coast Guard Aircraft Repair and Supply Center

ATTN: ARSCDM

Elizabeth City, NC 27909-5001

Mike Monroney Aeronautical Center

ATTN: AAC-400 P.O. Box 25082

Oklahoma City, OK 73125-0082

National Weather Service

Logistics Mgmt Section SSMC2

W/OSO322

1325 East West Highway Silver Springs, MD 20910

Commanding Officer

Navy Fleet Material Spt Ofc

ATTN: FMSO 9651 5450 Carlisle Pike P.O. Box 2010

Mechanicsburg, PA 17055-0787

DLA Systems Design Center

DAASC

ATTN: DSDC-SSL Gentile Station 1080 Franklin Street Dayton, OH 45444-5320

CHAPTER 4 APPENDIX 1-4-E FLIS FUNCTIONAL MANAGERS

FUNCTION	FUNCTIONAL MANAGER	ADDRESS
Federal Logistics Information System	Federal Logistics Information System Administrator, (Chief Product Definition Team, Executive Directorate, Supply Management HQ DLA)	Director Defense Logistics Agency MMSLP, Room 4240 8725 John J. Kingman Rd, Suite 2533 Fort Belvoir, VA 22060-6221
Item Management Coding and Logistics Reassignments	Chief, Supply Management Program Group, Executive Directorate, Supply Management	Director Defense Logistics Agency MMSP-CIMO, Room 4121 8725 John J. Kingman Rd, Suite 2533 Fort Belvoir, VA 22060-6221
DoD DEMIL	Asst Executive Director, Supply Management Policy Group, Defense Materiel Disposal Team	Director Defense Logistics Agency MMSC, Room 4121 8725 John J. Kingman Rd, Suite 2533 Fort Belvoir, VA 22060-6221
Source of Supply (SoS)	Executive Director, Defense Automatic Addressing System Center	Defense Automatic Addressing Systems Center 1080 Franklin St. Dayton, OH 45444-5320
DoD Interchangeability and Substitutability (I&S) Family Data	Chief, Executive Directorate, Supply Management, Hq DLA Product Definition Logistics Information Team	Director Defense Logistics Agency MMSLP, Room 4246 8725 John J. Kingman Rd, Suite 2533 Fort Belvoir, VA 22060-6221

CHAPTER 4 APPENDIX 1-4-E FLIS FUNCTIONAL MANAGERS

FUNCTION	FUNCTIONAL MANAGER	ADDRESS
Personal Property Reutilization	Chief, Defense Materiel Disposition Team Executive Directorate, Supply Management HQ DLA	Director Defense Logistics Agency MMSLS, Room 4146 8725 John J. Kingman Rd, Suite 2533 Fort Belvoir, VA 22060-6221
Freight Classification	Chief, Tender and Classification Branch, Negotiations Division, Directorate of Inland Traffic, Military Traffic Management Command	Commander Military Traffic Management Command ATTN: MT-INN-T5611 5611 Columbia Pike Falls Church, VA 22041
Packaging	Asst Executive Director, Operations Policy Group, Storage Policy Team, Directorate of Distribution	Director Defense Logistics Agency DDSC, Room 4630 8725 John J. Kingman Rd, Suite 2533 Fort Belvoir, VA 22060-6221
MEDALS	Chief, On-Line Logistics Systems Management Division, Directorate of Logistics Information Distribution	Commander Defense Logistics Services Center ATTN: DLSC-V 74 Washington Ave N Battle Creek MI 49017-3084

CHAPTER 4 APPENDIX 1-4-F QUARTERLY CHANGE PUBLICATION SCHEDULES

INPUT PERIOD COVERED TO	INPUT DEADLINE DLSC-S/V*	INPUT DEADLINE TO DLSC-VPH	DISTRI- BUTION DATE	IN USERS HANDS*
15 Dec - 15 Mar	1 Mar	15 Mar	15 Jun	1 Jul
15 Mar - 15 Jun	1 Jun	15 Jun	15 Sep	1 Oct
15 Jun - 15 Sep	1 Sep	15 Sep	15 Dec	1 Jan
15 Sep - 15 Dec	1 Dec	15 Dec	15 Mar	1 Apr

^{*} For Service/Agency-controlled table changes discussed in paragraph 1.4.2.f. Allows two weeks processing time between DLSC-V/S and procedures manual control office (DLSC-VPH). Changes other than Scheduled Releases may be effective upon receipt or reflect another specified date.

NOTES:

- 1. When qualifying changes with a specific date of implementation cannot reach users 30 days in advance of the effective date through quarterly page changes, the FLIS Advance Change Notice (ACN) publication system will be used.
- 2. Schedules are applicable under normal conditions, but must remain flexible. There are circumstances, such as large volumes of page changes and/or effective dates which may cause procedure changes to be processed more or less frequently.
- 3. When dates fall on weekends, the next scheduled workday will apply.
- 4. A report of published changes is furnished quarterly on DLSC Form 1146, History, Status, and Projection of Changes. This form is distributed in limited quantities within the Defense Logistics Services Center and to Service/Agency contact points.

CHAPTER 5 REIMBURSEMENT PROCEDURES

- 1.5.1 Policy. Reimbursement for stated services or Fee-For-Service (FFS) is a goal of the Defense Logistics Agency (DLA) and the Defense Logistics Services Center (DLSC). All services will not be reimbursable, an example is the management and execution of the Federal Catalog System (FCS) which in turn assures an accurate and complete Federal Logistics Information System (FLIS). Distribution of logistics information, including the FLIS, will be reimbursable.
- **1.5.2 Services.** Types of services included within the reimbursable policy:
- a. Reimbursement for cataloging services furnished North Atlantic Treaty Organization (NATO) and other countries by DLSC will be based on reciprocal agreements, bilateral agreements and Foreign Military Sales (FMS) cases, as appropriate.
- b. Activities including the Department of Defense (DoD), Federal, Civil and State Agencies and DLA are included in information distribution reimbursement.

- (1) DLSC is currently receiving reimbursements for the distribution of logistics information services via the use of a subscription policy. This subscription policy is in effect for CD-ROM and hardcopy (book-type) products. In the future additional information distribution services will be included.
- (2) Defense Reutilization and Marketing Service (DRMS), Disposal Proceeds Account (DPA), will be billed in accordance with DLAM 7001.1, Accounting and Finance Manual, and any Memorandum of Understanding executed to provide for special services.
- c. Services provided non-Governmental agencies (private industry) which are not a part of a Government contractual agreement shall be fully reimbursable to include user's charges unless furnishing of such services is of benefit to the government.

CHAPTER 6 CUSTOMER SERVICE OFFICE

- 1.6.1 General. An office has been designated as the focal point for questions pertaining to the FLIS. It is for use when the individual has no previously established contact within the system. This office will either answer the caller's question or determine who should provide the specific information. If referral is necessary, it will furnish office, phone number and, when possible, an individual name for direct contact.
- 1.6.2 Procedure for Inquiries. Inquiries by Government Services/Agencies to the Customer Service Office will be through the following numbers: DSN subscribers: 932-4725; FTS subscribers: 552-4725; commercial calls: 616-961-4725. These phones will be staffed from 0700 to 1630, eastern standard time, Monday through Friday. Inquiries by private contractors will be directed to commercial 616 961-4961. These phones will be staffed from 0700-1600, eastern standard time, Monday through Friday.

1.6.3 Limitations. This office is to provide information for those having no contacts established at the Defense Logistics Services Center. It is not to replace existing problem reporting procedures or established contacts for specific problems; e.g., Organizational Entity (OE) codes, Federal Item Identification Guide (FIIG) edits, Catalog Management Data (CMD), etc.

CHAPTER 7 STANDARD INTERFACE TEST CAPABILITY

- 1.7.1 Purpose and Scope. The Standard Interface Test Capability is a service provided by the Defense Logistics Services Center (DLSC) that allows all FLIS users to test their interface with FLIS as well as their interfaces with other systems. It provides the capability for users to test FLIS System Change Requests (SCRs) or to test their own SCRs as they interface with FLIS. It also provides the capability to track and analyze problems in a test environment to pinpoint their origin.
- **1.7.2 Concepts and Principles.** The following concepts and principles apply to the standard interface test capability:
- a. Each Military Service/Civil Agency (S/A) participating in the interface test capability will assign an Interface Test Coordinator who will coordinate all interface testing and maintenance to the Standard Test Data Base (STDB) for that S/A with DLSC.
- b. A Standard Test Data Base (STDB) will be maintained at DLSC with data input by the Services/Agencies participating in the interface test program. The data base will be built and maintained with FLIS transactions processed in a production-like environment. Production programs and support files will be used to maintain the integrity of the data on file. National Item Identification Numbers (NIINs) will be within the range of 010000001 to 010010000. Permanent System Control Numbers (PSCNs) and North Atlantic Treaty Organization (NATO) NIINs may also be assigned.
- c. The STDB will be furnished to each activity which has indicated a desire to be an interface test participant in machine sensible and/or printed form in the mode/media specified by the participant.
- d. The maintenance of the STDB will be primarily the responsibility of the activities which originally established the NIINs/PSCNs on the STDB,

- except for those items designated as "common items" for interactive testing between all participants. One S/A will not be permitted to submit changes to another's item(s). Changes to "common items" must be collaborated with all affected participants. The activity submitting additions or changes to the STDB will always be identified by its activity code in the first two positions of changes to "common items" will be identified with a "C" in the third position of DRN 1000. Document Control Serial Number, Data Record Number (DRN) 1000.
- e. Participants will be afforded four maintenance cycles each year, consisting of four weekly runs each. The quarterly cycles will begin the first full week of the months of January, April, July and October.
- f. Requests for new NIIN/PSCN assignment, or maintenance to those already assigned, will be submitted during the specified maintenance periods, using the applicable FLIS transactions. Transactions will be submitted in accordance with instructions contained in section 1.7.5.
- g. Whenever SCRs are written at DLSC for special projects to be conducted by DLSC to change the FLIS data base or output to the S/As obsolete conditions, the SCR will require the same action to be taken against the STDB. SCRs originated by the S/As should include the same requirement. Such projects include, but are not limited to the following:
- (1) Internal DLSC changes to the file structure, for optimization purposes and which do not alter data output to participating activities.
- (2) Clean-up projects performed on the FLIS data base for a specific Service/Agency or on the entire file, which if not performed would lock out future changes or cause rejects or system errors during processing of test transactions, will also be performed against the STDB.

- (3) Special projects which only identify erroneous conditions on the FLIS data base and forward them to the proper activities for corrective action with errors output to the affected participants.
- h. Special maintenance cycles may be required just prior to an interface test to establish certain conditions on the file. When this requirement exists, it will be included in the test plan.
- i. Interface testing will be conducted in accordance with approved interface test plans when such plans are required for specific FLIS or other system changes. Testing by DLSC, other than that required by an approved interface test plan, will be conducted only upon mutual agreement between DLSC and the activity(ies) requiring the test. Agreements will be based on available resources at DLSC and priority assigned according to the project to be tested.

1.7.3 Procedures for STDB Participants

- a. The STDB is available on magnetic tape upon request. Requests for the file by new participants must be by letter forwarded through the Defense Logistics Agency, ATTN: DLA-ZA, Ft. Belvoir, VA 22060-6221 to the Defense Logistics Services Center, ATTN: DLSC-B, Federal Center, Battle Creek, MI 49017-3084. The letter should include the reason for the request and the name, address and telephone numbers of the person who will be the Interface Test Coordinator. Requests for a duplicate file by current participants may be forwarded directly to DLSC, ATTN: DLSC-B.
- b. Request letters must also specify tape characteristics and whether fixed or variable format is desired. Data is output only in Document Identifier Code KIR format. The first position of the DIC is changed to the letter T to preclude it from being mistaken for regular KIR interrogation output from the FLIS data base. No drop table is applied,

resulting in output of all segments resident on the STDB.

1.7.4 Maintenance of the STDB

- a. The quarterly maintenance cycles will be performed in January, April, July and October of each year with four runs for each cycle. The first run will be the first full week of the month. Data for each run must be received prior to 12 midnight Monday of the week the data is to be run.
- b. Special maintenance cycles required for a particular interface test will be in accordance with agreements made during interface test conferences and included in the interface test plan or letter of agreement.
- c. Obsolete conditions on the STDB requiring maintenance, for which programs already exist at DLSC, will be output to the participating activities 30 days prior to each maintenance cycle.
- d. Maintenance cycles will be identified by the year and the number of the cycle for that year; e.g., the first cycle in 1985 will be 85-1.
- e. The revised STDB will be furnished to each participating activity on the 15th of the month following the last run of the cycle.

1.7.5 Preparation and Transmittal of Input Data for STDB Maintenance

- a. All maintenance to present items and requests for NIIN/PSCN assignment will be submitted in normal FLIS transactions.
- b. The Originating and Submitting Activity Codes will be those required by the Major Organizational Entity (MOE) Rule or Federal Supply Classification (FSC). The Cataloging Activity Code of the activity actually submitting the transaction will be placed in the first two positions of the

Document Control Serial Number (DRN 1000). If the maintenance is on a "Common item," a "C" will be placed in the third position of DRN 1000. The date placed in the Document Control Number will be used as the date for processing; e.g., 85010 for run 1, 85017 for run 2. This allows the originator to control the processing of transactions when two or more successive transactions are required to produce the desired condition. Future effective dates should be calculated from the date placed in the Document Control Number since it will be used as the date of processing.

- c. Transmittal may be by tape or electronic data transfer. If transmitted electronically, the first position of the Content Indicator Code must be T. Transactions forwarded on tape must be accompanied by a transmittal letter addressed to the attention of DLSC-B. The letter should include tape characteristics (identified by one of the Output Mode/Media Codes contained in volume 10, table 10), number of records, number of transactions, and any special instructions such as sequence of processing multiple tapes or a requirement to have future effective dated records remain on the file. Transactions for successive runs must be submitted in separate electronic messages or on separate tapes.
- d. Future effective dated transactions which must be processed to their completion prior to the next run should be controlled by backing up the date in the Document Control Number so that the effective date will be prior to the Document Control Number date for processing the next run. For transactions submitted with this effective date, effective date triggers will be processed prior to the next run.
- e. For all transactions submitted with an effective date equal to or greater than the fourth run, the triggers will be processed following run 4 unless there is a specific request to retain future effective dated records on the file. In the latter case, such future effective dated records would remain on the

file until just prior to the next maintenance cycle. The triggers would then be processed and the file updated.

- f. Any activity which is not currently a participant, but plans to request NIIN/PSCN assignments during a quarterly or special cycle, should advise DLSC-B not later than the first week of the month prior to the cycle. The following information is required so that special input and output tables can be changed:
 - (1) Activity code of participating activity.
- (2) Media/mode for transmittal of input transactions (must be in accordance with volume 10, table 10).
- (3) Media/mode for output of notifications and file maintenance from transaction processing (must be in accordance with volume 10, table 10).
 - (4) Anticipated volume of transactions.
- (5) Tape characteristics and mailing address for transmittal of revised STDB (must be a valid mode/media code in accordance with volume 10, table 10). STDB cannot be transmitted electronically.

1.7.6 Transmittal of Output Data and STDB

- a. All normal output resulting from input transactions, other than "common items," will be distributed to the activity corresponding to the first two positions of the Document Control Serial Number in the LTI built by DLSC at the time the NIIN/PSCN was requested, in the mode/media previously requested. The mode/media must be in accordance with volume 10, table 10.
- b. Output notifications from maintenance of "common items" will be wrapped up and distributed at the end of each maintenance cycle. Any

required actions will be submitted in the next maintenance cycle.

c. The revised STDB will be output in DIC KIR format with the letter K converted to a T to preclude input to any activity's production system. Significant file names will be assigned to each revised STDB; i.e., LDSB8501 will be assigned to the STDB to coincide with cycle number 85-1. The fifth and sixth positions of the file name will indicate the calendar year, and the seventh and eighth positions identify the maintenance cycle during that year.

1.7.7 Requirements for Interface Testing

- a. Requirements for interface testing should be established at the time requirements are determined for a new or revised system, subsystem, or application. The SCR, or other requirements document, should contain a statement to the effect that either interface testing is required or interface testing is not required. Immediately, upon approval of the SCR, or other requirements document, action should be initiated to start the procedure to request an interface test if it is required. This will allow DLSC, and other participants, to schedule resources for the test for the required timeframe.
- b. If an interface test is required to resolve an immediate problem, actions should be initiated immediately to request a mini interface test.

1.7.8 Procedures for Requesting a Full Scale Interface Test

a. Whenever a S/A wishes to request an interface that will affect other S/As, or will involve more than 25 test transactions, a letter from the Interface Test Coordinator for that S/A requesting the interface test, will be forwarded through DLA-ZS, to DLSC, ATTN: DLSC-B. The letter should specify the SCR to be tested and the proposed dates for the test. The letter should also provide proposed date and place of

meeting with DLA, DLSC, and other participants, to discuss the conduct of the test and to develop the test plan.

b. The test plan, when finalized, will include any special requirements for STDB maintenance or temporary conditioning; detailed procedures for input and output of test data and the conduct of the test; whether an on-site review at DLSC is required; and a schedule of events.

1.7.9 Procedures for Requesting a Mini Interface Test

- a. Whenever a S/A wishes to request a mini interface test to test a specific problem or a change to their system that could cause a problem in their interface with FLIS, a request may be made by the Interface Test Coordinator via telephone to DLSC-B (DSN 932-4085) followed by a letter to DLSC, ATTN: DLSC-B, with an information copy to DLA, ATTN: DLA-ZS, confirming the request.
- b. A mini interface test cannot involve input from more than one S/A; is limited to 25 test transactions; and must be submitted through the Interface Test Coordinator for that S/A. The S/A requesting the test will be responsible for advising any other activities that are to receive output from the test. The telephone request, and the confirmation letter, must include the following information:
- (1) Name, address and Cataloging Activity Code of activity requesting the test.
- (2) Name and telephone number of the Interface Test Coordinator.
- (3) The number and title of the SCR, problem report or other document that provides justification for the test.
 - (4) The date, mode and media for transmittal

of the input and mode and media desired for the output.

- (5) Benefits expected from the test.
- (6) If the test is requested as the result of a problem, is the problem major, critical, or routine in accordance with volume 2, chapter 6.
- c. It should be noted that a request for a mini interface test to pinpoint a problem, will not be made in lieu of reporting a problem in accordance with volume 2, chapter 6, but may supplement the problem report.
- d. DLSC will process the test transactions against the STDB as time permits, however, turnaround time will not exceed one week. The test will be processed using current DLSC production programs and support files.

1.7.10 Reporting of Interface Test Effectiveness

- a. Following the conclusion of each interface test, each participant is requested to forward a letter to DLA, ATTN: DLA-E, referencing the test and evaluating its effectiveness in terms of benefits derived, problems encountered, and lessons learned that will assist DLA-E and DLSC in evaluating the interface test capability and possible enhancing its effectiveness in the future.
- b. DLSC will also provide evaluations of the interface test to DLA-ZS to assist in the overall evaluation.

1.7.11 Interface Test Coordinators

AGENCY	MAILING ADDRESS	COORDINATOR
DLSC	Commander Defense Logistics Services Center ATTN: DLSC-BB Federal Center Battle Creek, MI 49017-3084	Mr. Joe Domenico DSN 932-4085
DLA Centers	Commander Data System Automation Center ATTN: DSAC-MLC P.O. Box P1605 Columbus, OH 43216	Mr. Will Feil DSN 850-4122
Army	Executive Director Logistics Support Activity ATTN: AMXLS-RWD Redstone Arsenal, AL 35898-7466	Ms. Beverly L. Van Brakle DSN 645-0784

AGENCY	MAILING ADDRESS	COORDINATOR
Navy	Commander Navy Fleet Material Support Office ATTN: Code 9612 5450 Carlysle Pike Mechanicsburg, PA 17055	Ms. Shelia Godfrey DSN 430-6513
Air Force	Commander HG Air Force Logistics Command ATTN: MMIPC Wright-Patterson Air Force Base, OH 45433-5001	Mr. Joe Welsh DSN 787-5553
Marine Corps	Commander Marine Corps Logistics Base Code 851-1 814 Radford Boulevard Albany, GA 31704-1128	Zelda Collins DSN 567-6414/5
DNA	Commander Field Command Defense Nuclear Agency Kirkland AFB, NM 87115	Mr. Fernado Alvarado DSN 246-8421
GSA	GSA/FSS Cataloging Branch ATTN: FCRL Washington, DC 20406	Ms. Faye Altman DSN 305-7528
Coast Guard	U.S. Coast Guard Headquarters 2100 Second St., S.W. ATTN: COMDT (G-ELM) Washington, DC 20593-0001	Ms. Cathy Pastore FTS 267-0656 (202)267-0656

CHAPTER 8 ALPHABETIC INDEX FOR TOTAL MANUAL

TITLE	VOLUME* PAGE**	OTHER * REFERENCES
A		
AAC/SOS/SOSM CORRELATION ABBREVIATIONS USED IN CONNECTION WITH FSCM/FSCNM/NSCMs		vol 10, table 113 vol 10, table 136
ACQUISITION ADVICE CODE PROCESSING FOR ARMY MAINTENANCE ACTION CODE MS CMD		vol 10, table 158
ACQUISITION ADVICE CODES ACQUISITION ADVICE CODES ASSIGNED BY MANAGING ACTIVITY IMSS-9	14	vol 10, table 58 14-6-A
ACQUISITION METHOD/ACQUISITION METHOD SUFFIX CODES	4,6	vol 10, table 71
ACQUISITION METHOD/ACQUISITION METHOD SUFFIX CODE COMBINATIONS	14	14-8-A
ACTION BY SUBMITTING ACTIVITY ON DATA RETURNED BY DLSC	2	
ACTION CODES FOR RESUBMITTALS ACTION TO BE TAKEN BY ACTIVITIES ON	4	vol 10, chap 2
RECEIPT OF DATA FROM DLSC ACTIVITY CODE, SCREENING	5	
ACTIVITY CODE, SCREENING ACTIVITY CODES AND ADDRESSES FOR AUTHORIZED ORIGINATORS, SUBMITTERS, RNAAC, AND DICS AUTHORIZED FOR SUBMITTING ACTIVITIES	3	vol 10, table 104
ACTIVITY CODES AND MESSAGE ADDRESSES FOR FLIS USERS	2	vol 10, table 47
ACTIVITY LISTING (IMSS) ADD	14	
Data Elements	4,6	vols 8/9, DICs LAD, KAD
Data to Manufacturers	7	vol 8, DIC LHN

^{*} Complete narrative references may be found in the alphabetic index of the appropriate volumes.

** Volume 1 references are listed in this column.

TITLE	VOLUME	PAGE	OTHER REFERENCES
Freight Data	6		vols 8/9, DICs
Reference Number and Related Codes	4		LAF, KAF vols 8/9, DIC KAR
Standardization Relationship	4,6		vols 8/9, DIC KAS
FLIS Data Base Data	4		vols 8/9, DIC KAT
Total Manufacturers Record (OE) ADDRESS CODES, TYPE OF (OE)	7		vol 8, DIC LHT vol 10, table 29
ADDRESS LINE NUMBER (OE) -ADMINISTRATIVE DATA REQUIREMENT (MRC 9001)	4		vol 10, table 89
ADPE IDENTIFICATION CODES ADVANCE CHANGE NOTICE - See FLIS Advance Change Notice			vol 10, table 159
ADVANCE NOTICES	15		
AIR COMMODITY AND SPECIAL HANDLING			vol 10, table 85
CODES AIR DIMENSION CODES			vol 10, table 84
AIR FORCE			
Budget Codes			vol 10, table 67
Expendability/Recoverability/Reparability Codes			vol 10, table 69
Fund Codes			vol 10, table 68
Materiel Management Aggregation Codes (MMAC)			vol 10, table 66
AMMUNITION CODE	3		
As Reference Number	2		
Handbook	15		
ANNUAL DoD STOCK FUND PRICE CHANGE PROCEDURE	6		
ANSI STANDARD, USE OF	2		
APPENDICES, IDENTIFICATION OF IN THIS	1.1.4.c	1.1-4	
MANUAL			
APPENDIX, FIIG - See FIIG			
APPLICABILITY KEY	3		
APPLICABILITY KEY INDEX, FIIG	3		3-3-A, part 4
APPROVED ITEM NAMES	3		3-3-A, part 3
ARMY			F
Accounting Requirements Codes			vol 10, table 64

TITLE	VOLUME	PAGE	OTHER REFERENCES
Materiel Category Codes Recoverability Codes Source of Supply Conversion			vol 10, table 65 vol 10, table 87 vol 10, table 119
ASCII STANDARD	2		voi 10, table 119
ASSETS AVAILABILITY CODE	5		
ASSOCIATION CODE MATCHES, SCREENING AUTHORIZED FREIGHT DATA SUBMITTER/ RECEIVER	5		vol 10, table 33 vol 10, table 115
AUTOMATED DESIGN GUIDANCE AUTOMATIC DATA PROCESSING EQUIPMENT	1.3	1.3-1	vol 10, table 159
IDENTIFICATION CODE (ADPEC)			
В			
BASIC CONCEPT NAME	3		
BASIC NAME	3		
BASIC NOUN PHRASE	3		
BASIC PRINCIPLES OF ITEM IDENTIFICATION BYPASS, NAVY COGNIZANCE CODE	4		vol 10, table 129
С			
CAGE Code/NSCM SSR PROCESSES CAGE Code/NSCM ABBREVIATIONS USED WITH CAGE Code/RNCC MANDATORY COMBINATIONS	1.3.11.e,7	1.3-19	vol 10, table 136 vol 10, table 40
CAGE Code, VERIFICATION OF REFERENCE NUMBER IN FLIS DATA BASE	4		10, 10, 10
CANCEL			
Duplicate	4		vols 8/9, DICs LKD, KKD
Inactive	4		vols 8/9, DIC KKI
Inactive (DLSC only)	4		vol 8, DIC LKI
Invalid	4		vols 8/9, DICs LKV, KKV
PSCN to an NSN/PSCN	6		vols 8/9, DIC KKP

TITLE	VOLUME	PAGE	OTHER REFERENCES
Use	4		vols 8/9, DICs LKU, KKU
CANCELLATION Action, Return of, Retained FII Invalid	4		vols 8/9, DIC KRF
Collaboration with Foreign Countries Effective Dating for Format for Submittal to DLSC CANCELLATIONS (NSNs only) CANCELLED FSCM, REPLACEMENT OF DURING SEARCH	2,4 2,4 2,4 2 5		Text
CAO/ADP POINT EXCEPTION PROCESSING CODE CARD IDENTIFICATION CODES, IMC CARGO CODES, TYPES OF CATALOG MANAGEMENT DATA (CMD)	6 6 1.3.3.f(5) 2,6	1.3-7	vol 10, table 132 vol 10, table 137 vol 10, table 82
Add as a Result of IMM/Lead Service Input	6		vols 8/9, DIC KIM
Add CMD	6		vols 8/9, DICs LAM,KAM
Authorized Submitters Cancelled Items with Replacement	6 6		vol 10, table 104 6-2-A, 6-2-B vols 8/9, DICs LAM, LAD/ LCD/LCM, LKD/LKU, KIM, KIR vol 10, table 122
Cancelled Items without Replacement	6		6-2-A, 6-2-B vols 8/9, DICs LAD/LCD/ LCM/LDM, LKV, KIM, KIR, vol 10, table 122
Change CMD	6		vols 8/9, DICs LCM, KCM
Change in FSC Only	6		vols 8/9, DIC LCG

TITLE	VOLUME	PAGE	OTHER REFERENCES
Change in Logistics Management	•		
IMM to Military Service	6		vols 8/9, DICs
IMM to IMM (without FSC Change)	6		LCU/LAM/LCM vols 8/9, DICs
_			LCU/LAM/LCM
Wholesale Manager to Wholesale Manager (and FSC)	6		6-2-B vols 8/9, DICs LCU/
			LAD/
Changes other than ESC or Logistics Management	6		LAM/LCG
Changes other than FSC or Logistics Management	O		vols 8/9, DICs LAD/LCD/
			LCM/LDD
Changes other than FSC or Logistics Management	6		vols 8/9, DICs
by a Retail Service			LAD/LCD/ LCM/LDD
Collaboration	2		2-2-A
Concurrent Submittal with Item Status	6		6-2-B vols 8/9,
Data Element			DIC LMD
Add	6		vols 8/9, DIC
	-		LAD
Change	6		vols 8/9, DIC
Delete	6		LCD
Delete	U		vols 8/9, DIC LDD
Data Flow Procedures	6		222
Delete CMD	6		vols 8/9, DIC
			LDM vols 8/9,
Delete MOE Rule, Service Request	6		DIC KDM
Edit Criteria for Service-Peculiar CMD	O		vol 10, table 121
Effective Dated Actions, Pending, Informative Data for	6		vols 8/9, DIC KIF
Effective Date Processing Criteria	2,6		
File Maintenance Data Distribution	1.3.3.f(5)	1.3-7	6-2-A, 6-2-B
Goals/Objectives	6		
I&S Interface	6		<i>.</i> • •
Input/Output DIC Chart Integrated Material Management Procedures	6		6-2-A
Integrated Materiel Management Procedures	2		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Logistics Reassignment	6		6-2-B
Maintenance Action Codes	6		15 10 A D C D
Management Data List Multiple DIC Input-Concurrent Submittal	2,15 6		15-10-A,B,C,D 6-2-B vols 8/9, DIC LMD
NATO - File Maintenance Output	6		DIC ZMD
New/Reinstated Items	6		6-2-B
NIIN/PSCN Status/Index	6		vols 8/9, DIC KFS
Notifications - See Outputs Nuclear Ordnance Outputs	6		6-2-A
CMD as a Result of IMM/Lead Service Input	6		vols 8/9, DIC KIM
DIPEC - To	6		
File Maintenance Sequence Number in	6		
Generation from IMM/Lead Service Input			vol 10, table 122
Identification of Errors	6		vols 8/9, DIC KRE
Informative Data for Pending Effective Dated Actions	6		vols 8/9, DIC KIF
Effective Dated Actions NATO/Foreign Countries	6		
NIIN/PSCN Status/Index	6		vols 8/9, DIC KFS
Notification of Approval	6		vols 8/9, DIC KNA
Notification of Return (Submitter)	6		vols 8/9, DIC KRE
Notification of Unprocessable Package (Submitter)	6		vols 8/9, DIC KRU
Processing Indicator Codes			vol 10, table 125
PSCN, Converted to NSN	4		6-2-B
Purge Action	6		
Reactivation of DoD Wholesale Manager Interest	6		vols 8/9, DIC LAU/LAM
Reinstate CMD	6		vols 8/9, DICs LAM, KAM
Segment H	1.3.4	1.3-10	vols 8/9
Service Request to Delete MOE Rule	6	-	vols 8/9, DIC LDU

TITLE	VOLUME	PAGE	OTHER REFERENCES
SICA Follow-Up DIC KIM	6		
Simplified File Maintenance	2		2-11-G,H
Source of Supply Codes			vol 10, table 103
Source of Supply, DAAS	6		6-2-B
Statistics, IMSS-20	14		14-13-A
Unit of Issue Change	6		
Withdrawal of Wholesale Management	6		vols 8/9, DICs LDU, LDM/ LCM/LAD
CATALOGING ACTIONS			
General Considerations for	4		
Procedures Under Emergency Conditions	4		
Special Procedures	4		
CATALOGING DATA			
Quality Review of	2		
Reject Credits	2		
Security Classified, Processing Transmittal - See Transmittal of Data	2		
CATALOGING HANDBOOKS - See Handbooks			
CATALOGING PROCEDURES UNDER EMERGENCY CONDITIONS	4		
CATALOGING PUBLICATIONS, OE DATA BASE	7		
FOR	1.4		
CATALOGING STATISTICAL SERIES (CSS) CENTRAL CATALOG FILE	14		
Quality Assurance/File Compatability	2		
Review of Reference Number by Manufacturer (GIRDER)	4		
CENTRALLY PROCURED ITEMS, RESPONSIBILITY	2		
C/G LETTERS - See DLSC Distribution			
CHANGE			
Data Elements	4		vols 8/9, DICs
Data Dismonts	7		LCD, KCD
Data in Manufacturers Records (Organizational Entity)	7		vol 8, DIC LHP
DEMIL Code for Inactive Items	4		vols 8/9, DIC LCD

TITLE	VOLUME	PAGE	OTHER REFERENCES
FSC	4		vols 8/9, DICs LCG, KCG
Freight Data	6		vol 8, DICs LCF, KCF
NIIN/PSCN Status Code	4		vol 8, DIC LCI
PSCN to a NIIN	4		vols 8/9, DICs LCP,KCP
Reference Number Related Codes	4		vols 8/9, DICs LCR,KCR
Standardization Decision Data in a Standardization Relationship	4,6		vols 8/9, DICs LCS,KCS
Total Manufacturers Record (OE)	7		vol 8, DIC LHY
CHANGE BULLETINS	15		
CHANGES TO PUBLICIATIONS	15		
CHARACTERISTICS CODE (MILSTICCS)	3		
CHARACTERISTICS DATA MAINTENANCE	4		1 0/0 PIG
Add Data Elements	4		vols 8/9, DIC LAD
Change Characteristics Data	4		vols 8/9, DIC
Change Data Elements	4		LCC vols 8/9, DIC
ottango 2 ma 220monto			LCD
Change FSC, Item Name, Type of II, or RPDMRC	4		vols 8/9, DIC LCG
For FIIG Revisions, Off-Line File			
Adjustments - Add, Change, or Delete	4		vols 8/9, DIC LCH
Item Preparation	4		
Segment M - Clear Text Characteristics	1.3.4	1.3-10	vols 8/9
Segment N - Narrative Form Characteristics	1.3.4	1.3-10	vols 8/9
Segment V - Coded Item Characteristics	1.3.4	1.3-10	vols 8/9
Submittal of Maintenance	4		
CHARACTERISTICS SCREENING FOR STOCK NUMBER ASSIGNMENT	3		
CHARACTERISTICS SEARCH - See Search			
See Remote Terminals			
CHARACTERISTICS SEARCH PROCEDURE (FIIG APPENDIX E)	3		3-3-A, parts 19-23
IMM			

TITLE	VOLUME	PAGE	OTHER REFERENCES
Assignments	2		
Change of FSC Class	2		
Collaboration	2		
Deletion of Invalid Logistics Transfer	2		
Item Cancellations	2		
Management Responsibility for Establishing/	2		
Withdrawing Items of Supply	<i>-</i>		
Reactivation of Items	2		
Registration of Activity Interest	13		
Withdrawal of Military Activity and IMM Interest	2		
Withdrawing IMM Responsibility	2		
CIVIL AGENCIES, DLA CATALOG FOR	15		15-9-A
CLASSIFICATION - See FSC			
CLEAR TEXT REPLIES, CHARACTERISTICS	4		
CMD - See Catalog Management Data			
COAST GUARD			
Inventory Account Codes			vol 10, table 127
Reparability Codes			vol 10, table 128
Serial Number Control Code			vol 10, table 150
CODIFICATION AGREEMENTS FOR INTERNA-	4		
TIONAL CATALOGING			
COLLABORATION/DATA EXCHANGE	2		2-2-A,B
COLLABORATION WITH FOREIGN COUNTRIES	2,4		— — -,
COLLOQUIAL NAMES	3		
COMMERCIAL AND GOVERNMENT ENTITY	1.3.11.e	1.3-19	
CODE	a		
ORGANIZATION/FUNCTIONS ELIGIBLE FOR ASSIGNMENT	7		
COMMERCIAL AND GOVERNMENT ENTITY STATUS CODES			vol 10, table 19
COMMODITY INTEGRATED MATERIEL MANAGER - See CIMM			
	1.4		
COMPTROLLER STATISTICAL SERIES (FSS)	14		1 0/0 DIC
CONFLICT NOTIFICATION	4		vols 8/9, DIC KNI vol 10,
CONICOLIDATED ECCNA/ECONINA/NICONA ETT E	7		table 109
CONSOLIDATED FSCM/FSCNM/NSCM FILE, MASTER	7		

TITLE	VOLUME	PAGE	OTHER REFERENCES
CONSOLIDATED MANAGEMENT DATA LIST	15		15-10-A
CONTENT INDICATOR CODES (CIC) CONTROLLED INVENTORY ITEM CODE (CIIC) CONVERSION CHART OF MOE CODES TO	2		vol 10, table 61
SERVICE/AGENCY DESIGNATOR CODES (I&S)	2		
CONVERSION FORMULAS - FIIG COPYRIGHTED NAME	3		
CORRECTING REFERENCE DATA (GIRDER)	4		
CREDITS FOR REJECTS - See Reject Credits	•		
CRITERIA FOR LOADING SOURCE OF SUPPLY			vol 10, table 114
CHANGES IN DAAS IMM RECORD CRITICALITY CODE JUSTIFICATION	4		
CROSS REFERENCE OF INPUT TO OUTPUT DICs			vol 10, sect
Catalog Management Data			10.3.3 6-2-A
Concurrent Submittal (DIC LMD)			6-2-A 6-2-B
MINIMIZE/Degradation AUTODIN Transmittal	2		2-3-B
Search/Interrogation			5-1-A
CRYPTOLOGIC DESIGN CONTROLLED ITEMS,	2		
CATALOGING OF			1 10 +-1-1- 15 <i>(</i>
CRYPTOLOGIC ITEMS, MOE RULES FOR DoD SERVICE-MANAGED			vol 10, table 156
CUSTOMER SERVICE OFFICE AT DLSC	1.6	1.6-1	
	2.0	1.0 2	
D			
DAAS			
Criteria for Loading Source of Supply Changes in DAAS			vol 10, table 114
IMM Record	6		1- 0/0 DIC
Critical Source of Supply Update	6		vols 8/9, DIC LSS
Segment 5	1.3.4	1.3-10	vols 8/9
FLIS Quality Assurance	2		2-13-A (DAAS DICs QUE, QUR)
Follow-Up	6		
Navy Source of Supply Code			vol 10, table 111

TITLE	VOLUME	PAGE	OTHER REFERENCES
Reference Number Data Screening	5		vol 8, DICs
Segment 4 Reference Number Requisition NSN	1.3.4 1.3.10	1.3-10 1.3-15	LSD, KSD vol 8 vol 10, table 75
Selection Decision			1.10 . 11 . 77
Reference Numer Requisition Return Code Service/Agency Notification to Users	6		vol 10, table 76
Source of Supply Update	1.3.3.f(6)	1.3-8	vol 8, DIC KSS
Source of Supply Opulate	6	1.5-0	voi o, Die Roo
Segment 6	1.3.4	1.3-10	vol 8
DAASO SEARCH BY REFERENCE NUMBER	5		vol 10, tables 41, 75, 76
DATA BANK (FLIS Data Base)	4,5		
DATA BASE MAINTENANCE PROJECTS DATA ELEMENT(S)	2		
Add - See appropriate functional area			vols 8/9, DICs LAD, KAD
Change - See appropriate functional area			vols 8/9, DICs LCD, KCD
Delete - See appropriate functional area			vols 8/9, DICs LDD, KDD
Oriented with Value and Return Action Code, Segment Q	1.3.4	1.3-10	vols 8/9
Oriented with Value, Segment R	1.3.4	1.3-10	vols 8/9
Oriented without Value, Segment P	1.3.4	1.3-10	vols 8/9
DATA ELEMENT DICTIONARY			vol 12, chap 2
DATA ELEMENT/IDENTIFIER NAME	_		vol 12, chap 1
DATA EXCHANGE	2		
DATA RECORD NUMBER (DRN)	3		
DATA RECORD NUMBER (DRN)			vol 12
DATA RECORD NUMBER/DATA CODE TABLE CROSS REFERENCE			vol 10, sect 10.3.2
DATA RECIPIENTS (FILE MAINTENANCE)	1.3.3.e	1.3-5	
DATA REQUEST CODE/ACCESS KEY(S)			vol 10, table 28
DATA REQUEST CODES, INTERROGATION OUTPUT			vol 10, table 34
DATA TRANSMISSION CONTROL CODES	2		vol 10, table 101
DATA WORKSHEETS/FORMS, OE	7		7-1-A, B, C, D
DD FORM - See Forms			

TITLE	VOLUME	PAGE	OTHER REFERENCES
DECENTRALIZED ITEMS - See Locally Procured Items DEFECT (QUALITY ASSURANCE) DEFECTIVE UNIT (QUALITY ASSURANCE) DEFENSE AUTOMATIC ADDRESSING SYSTEM - See DAAS DEFENSE COMMUNICATIONS SYSTEMS (DCS) AUTOMATIC DIGITAL NETWORK (AUTODIN) - See AUTODIN	2 2		
DEFENSE LOGISTICS AGENCY (DLA)	1.2.2	1.2-1	
DEFENSE NUCLEAR AGENCY (DNA)	4	1.2-1	1-4-A, C
Source of Supply Criteria	6		1- 4- 11, C
DEFENSE NUCLEAR AGENCY CATALOGING	4		
ACTIVITY (DNACA)	•		
DEFINITIVE REPLY CODES	3		
DEGREE OF MATCH CODES	_		vol 10, table 27
DELETE			
Data from Manufacturers Records (Organizational Entity)	7		vol 8, DIC LHQ
Freight Data	6		vol 8, DICs LDF, KDF
Reference Number Data	4		vols 8/9, DIC KDR
Standardization Relationship	4,6		vols 8/9, DIC KDS
Total Manufacturers Records (OE) DELETION REASON CODES	7		vol 8, DIC LHV vol 10, table 25
DELIMITATION OF ITEM NAMES	3		
DEMAND INDICATOR CODES			vol 10, table 141
DEMILITARIZATION CODES	4		vol 10, table 38
Change for Inactive Items	4		vols 8/9, DIC LCD
Publication	15		15-14-A
DEPARTMENT LISTING (IMSS)	14		
DEPARTMENT OF DEFENSE AMMUNITION CODE			
MAINTENANCE - See DoD Ammunition Code			
DEPARTMENT OF ENERGY (DOE) - See DOE			
DESCRIPTIVE METHOD FEDERAL ITEM IDENTIFICATION			

TITLE	VOLUME	PAGE	OTHER REFERENCES
Revision	4		
Action by Submitting Activity	4		
Add Reference Number	4		vols 8/9, DIC
Change Reference Number Related Codes	4		LAR vols 8/9, DIC LCR
Delete Reference Number	4		vols 8/9, DIC LDR
Nonconcurrence	4		
Proposed Revision	4		vols 8/9, DIC LCC
DESCRIPTIVE METHOD ITEM IDENTIFICATIONS AND TRANSFERS, CSS-4	14		14-18-A
DESCRIPTIVE METHOD REINSTATEMENT PROPOSAL	4		
DESTINATION CODE, PSMAT	7		
DESTINATION CODES, SCREENING	5		
DIC SUMMARIES, CSS-2	14		14-16-A
DICs AUTHORIZED FOR SUBMITTING			vol 10, table 104
ACTIVITES			
DIFFERENTIATION CHARACTERISTICS FOR A	4		
MANUFACTURERS REFERENCE NUMBER			
DISTRIBUTION OF PUBLICATIONS	15		
DISTRIBUTION OF REPORTS	14		
Justification of User Need	14		
DLA CATALOG FOR CIVIL AGENCIES	15		15-9-A
DLSC CHANGE DATA (SEGMENT 1)	4,5		vols 8/9
DLSC DISTRIBUTION C/G LETTERS	3		
DLSC/FOREIGN GOVERNMENTS RESPONSIBLE			vol 10, table 134
FOR ASSIGNMENT/MAINTENANCE OF OE			
CODES			
DOCUMENT AVAILABILITY CODE AND			vol 10, table 15
REFERENCE NUMBER CATEGORY CODE	4		
COMBINATION TABLE DOCUMENT CONTROL			
DOCUMENT CONTROL NUMBER	1 0 0 1	101	
Use of for Outputs	1.3.3.b	1.3-4	
FLIS Data Base Mass Data Retrieval	1.3.3.f(12)	1.3-9	
SSR Mass Data Retrieval	1.3.3.f(14)	1.3-10	
SSR Tailored Interrogations	1.3.3.f(13)	1.3-9	

TITLE	VOLUME	PAGE	OTHER REFERENCES
DOCUMENT IDENTIFIER CODES (DIC) (INPUT)			
LAB Add U.S. National/NATO Stock Number as Informative Reference			vols 8/9/11
	4,6		vols 8/9/11
	6		vols 8/9/11
	4,6		vols 8/9/11
	4		vols 8/9/11
	5		vols 8/9/11
	4,6		vols 8/9/11
	1,6		vols 8/9/11
· · · · · · · · · · · · · · · · · · ·	1,6		vols 8/9/11
	1,6		vols 8/9/11
LBW Reinstate Full Descriptive Method II without Reference Number	1		vols 8/9/11
LCC Change Characteristics Data 1	1.3.1.n	1.3-3	vols 8/9/11
LCD Change Data Element(s) 4	1,6		vols 8/9/11
LCF Change Freight Data 6			vols 8/9/11
LCG Change FSC, Item Name, Type of Item 1	.3.1.k	1.3-2	vols 8/9/11
	1 ,6		
LCH Add, Change or Delete Characteristics Data for FIIG Revisions Off-Line File Adjustments	ļ		vols 8/9/11
LCI Change NIIN/PSCN Status Code (DLSC only) 4	Ļ		vols 8/11
LCM Change Catalog Management Data 4	-,6		vols 8/9/11
	-,6	•	vols 8/9/11
LCR Change Reference Number Related Codes 4			vols 8/9/11
LCS Change Standardization Decision 6 Data for a Replaced NSN, Standardization Relationship			vols 8/9/11
	,6		vols 8/9/11
LCZ Change Item Standardization Decision 6			vols 8/9/11 vols 8/9/11
Data not in a Standardization Relationship			VUIS 0/9/11
	,6		vols 8/9/11
LDF Delete Freight Data 6			vols 8/9/11
LDM Delete Catalog Management Data 6			vols 8/9/11 vols 8/9/11
LDR Delete Reference Number(s) 4			vols 8/9/11 vols 8/9/11
LDS Delete Standardization Relationship 6			vols 8/9/11

TITLE	VOLUME	PAGE	OTHER REFERENCES
LDU Delete MOE Rule Number	4,6		vols 8/9/11
LDZ Delete Logistics Transfer (DLSC only)	6		vol 8
LFN Follow-up Interrogation, NATO Only	4		vol 8
LFU Follow-Up Interrogation	1.3.8	1.3-15	vols 8/9/11
22 0 20 mon of	2		
LHN Add OE Data to Existing SSR	7		vols 8/11
LHP Change OE Data in Existing File	7		vols 8/11
LHQ Delete OE Data from Existing SSR	7		vols 8/11
LHR SSR OE Interrogation (Tailored)	1.3.11.e,5,7	1.3-19	vols 8/11
LHT Add Total O.E. SSR	7		vols 8/11
LHU Reinstate Total OE SSR	7		vols 8/11
LHV Delete Total OE SSR	7		vols 8/11
LHX MRC Summary/Detail (Mass Data	5		
Retrieval) (DLSC only)			
LHY Change Total OE SSR	1.3.11.e,7	1.3-19	vols 8/11
LKD Cancel-Duplicate	4,6		vols 8/9/11
LKI Cancel-Inactive (DLSC only)	4,6		vols 8/9/11
LKU Cancel-Use	4,6		vols 8/9/11
LKV Cancel-Invalid	4,6		vols 8/9/11
LMD Multiple DIC Input	1.3.1.m	1.3-3	vols 8/9/11
1 1	4,6		
LNC Request for NIIN Assignment (Partial	4,6		vols 8/9/11
Descriptive Method)	·		
LNK Request for NIIN Assignment	4,6		vols 8/9/11
(Reference Method)			
LNP Request for PSCN Assignment (Full Descrip-	6		
tive Method with Reference Numbers)			
LNR Request for NIIN Assignment	4,6		vols 8/9/11
(Full Descriptive Method with Reference Numbers)			
LNW Request for NIIN Assignment (Full Descriptive Method without Reference Number	4,6		vols 8/9/11
LQS FSC Sample IID and CMD Compatibility Check	2		vols 8/9/11
LRC Remote Terminal (Category 1) Search by	16		vol 9
Characteristics Data			
LRF Remote Terminal (Category 1) Search by NIIN	16		vol 9
LRI Remote Terminal (Category 1) Interrogation	16		vol 9
by NIIN/PSCN			

TITLE	VOLUME	PAGE	OTHER REFERENCES
LRN Resubmittal to Correct Error of Suspended Item	4		vols 8/9/11
LRR Remote Terminal (Category 1) Search by Reference Number	16		vol 9
LRT Resubmittal for Total Replacement of Suspended Item	4		vols 8/9/11
LSA Request for Codification and Registration of User	4		vols 8/11
LSB Request for Codification and Request Registration on Non-U.S. Manufactured Items	4		vols 8/9/11
LSC Search by Characteristic(s) Data	5,7		vols 8/9/11
LSD DAAS Screening by Reference Number	5		vols 8/11
LSF Search by National Identification Number	4,5,7		vols 8/9/11
LSN Search by Reference Number for other than	4,5		vols 8/9/11
Provisioning and Preprocurement	.,.		7010 0/2/11
LSR Search by Reference Number	4,5,7		vols 8/9/11
LSS DAAS Critical Source of Supply Update	6		vols 8/9/11
LST Search by Reference Number Only (DLSC only)	5		VOIS 0/9/11
LTI Interrogate by NIIN or PSCN	4,5		vols 8/9/11
LTM Mass Data Retrieval, FLIS Data Base (DLSC only)	5		
LTP Mass Data Retrieval, SSR (DLSC only)	5		
LTR Interrogation, Master Error Suspense Data (DLSC only)	5		
LTT SSR Tailored Interrogation (DLSC only)	5		
LTU Add Nuclear Ordnance Source of Supply	6		vols 8/11
LTV Change Nuclear Ordnance Source of Supply	6		vols 8/11
LTW Delete Nuclear Ordnance Source of Supply	6		, 010 0, 11
LUP Add New Destination Code, Screening (DLSC only)	7		vol 8
LUR Change a Line(s) in the Receivers Address in the Provisioning Screening Results Destination Table (DLSC only)	7		vol 8
LUS Delete a Destination Activity Code, Screening (DLSC only)	7		vol 8
LUT Add New SSR Master Freight Table Record	1.3.11.f,6	1.3-21	vols 8/11
LUV Replace SSR Master Freight Table Record	1.3.11.f,6	1.3-21	vols 8/11

TITLE	VOLUME	PAGE	OTHER REFERENCES
LUW Change Data Elements on an SSR Master Freight Table Record	1.3.11.f,6	1.3-21	vols 8/11
LUX Delete Total SSR Master Freight Table Record	1.3.11.f.6	1.3-21	vols 8/11
LVA IMC Data	6		vols 8/9/11
LVE Extract and Edit Coded Item Characteristics	5		vols 8/9/11
Data by NSN LWC Remote Terminal (Category 2) Search by Characteristics Data	16		vol 9
LWF Remote Terminal (Category 2) Search by NIIN	16		vol 9
LWI Remote Terminal (Category 2) Interrogation by NIIN/PSCN	16		vol 9
LWN Remote Terminal (Category 2)	16		vol 9
Search by Reference Number for Other Than Pro-			
visioning and Preprocurement			
LWR Remote Terminal (Category 2) Search by Reference Number	16		vol 9
DOCUMENT IDENTIFIER CODES (DIC) (OUTPUT)			
KAD Add Data Element(s)	4,6		vols 8/9
KAF Add Freight Data	1.3.11.f,4,6	1.3-21	vols 8/9
KAM Add Catalog Management Data	6		vols 8/9
KAR Add Reference Number and Related Codes	1.3.11.e,4	1.3-19	vols 8/9
KAS Add Standardization Relationship	4,6		vols 8/9
KAT Add FLIS Data Base Data	4,6		vols 8/9
KAU Add MOE Rule Number and Related Data	6		vols 8/9
KCD Change Data Element(s)	4,6		vols 8/9
KCF Change Freight Data	1.3.11.f,6	1.3-21	vols 8/9
KCG Change FSC	4		vols 8/9
KCI Change NIIN/PSCN Status Code	4		vol 8
KCM Change Catalog Management Data	6		vols 8/9
KCP Change PSCN to NIIN	4		vols 8/9
KCR Change Reference Number Related Codes	4		vols 8/9
KCS Change Standardization Decision Data in a Standardization Relationship	4,6		vols 8/9
KCU Change MOE Rule Number and Related Data	6		vols 8/9
KCZ Change Item Standardization Decision	4,6		vols 8/9
Data not in a Standardization Relationship			
KDD Delete Data Element(s)	6		vols 8/9
KDF Delete Freight Data	1.3.11.f,6	1.3-21	vols 8/9
KDM Delete Catalog Management Data	6		vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
KDR Delete Reference Number Data	1.3.11.e,4	1.3-19	vols 8/9
KDS Delete Standardization Relationship	4,6		vols 8/9
KDU Delete MOE Rule Number	6		vols 8/9
KDZ Delete Logistics Transfer	6		vols 8/9
KEC Output Exceeds AUTODIN Limitations	4,5		vols 8/9
KFA Match through Association	4		vols 8/9
KFC File Data Minus Security Classified Characteristics Data	4		vols 8/9
KFD FLIS Data Base File Data	4,6		vols 8/9
KFE FLIS Data Base File Data for Replacement of a Cancelled NSN/PSCN, Related Generic NSN, or Reference Number Screening Results	5,6		vols 8/9
KFF Quarterly Files Replacement to NATO Supply Centers	8		
KFM Notification to Increment File Maintenance Sequence Number	4,6		vols 8/9
KFN Follow-Up Interrogation Results, NATO Only	8		
KFP Follow-Up Notification	4,6		vols 8/9
KFR File Data for Replacement NSNs/PSCNs when not Authorized for Procurement	6		vols 8/9
KFS NIIN/PSCN Status/Index	4,5,6		vols 8/9
KFU Follow-Up Interrogation Results	1.3.8 4	1.3-15	vols 8/9
KHN OE SSR File Maintenance Data	1.3.11.e,7	1.3-19	vol 8
KHP Notification of Approval, SSR Transaction	1.3.11,6,7	1.3-17	vol 8
KHR Notification of Return, SSR Transaction	1.3.11,6,7	1.3-17	vol 8
KHS Notification of Unprocessable Package, SSR	1.3.11,6,7	1.3-17	vol 8
KHT SSR OE Interrogation Results (Tailored)	5,7		vol 8
KHW Match of Previous OE SSR Action	1.3.11.e,7	1.3-19	vol 8
KIE Advance Informative FLIS Data Base File Data	6		vols 8/9
KIF Informative Data for Pending Effective Dated Actions	4,6		vols 8/9
KIM Catalog Management Data as Result of IMM/ Lead Service Input	6		vols 8/9
KIR Interrogation Results	1.7.6,5	1.7-3	vols 8/9
KIS Search Results of National Item Identification Number Screening	5		vols 8/9
KKD Cancel-Duplicate	4		vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
KKI Cancel-Inactive	4		vols 8/9
KKP Cancel PSCN to an NSN/PSCN	6		vols 8/9
KKU Cancel-Use	4		vols 8/9
KKV Cancel-Invalid	4		vols 8/9
KMA Association Code Match (Screening)	4,5		vols 8/9
KMD Multiple DIC Output	4,6		
KME Exact Match, Screening	5		vols 8/9
KMG Possible Match, Screening	5		vols 8/9
KMH Actual Match, Screening	5		vols 8/9
KMN Matched Stock Number Assigned by Another NATO Country (Screening)	5		vols 8/9
KMP Partial Match, Screening	5		vols 8/9
KMQ Probable Match, Screening	5		vols 8/9
KMR Matching Reference Number, Screening	4,5		vols 8/9
KMS Reference Number Submitted for Screening Matched to a Security Classified Item	5		vols 8/9
KMT Standardization Relationship Preferred Item Data	5		vols 8/9
KMU Exact Match with Errors in Submitted FII (Submitter)	4		vols 8/9
KNA Notification of Approval	4,6		vols 8/9
KNI Conflict Notification	4,6		vols 8/9
KNN Notification of National Codification Bureau (NCB) Processing	4		vols 8/9
KNR Negative Reply (Screening)	5		vols 8/9
KNS Notification of Change to Standardization Decision Data	4		vols 8/9
KPE Possible Duplicate with Errors in Submitted FII (Submitter)	4		vols 8/9
KPM Processing Malfunction	1.3.9 4,6	1.3-15	vols 8/9
KQF Notification of Cutoff for File Compatibility Check (DLSC only)	2		vols 8/9
KQS Notification Sample Selection FSC IID and CMD Compatibility Check (DLSC only)	2		vols 8/9/11
KRE Notification of Return (Submitter)	1.3.8 4,5,6	1.3-15	vols 8/9
KRF Return of Cancellation Action, Retained FII Invalid	4		vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
KRM Notification of Exact Match (Submitter)	4		vols 8/9
KRP Notification of Possible Duplicate (Submitter)	4		vols 8/9
KRU Notification of Unprocessable Package (Submitter)	4,5,6		vols 8/9
KSC Results of Characteristics Search (Match)	5		vols 8/9
KSD DAAS Reference Number Screening Results	5		vol 8
KSE Submitted NIIN/PSCN Security Classified (Originator only)	4,6		vols 8/9
KSN Results of Characteristics Search (No Match)	5		vols 8/9
KSR Screening Results	4,5		vols 8/9
KSS DAAS Source of Supply Update	6		vols 8/9
KTA Mass Data Retrieval Results	5		vols 8/9
KTN Interrogated Data Not Available	5		vols 8/9
KTS Interrogation Results Minus Security Classified Characteristics Data	5		vols 8/9
KUA Add Total SSR MOE Rule Record	1.3.11.c 6	1.3-19	vol 8
KUB Cancel SSR MOE Rule with Replacement	1.3.11.c 6	1.3-19	vol 8
KUC Change SSR MOE Rule Record	1.3.11.c 6	1.3-19	vol 8
KUD Cancel without Replacement or Delete SSR MOE Rule Record	1.3.11.c 6	1.3-19	vol 8
KUE New SSR Standard FSC Management Record	6		vol 8
KUF Delete Total SSR Standard FSC Management Record	6		vol 8
KVE Results of Coded Item Characteristics Data Extract and Edit by NSN	5		vols 8/9
KVI Item Management Coding Advice Notification	6		vols 8/9
KWA Electronic Data Transmission Control	2,4		vol 8
DoDAAC DECISION			vol 10, table 41
DoD AMMUNITION CODE (DODAC)	2,3,15		·
DoD AMMUNITION CODE HANDBOOK - See H3 Series			
DoD COMMODITY MATERIEL, MANAGEMENT CATEGORY CODES			vol 10, table 48
DoD/FEDERAL FUNCTIONAL MANAGER	1.2.3	1.2-2	1-4-E
DoD ITEM STANDARDIZATION CODES, IMSS-10	14		14-7-A
DoD SERVICE-MANAGED CRYPTOLOGIC ITEMS,			vol 10, table 156

TITLE	VOLUME	PAGE	OTHER REFERENCES
MOE RULES FOR DOE (DEPARTMENT OF ENERGY) CONTROLLED/	4		
SPECIAL DESIGN ITEMS	-		
DROP INDEX CODES/TABLES	1.3.3.c(1)	1.3-4	vol 10, table 104
DUPLICATE, POSSIBLE	, ,		•
Notification to Submitter	4		vols 8/9, DIC
With Errors in Submitted FII (Submitter)	4		KRP vols 8/9, DIC
DUPLICATION CRITERIA, CHARACTERISTICS SCREENING/SEARCH	3		KPE
E			
EAM CARD			
Exception Criteria (Edit/Validation)	11		
Formats, Edits Unique to	11		
Usage Grid and Notes (SSR)			vol 10, sect
			10.3.4
Usage Grid and Notes (FLIS Data Base)			vol 10, sect
EAM WODIGHTET DEPARATION OF			10.3.5
EAM WORKSHEET PREPARATION, OE			7-1-A
EDIT CRITERIA FOR SERVICE-PECULIAR CMD			vol 10, table 121
EDIT/VALIDATIONS - See appropriate application EDIT/VALIDATION PROCEDURES, OE	7		
EFFECTIVE DATE PROCESSING	/		vol 10, table 112
Cancellations	2,4		voi 10, table 112
CMD Transactions	2,6		
Conflict Conditions	2,0		vol 10, table 99
Corrective Actions	4		voi 10, table 99
Criteria	2		
Definitions	2		
Logistics Areas/DICs Subject to	2		
Segment Z Data	1.3.10	1.3-15	
Standard Time Frames	2		
EFFECTIVE DATED ACTIONS, INFORMATIVE	6		vols 8/9, DIC
DATA FOR PENDING			KIF
EFFECTIVE DATED TRANSACTIONS			vol 10, table 112

TITLE	VOLUME	PAGE	OTHER REFERENCES
ELECTRONIC DATA TRANSMISSION Activity Codes and Message Addresses for FLIS Users	2		vol 10, table 47
Activity to Indicate Media and RIC Communication Routing Identifiers	1.3.3.a(2)(b) 2	1.3-4	
Content Indicator Codes FLIS Data Transmission Control	2 2,4		vol 8, DIC KWA
FLIS Character Subset	2		vol 10, table 101 2-3-A
Limitation, Output Exceeds MINIMIZE	2,4,5		vols 8/9, DIC KEC
Requirement for Use E MODE REPLIES, CHARACTERISTICS	4		
EMERGENCY CONDITIONS, CATALOGING PROCEDURES	2,4		
EQUIPMENT DEGRADATION (DLSC) EQUIPMENT MALFUNCTION (DLSC)	2 4		
ERROR CONDITIONS	1.3.1.c, 1.3.7 4,5,6	1.3-1, 1.3-14	vols 8/9, DIC KRE
Edit/Validation Problem Reporting - See FLIS Problem Reporting	11		
Resubmittals	4		vols 8/9, DICs LRN, LRT
Return Codes Suspense Files	10 1.3.6	1.3.14	
System Errors Unprocessable Transactions	1.3.8.b 1.3.7	1.3-15 1.3-14	vols 8/9, DIC KRU
ERRORS IN PUBLICATIONS ERROR PROCESSING	15 1.3.8	1.3-15	
ESTIMATED OR ACTUAL PRICE CODES EXACT MATCH WITH ERRORS IN SUBMITTED FII	4		vol 10, table 144
EXAMPLES OF PUBLICATION USE EXCEPTION CRITERIA, EAM CARD FORMATS	15 11		
EXTRA LONG CHARACTERISTICS DESCRIPTION (ELCD)	4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
EXTRA LONG REFERENCE NUMBER (ELRN)	4		
F			
FEDERAL CATALOG SYSTEM FEDERAL CATALOG SYSTEM POLICY MANUAL FEDERAL CATALOGING REPORTS AND STATISTICS - See Reports	4 4		
FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATION FEDERAL ITEM IDENTIFICATION GUIDE - See	2 5		
FIIG FEDERAL ITEM NAME DIRECTORY, H6 SERIES - See Handbooks FEDERAL LOGISTICS INFORMATION SYSTEM		1.1-1	
(FLIS) FEDERAL SUPPLY CLASSES, LISTING (IMSS) FEDERAL SUPPLY CLASSIFICATION - See FSC	14		
FEDERAL SUPPLY CLASSIFICATION GROUP 11, NUCLEAR ORDNANCE FEDERAL SUPPLY CLASSIFICATION HAND- BOOK, H2 SERIES - See Handbooks	4		
FEDERAL SUPPLY CLASSIFICATION SYSTEM MAINTENANCE	3	÷	
Revisions to the FSC Indexes	3		
Revisions to the FSC Structure FIIG (Federal Item Identification Guide)	3		
A239 - Miscellaneous Items	4		
Appendix A - Reply Tables	3		3-3-A, parts 8 thru 10
Appendix B - Reference Drawing Groups	3		3-3-A, parts 11 thru 14
Appendix C - Technical Data Tables	3		3-3-A, parts 15 thru 17
Appendix D - Functional and Operational Index	3		3-3-A, part 18
Appendix E - Characteristics Search Procedure	3		3-3-A, parts 19 thru 24
Applicability Key Index	3		3-3-A, part 4

TITLE	VOLUME	PAGE	OTHER REFERENCES
Approved Item Names Index	3		3-3-A, part 3
Conversion Formulas	3		•
Cover Page	3		3-3-A, part 1
Data Range Criteria	3		•
Data Range Tables	3		
Definitions	3		
Format	3		
General Information	3		3-3-A, part 2
MILSTICCS Coding	3		
MRC Crtl	3		
MRC Index	3		
Preparation	3		3-3-A, part 1
Requirement Structure	3		•
Requirements to be Excluded from Screening	3		
Rounding Instructions	3		
Screening Criteria	3		
Search Criteria	3		
Section I - Item Characteristic Data Requirements	3		3-3-A, parts 5,6
Section II - Data Range Criteria	3		
Section III - Supplementary Technical and Manage	3		3-3-A, part 7
ment Data			
Supplementary Technical and Management Data	3		
FIIG FUNCTIONAL/OPERATIONAL INDEX	5		5-10-A
OUTPUTS			
FIIG MAINTENANCE			
DLSC Distribution C/G Letters	3		
Initiation	3		
MRC Summary Lists	3, 5		5-9-A
Notification	3		
Page Changes	3		
Publication of Revised FIIGs	3		
FIIG REVISION			
Originator	3		
Review of Federal Item Identification	3		
Review of Tools	3		
FILE COMPATIBILITY - Also see Quality Assurance	1.3.3.d	1.3-5	
FILE COMPATIBILITY ACTIVITY CODES			vol 10, table 149
FILE COMPATIBILITY SUMMARY, CSS-6	14		14-19-A
FILE DATA FOR REPLACEMENT NSN/PSCNs	6		vols 8/9, DIC

TITLE	VOLUME	PAGE	OTHER REFERENCES
WHEN NOT AUTHORIZED FOR PROCURE- MENT			KFR
FILE DATA MINUS SECURITY CLASSIFIED CHARACTERISTICS	4		vols 8/9, DIC
FILE MAINTENANCE Action Codes			KFC vol 10, table 118
DICs Resulting from Input	2		,
Generated from Processing II Data	1.3.3.f(1)(a), 4	1.3-6	
Simplified	1.3.15	1.3-25	2-11-A thru 2-11-K
	2		
FILE MAINTENANCE SERVICE, OE FILES REPLACEMENT TO	7		vol 8, DIC KHN vol 8, DIC KFF
NATO SUPPLY CENTERS, QUARTERLY FIXED INTERVAL SCHEDULING	1.3.5.a(2)	1.3-13	
FIXED LENGTH PACKAGES	1.3.4.b	1.3-13	
FLIS ADVANCE CHANGE NOTICES	1.1.3.a(3)		
	1.1.3.b(1)	1.1-4	
FLIS (AUTODIN) DATA TRANSMISSION CONTROL - See AUTODIN			
FLIS CHANGE PROCEDURES	4.40		
DD Forms 2021/2021-1	1.4.3	1.4-2	1-4-C
Emergency Changes Expedite Changes	1.4.3.a(5),	1.4-2	1-4-C 1-4-C
Functional Description	1.4.1.b(2)	1.4-1	1 1 0
•	1.4.3.c(4)	1.4-5	
Functional Manager, DoD Federal	1.2.3, 1.4.2, 1.4-3	1.2-2, 1.4-1,	1-4-E
	1.4-5	1.4-1,	
Materiel Management Decision Rule	1.4.1.b(1),	1.4-1,	
Tables (MOE Rules)	1.4.2.g,13		
Procedures Manual Changes	1.1.3, 1.4.2	1.1-2, 1.4-1	1-4-F
Service/Agency Contact Points	1.4.3.b	1.4-3	1-4-A
Service/Agency-Controlled Tables	1.4.2.f,1.4.3.c	1.4-2, 1.4-5	1-4-B 1-4-C
System Change Request (SCR, DD Forms 2021/	1.4.3	1.4-2	

TITLE	VOLUME	PAGE	OTHER REFERENCES
2021-1) Activities to Receive Information Copies Control Number	1.4.3.b(7)(b)	1.4-3	1-4-D 1-4-C
Exceptions to SCR Control Guidance for Preparation Processing	1.4.3.c 1.4.3.a.(1) 1.4.3.b	1.4-5 1.4-2 1.4-3	1-4-C
Status Reports FLIS DATA BANK (FLIS Data Base/SSR)	1.4.4 1.1.1.a, 1.3.18	1.4-5 1.1-1, 1.3-26	
FLIS DATA BASE - See also Central Catalog File	4	1.5-20	
Advance Information Data, Add	6 4		vols 8/9, DIC KIE vols 8/9, DIC
File Data	4,6		KAT vols 8/9, DIC KFD
File Data for Replacement of a Cancelled NSN/ PSCN or Reference Number Screening Results	5		vols 8/9, DIC KFE
Mass Data Retrieval	1.3.3.f(12), 1.3.13	1.3-9, 1.3-24	
Tailored Interrogations FLIS DOCUMENT IDENTIFIER CODES	1.3.3.f(11) 1.3.1.a	1.3-9 1.3-1	vol 10, table 105
FLIS FUNCTIONAL MANAGERS - See FLIS Change Procedures FLIS I&S FAMILY CONCEPTS	1.2.3	1.2-2	1-4-E
FLIS INPUT HEADER FLIS INTERCHANGEABILITY AND SUBSTITUT- ABILITY - See I&S	1.3.1	1.3-1	vols 8/9
FLIS OUTPUT HEADER FLIS PROBLEM REPORTING	1.3.1	1.3-1	vols 8/9
Activities Authorized to Submit DLSC Response/Resolution DLSC Responsibilities	2 2 2		2-6-A
Follow-Up Actions (DIC LFU) Priority Classifiction	2 2		
Reject Credits for Submittals Service/Agency Responsibilities	2 2		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Status Reports	2		
FLIS SEGMENT CODES	1.3.1.b	1.3-1	vol 10, table 120
FLIS SYSTEM MANAGEMENT RELEASE (SMR)			
- See FLIS Change Procedures			
FLIS 64 CHARACTER SUBSET	2		2-3-A
FMS (FOREIGN MILITARY SALES) CASES	13		
FMSN, NOTIFICATION TO INCREMENT	4		vols 8/9, DIC KFM
FOLLOW-UP - Also see appropriate application Actions by Submitting Activity	2		
After Cessation of Emergency Conditions	4		
Collaboration	2		
Condition Code			vol 10, sect
			10.3.6
Foreign Military Sales (FMS)	4.12.2.a(1)		
Format, Media, and Transaction Modes for the Transmission of Catalog Data Between NATO/FG and DLSC	4.12.2.k		
Interrogation (LFU)	2		
Interrogation Results	4		vols 8/9, DIC
			KFU
Interrogation Transactions	5		
Non-Receipt of Reply	2		
Procedure when RPDMRC 5 is Reflected	4		
FOLLOW-UP NOTIFICATION	4,6		vols 8/9 DIC KFP
FOREIGN MILITARY SALES (FMS) CASES	13		
FORMATTING OF REFERENCE NUMBERS - See			
Reference Numbers			
FORMS - Also see Preparation			
DD Form 88, Forms Design Guide Sheet	3		
DD Form 173, Joint Message Form	4		
DD Form 180, Names Transmittal	3		3-1-A
DD Form 635, Submittal of Logistics	2,4		
Item Data Card Decks			
DD Form 1155, Order for Supplies or Services	2		4-12-A
DD Form 1392, Data Message Form	2		0.0.0
DD Form 1685, Data Exchange and/or Proposed	2,4		2-2-B

TITLE	VOLUME	PAGE	OTHER REFERENCES
Revision of Catalog Data DD Form 1939, System Support Record Input DD Form 1980, FLIS Item Identification Data	2		7-1-B
Input DD Form 1981, FLIS Cataloging Maintenance Data Input	2		
DD Form 1982, Request for Verification of Manufacturers Part Number	4		4-3-A
DD Form 2021, FLIS System Change Request (SCR)	1.4.3, 15	1.4-2	1-4-C
DD Form 2029, FLIS Problem Report	2		
DD Form 2051, Request for Assignment of Federal Supply Code for Manufacturer/Contractor	7		7-1-C
DLA Form 1325, Catalog Data	2		2-2-B
DLA Form 1326, Coded Item Characteristics	2		2-2-B
DLA Form 1327, Coded Item Characteristics Maintenance (Add/Change/Delete)	2		2-2-B
DLA Form 1328, Reference Number Data	2		2-2-B
DLA Form 1331, MOE Rule Data	2		2-2-B
DLA Form 1332, Cancellation/Delete MOE Rule	2		2-2-B
DLA Form 1336, Data Element Oriented with Value	2		2-2-B
DLA Form 1337, Catalog Management Data	2		2-2-B
JLC Forms 17 and 19	2		2-2-B
NATO Form AC/135 Nr1, Initial Exchange of Information			4-15-C
NATO Form AC/135 Nr2, Request for a Manufacturer's Code Number			7-1-D
NATO Form AC/135 Nr6, Request for Approval to Utilize Original Stock Number for Reproduced Items			4-12-D
NATO Form AC/135 Nr7, Request for Codification			4-12 - B
Services	2		2-2-B
Required for Collaboration/Single Submitter	_		
SF-277 Computer Magnetic Tape File Properties	2		
FREIGHT CLASSIFICATION DATA	1.3.3.f(7), 1.3.11.f	1.3-8, 1.3-21	
Add	6		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Data Element(s)	6		vols 8/9, DIC LAD
Freight Data	6		vols 8/9, DICs LAF, KAF
New SSR Master Freight Table Record Authorized Submitters Change	1.3.11.f, 6 6	1.3-21	vol 8, DIC LUT vol 10, table 115
Data Element(s)	6		vols 8/9, DICs LCD, KVN
Data Element(s) on an SSR Master Freight Table Record	1.3.11.f,6	1.3-21	vol 8, DIC LUW
Freight Data	6		vol 8/9, DICs LCF, KCF
Delete			
Data Element(s)	6		vols 8/9, DICs LDD, KVN
Freight Data	6		vols 8/9, DICs LDF, KDF
Total SSR Master Freight Table Record	1.3.11.f, 6	1.3-21	vol 8, DIC LUX
File Data, FLIS Data Base (DIC KFD)	6		
Mass Change	1.3.12,6	1.3-22	
Military Traffic Management Command	6		
Authority to Assign Codes	6		
Challenge of MTMC Freight Data	6		
Master Freight Table Maintenance	1.3.11.f,6	1.3-21	
NIIN Oriented Maintenance	1.3.11.f,6	1.3-21	
MILSTAMP Data Elements	6		vol 10, tables 82, 83, 84, 85
NIIN/PSCN Status/Index	6		vols 8/9, DIC KFS
Notifications - See Outputs			
Outputs (FLIS Data Base/SSR Data)	1.3.11.f,6	1.3-21	
Add Freight Data	4,6		vols 8/9, DIC KAF
Change Freight Data	6		vols 8/9, DIC KCF
Delete Freight Data	6		vols 8/9, DIC KDF

TITLE	VOLUME	PAGE	OTHER REFERENCES
Notification of Approval	6		vols 8/9, DIC KNA
Notification of Approval (SSR)	6		vol 8, DIC KHP
Notification of Return (Submitter)	6		vols 8/9, DIC KRE
Notification of Unprocessable Package (Submitter)	6		vols 8/9, DIC KRU
NIIN/PSCN Status/Index	6		vols 8/9, DIC KFS
Processing Malfunction	6		vols 8/9, DIC KPM
SSR Freight Return Notices	6		vol 8, DIC KHR
Submitted NIIN/PSCN Security Classified	6		vols 8/9, DIC
(Originator only)			KSE
FLIS Data Base File Data	6		vols 8/9, DIC KFD
Processing Malfunction	6		vols 8/9, DIC KPM
Replace SSR Master Freight Table Record	6		vol 8, DIC LUV
SSR Master Freight Table Maintenance	6		
FLIS Data Base File Data (DIC KFD)	6		vols 8/9
Classifying an Index Entry Item	4		
Classifying a Non-Index Item	4		
Classifying a Reference Type Item	4		
Conferences	2		
Determination for FII Assignment	4		
Distribution of Data	1.3.3.e(3)	1.3-5	
Handbook - See Handbooks			
Index Changes	3		
Structure Changes	3,4		
FSC CLASS (IMM) ASSIGNMENTS	2		
FSC/MOE RULE CHANGE INDICATOR CODES	13		vol 10, table 166
FSC SCHEDULE FOR FILE COMPATIBILITY CHECK			vol 10, table 148
FSC SYSTEM MAINTENANCE - See Federal Supply Classification System Maintenance			
FSC TABLE	6,13		13-2-A
FSCs AUTHORIZED ITEM STANDARDIZATION CODE B	,		vol 10, table 93

TITLE	VOLUME	PAGE	OTHER REFERENCES
FULL DESCRIPTIVE METHOD			
With Reference Numbers	4		vols 8/9, DIC
Without Reference Numbers	4		LNR vols 8/9, DIC LNW
FUNCTIONAL AND OPERATIONAL INDEX - See			
FIIG Appendix D FUTURE DATA, SEGMENT Z	1.3.10	1.3-15	vols 8/9
TOTORE DATA, SEGNENT 2	1.5.10	1.5-15	VOIS 0/9
G			
	6		
GENERIC RELATIONSHIP - STANDARDIZATION GOVERNMENT/INDUSTRY REFERENCE DATA	4		
EDIT AND REVIEW (GIRDER) PROGRAM	4		
GOVERNMENT/COMMERCIAL ENTITY STATUS CODES			vol 10, table 19
Н			
H6 ADVANCE NOTICE	15		15-6-D
H6 Series Federal Item Name Directory (FIND)	15		
H6 Section A, Alphabetic Index of Names	15		15-6-A
H6 Section B, Subsection 1, Numeric Index of Item Name Codes to Item Names and Federal Item Identification Guides	15		15-6-B
H6 Section B, Subsection 2, Alphanumeric Index of Federal Item Identification Guides to Item	15		15-6-C
Name Codes HAZARDOUS MATERIEL CODES			vol 10 toble 40
HI-DOLLAR BREAKOUT COMMODITY			vol 10, table 49 vol 10, table 78
CATEGORY CODES			701 10, 00010 70
*			
I			
I&S (FLIS INTERCHANGEABILITY AND SUBSTITUTABILITY INFORMATION SYSTEM)	6		
Add Relationship	6		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Authorized Submitters/Originators	6		
Change Relationship	6		
Delete Relationship	6		
Documentation of Decisions	6		
Interrogation (only output from I&S processing)	6		
Phrase Codes			vol 10, table 52
Relationships with Cancelled NSN/PSCN(s)	6		,
Sources of Relationships	6		
Statistics, IMSS-23	14		14-15-A
IMC STATISTICS	14		14-24-A
IMSS REPORTS - See Reports			
INC/FSCM COMBINATIONS FOR DESCRIPTIVE			vol 10, table 20
METHOD ITEM IDENTIFICATIONS			,
INCOMPLETE ADDRESS EDIT CODE (OE)			vol 10, table 36
INDIVIDUAL DRN INTERROGATION			vol 10, table 35
INFORMATIVE DATA FOR PENDING EFFEECTIVE	4,6		vols 8/9, DIC
DATED ACTIONS			KIF
INPUT HEADER	1.3.1	1.3-1	vols 8/9
INPUT/OUTPUT DIC CHART			vol 10, sect
			10.3.3 5-1-A,
			6-2-A, 6-2-B
INPUT/OUTPUT DIC SUMMARIES, CSS-2	14		14-16-A
INPUT/OUTPUT HEADER/SEGMENT FORMATS	1.3.4	1.3-10	vol 8,9
INTEGRATED MATERIEL MANAGEMENT (IMM)	2,6,13		
Federal Supply Classification Procedures	2		
INTERCHANGEABILITY AND SUBSTITUTABIL-			
ITY - See I&S			
INTERFACE TESTING - See Standard Test Data Base			
INTERNATIONAL CATALOGING	4		
Add MOE Rule to U.S./NATO Stock Number	4		vol 8, DIC LAU
Add Reference Number and Related Codes for a	4		vol 8, DIC LAR
NATO-Reproduced Item Add Reference Number and	4		vol 8, DIC LAR
Related Codes to U.S./			
NATO Stock Number	4		10 DIG
Add Secondary Reference Number(s)	4		vol 8, DICs
Additionation of the state of t	4		LAB,LAR
Add U.S./NATO Stock Number as Informative Ref-	4		vols 8/9, DIC
Cotagory A Single Submitter	Λ		LAB
Category A Single Submitter	4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Change Reference Number Related Codes	4		vol 8, DIC LCR
Codification Agreement	4		
Collaboration on Item Identification Action	2,4		
Delete MOE Rule from U.S./NATO Stock Number	4		vol 8, DIC LDU
Delete Reference Number(s) from U.S./NATO Stock	4		vol 8, DIC LDR
Number Forms			
DD Form 1155	4		4-12-A
NATO Form AC/135-No 1	4		4-12-C
NATO Form AC/135-No 6	4		4-12-D
NATO Form AC/135-No 7	4		4-12-B
Futures Data, Interrogation	4		
Input and Requests for Services	4		
Interrogation by NIIN/PSCN	4		vol 8, DIC LTI
MOE Rule Development	13		13-6-B
Multiple DIC Input	4		vol 8, DIC LMD
Notification of National Codification Bureau (NCB) Processing	4		vols 8/9, DIC KNN
Output Data Request Code	4		vol 10, table 34
Output Limitations, Screening	4		voi 10, table 34
Preparation/Transmission of Input Data	4		
Project Code Assignment	4		
Quarterly Files Replacement to NATO Supply	7		vol 8, DIC KFF
Centers			voi o, Die Kit
Reference Number Preparation	4		
Reference Number Screening	4		
Reimbursement for Cataloging Services	1.5.2.a	1.5-1	
Reinstatement of Cancelled U.S. Item	4	1.0 1	4-12-A
Identification by a NATO/FG			4-12-B
Reinstatement of a Cancelled NATO Item	4		4-12-B
Identification by a U.S. Activity			
Replacement of Cancelled FSCM, Screening	4		
Request for Codification and for Registration of User	4		vol 8, DIC LSA
Request for Codification and Registration on Non- U.S. Manufactured Items	4		vols 8/9, DIC LSB
Requests for NATO Supply Code for Manufacturers (NSCM)	4,7		مدیر
Restrictions against the Output of Other Countries'	4		
File Data Revision or Transfer of U.S. Item Identification	4		4-12-A

TITLE	VOLUME	PAGE	OTHER REFERENCES
by NATO/FG			4-12-B
Revision or Transfer of NATO Item Identification by U.S. Activity	4		
Search by Reference Number for Other than Provisioning and Preprocurement	4		vol 8, DIC LSN
Tailored Interrogation (DIC LTI)	4		vol 10, tables 34, 35
U.S. Activity Input and Requests for Services	4		,
International Logistics Communication System (ILCs) INTERROGATIONS	4		
General Information	1.3.3.f(10), (12) 5	1.3-9	
Individual DRN Interrogation			vol 10, table 35
Limitations, Submittal	5		•
Media Selection	5		
NIIN Status Reflected in Output	5		
Output Data Content	5	•	
Processing Precedence	5		
Remote Terminals	16		
Reports Generator	1.3.14,5	1.3-25	
Request Submittal Letter	5		5-1-B
INTERROGATION OF OE SSR - See Interrogation, Tailored (SSR)			
INTERROGATION OUTPUT DATA REQUEST CODES	5		vol 10, table 34
INTERROGATION, TAILORED (SSR)	1.3.3.f(13) 7	1.3-9	
Authorized Submitters	5		
Data Available	5		
Inputs	5		vol 8, DIC LHR
Results from DLSC Internal DIC LTT	5		
Transmittal to DLSC	5		
INTERROGATION, TAILORED (FLIS Data Base)	1.3.3.f(11)	1.3-9	
Authorized Submitters	5		
Data Available	5		
Data Output Content	5		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Inputs	5		vols 8/9, DIC LTI
Limitations	5		
Master Error Suspense File	5		
Output Data Request Codes	5		vol 10, table 34
Remote Terminals	16		vol 9, DICs LRI. LWI vol 10, tables 170, 171
Transmittal to DLSC	5		
INTERROGATION/SEARCH, INPUT DICs TO OUT- PUT DICs CROSS REFERENCE INTERROGATION/SEARCH, USE OF REMOTE			5-1-A
TERMINALS - See Remote Terminals			
INVENTORY ACCOUNT CODES, COAST GUARD ISSUE, REPAIR, AND/OR REQUISITION RESTRICTION CODES, NAVY			vol 10, table 113 vol 10, tables 95,157
ITEM ADDITIONS AND REDUCTIONS, IMSS-12 ITEM CHARACTERISTICS DATA - See Characteristics Data	14		14-9-A
ITEM COMMONALITY, IMSS-5	14		14-3-A
ITEM IDENTIFICATION			14 3 11
Activity Determination	4		
Add Data Elements	4		vols 8/9, DICs
			LAD,KAD
Add U.S. National/NATO Stock Number as Informative Reference	4		vols 8/9, DIC LAB
Basic Principles	4		
Cancellation, Effective Date	4		
Cancellation, Collaboration with Foreign Countries	4		
Change Data Elements	4		vols 8/9, DICs LCD, KCD
Change FSC, Item Name, Type of Item Identification or RPDMRC	4		vols 8/9, DICs LCG, KCG
Change FSC/Item Name/Type for a Type 2 FII	4		vols 8/9, DICs LCG, KCG
Characteristics, Off-Line File Adjustments for FIIG	4		vols 8/9, DIC LCH
Revisions IMM Proposals	2		
Civil Agency Proposals	2		
U J I			

TITLE	VOLUME	PAGE	OTHER REFERENCES
Classifying an Item	4		
Codes, Types of			vol 10, table 2
Conflict Notification Data	4		vols 8/9, DIC KNI
Descriptive Method, INC/CAGE Code Combinations			vol 10, table 20
Descriptive Method Tools (FIIG) Revisions	3		
Determining Appropriate Type	4		
Effective Dated Actions, Informative Data	4		vols 8/9, DIC KIF
Federal Cataloging Program	4		
Follow-Up Notification	4		vols 8/9, DIC KFP
Maintenance Responsibilities (IMM)	2		
Multiple DIC Input	4.6		vols 8/9, DICs LMD, KMD 6-2-B
Notification of Approval	4		vols 8/9, DIC KNA
Notification of Return (Submitter)	4		vols 8/9, DIC KRE
Notification of Unprocessable Package (Submitter)	4		vols 8/9, DIC KRU
Notification to Increment File Maintenance Sequence Number	4		vols 8/9, DIC KFM
Nuclear Items and Other Security Classified Items	4		
Outputs	4		vols 8/9
Preparation of II Data	4		
Processing Malfunction	4		vols 8/9, DIC KPM
Proposed FII for the Assignment of a NIIN or PSCN	4		
Quality Control	4		
Reinstatement of Cancelled	4		
Request for Codification and for Registration of User	4		vols 8/9, DIC LSA
Request for Codification and for Registration on Non-U.S. Manufactured Items	4		vols 8/9, DIC LSB
Request for NIIN Assignment (Full Descriptive Method with Reference Numbers)	4		vols 8/9, DIC LNR

TITLE	VOLUME	PAGE	OTHER REFERENCES
Request for NIIN Assignment (Full Descriptive Method without Reference Numbers)	4		vols 8/9, DIC LNW
Request for NIIN Assignment (Partial Descriptive Method)	4		vols 8/9, DIC LNC
Request for NIIN Assignment (Reference Method)	4		vols 8/9, DIC LNK
Request for PSCN Assignment (Full Descriptive Method with Reference Numbers)	4		vols 8/9, DIC LNP
Request to Add U.S. National/NATO Stock Number as Informative Reference	4		vols 8/9, DIC LAB
Reviewing Action by DLSC/Interested Activities	2		
Revision of Descriptive Method	4		vols 8/9, DIC LCC
Revision, Transfer, and Reinstatement of Item Identification (NATO/FG)	4		
Screening Decision			vol 10, table 16
Transfers from Descriptive to Reference Method or from Reference to Descriptive Method	4		
Under Emergency Conditions	4		
IMM Proposals	2		
ITEM IDENTIFICATION, TYPES OF, IMSS-6	14		14-4-A
ITEM LOGISTICS, PROCESSING SECURITY CLASSIFIED	4		
ITEM MANAGEMENT CODES			vol 10, table 77
ITEM MANAGEMENT CODING (IMC)	1.3.3.f(2)	1.3-6	vols 8/9, DIC
	6		LVA
Adopt Coding	6		
Advice Notification	6		vols 8/9, DIC KVI
Approved Item Name Reclassification Program	6		
Authorized Submitters	6		vol 10, table 104
Automatic Recordation of User	6		7
Automatic Recordation on Standard Item	6		
Card Identification Codes (CIC)	6		
Change Coding	6		
Federal Supply Classes - IMM	6		vols 8/11, DIC
The state of the s	~		LVA
FSC Change	6		
Inactive Items	6		
	~		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Interrogation Results	6		vols 8/9, DIC KIR
Maintenance Coding	6		
New Items	6		
Outputs	6		vol 10, sect 10.3.3
Interrogation Results	6		vols 8/9, DIC KIR
NIIN/PSCN Status/Index	6		vols 8/9, DIC KFS vol 10, table 18
Notification of Approval	6		vols 8/9, DIC KNA
Notification of Return (Submitter)	6		vols 8/9, DIC KRE
Notification of Unprocessable Package (Submitter)	6		vols 8/9, DIC KRU
FLIS Data Base File Data	6		vols 8/9, DIC KFD
FLIS Data Base File Data for Replacement of a Cancelled NSN/PSCN or Reference Number Screening Results	6		vols 8/9, DIC KFE
Provisioning Supply Support Request	6		
Reactivation Coding - IMM	6		vols 8/9, DIC LVA
Rejects - IMM to ICP	6		vols 8/9, DIC KRE vol 10, sect 10.3.8
Retroactive Coding	6		
Return Coding	6		
Special Projects	6		vols 8/9, DIC KVI
Statistics	6,14		14-24-A
Supply Support and Cataloging	6		
Suspense File (DIC KVI)	6		vols 8/9, DIC LVI
ITEM MANAGEMENT STATISTICAL SERIES (IMSS)	14		
ITEM NAME CODE			3-3-A, part 3

TITLE	VOLUME	PAGE	OTHER REFERENCES
ITEM NAMES			
Abbreviations	3		
Approved	3		
Common Usage Criteria	3		
Index in FIIG	3		3-3-A, part 3
Indexing in Federal Item Name Directory	3		·
Basic Name	3		
Basic Noun Phrase	3		
Colloquial Names	3		
Copyrighted Names	3		
Deletion	3		
Delimitations	3		
Drugs and Chemicals	3		
New Proposed	3		
Non-Approved	3		
Part Names	3		
Revision	3		
Trade-Mark	3		
ITEM OF SUPPLY			
Change Management for IMM Items	2		
Establish/Withdraw IMM Responsibility	2		
ITEM STANDARDIZATION CODE AUTHORIZED			vol 10, table 94
SPECIFICATIONS AND STANDARDS			
ITEM STANDARDIZATION CODE COMBINA-			vol 10, table 92
TIONS VALID FOR STANDARDIZATION RELA-			
TIONSHIP			
TENNA CELLUIS A DEVELOS ACCESSOS.			1.10 11 01
ITEM STANDARDIZATION CODES	1.4		vol 10, table 91
ITEM STANDARDIZATION, IMSS-10	14	1.2.6	14-7-A
ITEM STATUS/CATALOGING RESPONSIBILITY	1.3.3.f(4)	1.3-6	
J			
J-SERIES SOURCE OF SUPPLY CODES	6		
JAIEG (JOINT ATOMIC INFORMATION EX-	4		
CHANGE GROUP)	r		

TITLE	VOLUME	PAGE	OTHER REFERENCES
L - See Document Identifier Codes (DIC) (Input) LAST-KNOWN SOURCE OF SUPPLY LESS THAN TRUCKLOAD/CARLOAD CODES	6		vol 8, DIC KSS vol 10, table 86
LEVEL OF AUTHORITY CODES, PICA/SICA LIMITED DISTRIBUTION CODES	6,13		vol 10, table 74 vol 10, table 26
LMD EFFECTIVE DATE CRITERIA FOR CONCUR RENT SUBMITTAL OF ITEM MANAGEMENT DECISIONS AND CMD BY WHOLESALE MANAGERS			vol 10, table 20 vol 10, table 145
LOCALLY PROCURED ITEMS, RESPONSIBLITY UNDER INTEGRATED MANAGEMENT	2		
	2		
M			
MAGNETIC TAPE - See Transmittal of Data MAIL SUBMITTALS - See Transmittal of Data			
MAINTENANCE ACTION CODES (MAC)	6		
MAINTENANCE RESPONSIBILITIES, IMM	2		
MAJOR ORGANIZATIONAL ENTITY CODES			vol 10, table 51
MANAGED ITEMS, COMMON BASIS IN (IMSS)	14		
MANAGEMENT AND TECHNICAL DATA,	3		
SUPPLEMENTARY (FIIG)			
MANAGEMENT CATEGORY CODES - DoD			vol 10, table 48
COMMODITY MATERIEL			
MANAGEMENT DATA LIST (ML)	15		
Consolidated			15-10 - A
Effective Date Considerations	2		
Marine Corps			15-10-B
Navy			15-10-D
MANAGEMENT RELEASE SYSTEM - See FLIS Change Procedures			
MANAGEMENT RESPONSIBILITY CODES, IMSS-8	14		14-5-A
MANAGEMENT RESPONSIBLITY DATA - See			
MOE Rule			1.10
MANDATORY CAGE/RNCC COMBINATIONS			vol 10, table 40
MANDATORY/OPTIONAL DATA ELEMENTS FOR DIC LVA			vol 10, table 143
DIC LYA			

TITLE	VOLUME	PAGE	OTHER REFERENCES
MANUFACTURERS' DATA	1.3.11.e, 1.3.12.b 2,4.5,7	1.3-19, 1.3-23	
MARINE CORPS			
Combat Essentiality Codes			vol 10, table 72
Management Data List	15		15-10-B
Management Echelon Codes			vol 10, table 54
Materiel Identification Codes			vol 10, table 73
Operational Test Codes			vol 10, table 123
Physical Category Codes			vol 10, table 124
Recoverability Codes			vol 10, table
			57
Stores Account Codes			vol 10, table 55
MASS CHANGE PROCESSING	1.3.12	1.3-22	
Functional Areas/Data Elements	1.3.12.b	1.3-23	
Pre-programmed/Special Project	1.3.12.a	1.3-22	
Procedures and Formats	1.3.12.c	1.3-23	
MASS DATA RETRIEVAL (SSR)	1.3.3.f(14),		
T 10 1 0 T	1.3.12,5	1.3-22	
Justification for Request	5		
Results from DLSC Internal DIC LTP	5		5 1 D
Submittals MASS DATA RETRIEVAL (FLIS Data Bara)	5	1 2 0	5-1-B
MASS DATA RETRIEVAL (FLIS Data Base)	1.3.3.f.(12)	1.3-9	
Imput of Doguest	1.3.13,5	1.3-24	
Input of Request Priority	5 5		
•	5		vole 9/0 DIC
Output Results from DLSC Internal DIC LTM	3		vols 8/9, DIC KTA
Request Submittals	5		5-1-B
Transmittal of Results	5 5		J-1- D
MASTER CONSOLIDATED CAGE/NSCM FILE	7		
MASTER FREIGHT TABLE MAINTENANCE	1.3.11.f,6	1.3-21	
MATCH - Also see applicable search concept	1.5.11.1,0	1.5 21	
Exact, Notification to Submitter	4		vols 8/9, DIC
	•		KRM
Exact, with Errors in Submitted FII	4		vols 8/9, DIC
•			KMU
Through Association	4		vols 8/9, DIC
			KFA

TITLE	VOLUME	PAGE	OTHER REFERENCES
MATERIEL CONDITION CODES, GSA MATERIEL CONDITION CODES, MILSTRAP MATERIEL MANAGEMENT DECISION RULES TABLES			vol 10, table 151 vol 10, table 152
 See MOE Rule and Related Data MEDIA/FORMAT SPECIFIED BY SERVICE/ AGENCY FOR OUTPUT 	1.3.3.a(2)	1.3-3	
MILITARY SERVICE-CONTROLLED COMMERCIAL ITEMS	4		
MILITARY SERVICE SPECIAL DESIGN ITEMS MIL-STD-100, ENGINEERING DRAWING PRACTICE, CONFORMANCE WITH IN FIIG DEVELOPMENT	4 3		
MILSTICCS CODING FOR FIIGS MILITARY TRAFFIC MANAGEMENT COMMAND (MTMC) FREIGHT DATA	3 1.3.11.f,6,15	1.3-21	15-13-A
MINIMIZE MOBILIZATION RESERVE REQUIREMENT MODE CODE USE, SUMMARY TABLE OF	2		2-3-B vol 10, table 139
MOE CODES, SUMMARY TABLE OF MOE CODES, CONVERSION CHART TO SERVICE/ AGENCY DESIGNATOR CODES (I&S)	3		
MOE RULE AND RELATED DATA (FLIS Data Base/SSR)	6		
Activity-MOE Rule Cross Reference Add Data Elements	13 6		13-6-C vols 8/9, DICs LAD/KAD
Add MOE Rule Number and Related Data	4,6		vols 8/9, DICs LAU/KAU
Add Total SSR MOE Rule Record Advance Change Notices to Volume 13	1.3.11.c,6 1.1.3.b(1),13	1.3-19 1.1-4	vol 8, DIC KUA
Cancel SSR MOE Rule with Replacement Cancel without Replacement or Delete SSR MOE Rule Record	1.3.11.c,6 1.3.11.c,6	1.3-19 1.3-19	vol 8, DIC KUB vol 8, DIC KUD
Change Data Elements	6		vols 8/9, DICs LCD/KCD
Change MOE Rule Number and Related Data	4,6		vols 8/9, DICs LCU/KCU
Change SSR MOE Rule Record Concurrent Submittals (DIC LMD)	1.3.11.c,6 6	1.3-19	vol 8, DIC KUC 6-2-B

TITLE	VOLUME	PAGE	OTHER REFERENCES
Conflict Notification	6		vols 8/9, DIC KNI
DAAS Source of Supply Update (DIC KSS)	6		
Delete Data Element(s)	6		vols 8/9, DICs LDD/KDD
Delete MOE Rule Number	6		vols 8/9, DICs LDU/KDU
Delete Invalid Logistics Transfer	6		vol 8, DICs LDZ/KDZ
Effective Date Criteria	6		
Multiple Inputs (DIC LMD) Follow-Up Notification	6		vol 10, table 145 vols 8/9, DIC KFP vol 10, sect 10.3.7
IMC Suspense File (DIC KVI)	6		vols 8/9, DIC LVI
IMM Responsibility/Registration	2,13		
Informative Data for Pending Effective Dated Actions	6		vols 8/9, DIC KIF
Input to Output DIC Chart			vol 10, sect 10.3.3
Interrogation Results for Logistics Transfer	6		vols 8/9, DIC KIR
Item Management Coding	6		
Item Management Status Data	6	1.0.10	10 (7)
Materiel Management Decision Rule Tables (MOE Rules)	1.3.11.c,13	1.3-19	13-6-B
Multiple DIC Input	6		vols 8/9, DIC LMD
NATO/FG MOE Rule Development	13		13-6-B
New Items/Reinstatements	4		
NIIN/PSCN Status/Index	6		vols 8/9, DIC KFS
NIIN/PSCN, Submitted, Security Classified (Originator only)	6		vols 8/9, DIC KSE
NIMSC (Nonconsumable Item Material Support Code)	2,6		vols 8/9, DIC LCD vol 10, table 107
Nonuser (Storage) Function MOE Rules	6		13-6-B

TITLE	VOLUME	PAGE	OTHER REFERENCES
Notifications - See Outputs			
NSN to Reflect	4		
Nuclear Ordnance Outputs	4		
Add Data Element(s)	6		vols 8/9, DIC KAD
Add MOE Rule Number and Related Data	6		vols 8/9, DIC KAU
Add FLIS Data Base Data	6		vols 8/9, DIC KAT
Add Total SSR MOE Rule Record	1.3.11.c,6	1.3-19	vol 8, DIC KUA
Advance Informative FLIS Data Base File Data	6		vols 8/9, DIC KIE
Cancel SSR MOE Rule with Replacement	1.3.11.c,6	1.3-19	vol 8, DIC KUB
Cancel without Replacement or Delete SSR MOE Rule Record	1.3.11.c,6	1.3-19	vol 8, DIC KUD
Catalog Management Data Related Outputs	6		vols 8/9, DICs KAM, KDM, KIM
Change Data Element(s)	6		vols 8/9, DIC KCD
Change MOE Rule Number and Related Data	6		vols 8/9, DIC KCU
Change SSR MOE Rule Record	1.3.11.c,6	1.3-19	vol 8, DIC KUC
Conflict Notification	6	1.5 17	vols 8/9, DIC KNI
DAAS Source of Supply Update	6		vol 8, DIC KSS
Delete Data Element(s)	6		vols 8/9, DIC KDD
Delete Logistics Transfer	6		vols 8/9, DIC KDZ
Delete Total SSR Standard FSC Management Record	6		vol 8, DIC KUF
File Data for Replacement NSNs/PSCNs When Not Authorized for Procurement	6		vols 8/9, DIC KFR
Follow-Up Notification	6		vols 8/9, DIC KFP
Informative Data for Pending Effective Dated Actions	6		vols 8/9, DIC KIF

TITLE	VOLUME	PAGE	OTHER REFERENCES
Interrogation Results for Logistics Transfer	6		vols 8/9, DIC
Item Management Coding Advice Notification	6		KIR vols 8/9, DIC KVI
Multiple DICs	6		vols 8/9, DIC KMD
New Standard FSC Management Record	6		vol 8, DIC KUE
NIIN/PSCN Status Index	6		vols 8/9, DIC KFS
Notification of Approval	6		vols 8/9. DIC KNA
Notification of Return (Submitter)	6	٤	vols 8/9, DIC KRE
Notification of Unprocessable Package (Submitter)	6		vols 8/9, DIC KRU
Notification to Increment FMSN	6		vols 8/9, DIC KFM
Processing Malfunction	6		vols 8/9, DIC KPM
Submitted NIIN/PSCN Security Classified (Originator only)	6		vols 8/9, DIC KSE
FLIS Data Base File Data	6		vols 8/9, DIC KFD
Supplementary Recordings	4		
Wholesale-Retail Grid for Supply Management Responsibility	13		13-6-A
IMM Responsibility/Registration	2,13		
MOE RULE DISTRIBUTION, IMSS-21	14		14-14-A
MOE RULE STATUS CODES MOE RULES FOR DoD SERVICE-MANAGED CRYPTOLOGIC ITEMS	13		vol 10, table 116 vol 10, table 156
MRC CRTL - FIIG	3		
MULTIPLE DICs	1.3.1.f 4,6	1.3-2	vols 8/9, DICs LMD/KMD
MULTIPLE REPLIES (FIIG)	3		

TITLE	VOLUME	PAGE	OTHER REFERENCES
NAMES TRANSMITTAL FORM (DD FORM 180)	3		3-1-A
NATIONAL CODIFICATION BUREAU CODES NATIONAL SECURITY AGENCY (NSA) Instructions for Registering Activities	2 13		vol 10, table 9 1-4-A
NATIONAL STOCK NUMBER DEMILITARIZATION CODE (DEMIL) PUBLICATION	15		15-14-A
NATO AND OTHER FOREIGN COUNTRIES - MOE RULE DEVELOPMENT	13		
NATO/FG INPUT AND REQUESTS FOR SERVICES - See International Cataloging			
NATO FORMS - See International Cataloging NATO STOCK NUMBERS	4		
NATO SUPPLY CODE FOR MANUFACTURERS (NSCM)	1.3.11.e(2), 7	1.3-19	vol 8, DIC KHT
NAVY Cognizance Code Bypass			vol 10, table 129
Cognizance Codes Issue, Repair, and/or Requisition Restriction Codes			vol 10, table 62 vol 10, table 95
Issue, Repair, and/or Requisition Restriction Code Error Table			vol 10, table 157
Material Control Codes Source of Supply Code			vol 10, table 63 vol 10, table 111
Special Material Identification Codes	1.4		vol 10, table 60
NET TOTAL ACCUMULATION (IMSS) NIIN/PSCN	14		
Assignment, Submittal of Data Cancellation Actions, Submittal	4 4		
Status/Index	4,5,6		vols 8/9, DIC KFS
Submitted Security Classified (Originator)	4,6	•	vols 8/9, DIC KSE
NIIN/PSCN STATUS CODES NIIN SEARCH - See Search			vol 10, table 18
NIIN STATUS, REFLECTED IN SEARCH/ INTERROGATION OUTPUT	5		
NIMSC EFFECTIVE DATE CRITERIA NONCONSUMABLE ITEM MATERIAL SUPPORT CODE (NIMSC)	2,6		vol 10, table 168 vol 10, table 107

TITLE	VOLUME	PAGE	OTHER REFERENCES
NONDUPLICATION OF NSN (MRC 9001) NONUSER (STORAGE) FUNCTION MOE RULES NORMAL SOURCE OF PROCUREMENT NOTES, STANDARDIZED DIC INPUT/OUTPUT	4 6		13-6-B vol 10, table 138 vols 8/9
NOTIFICATION	1.3.3.f(1)(b), 1.3.11	1.3-6, 1.3-17	
Addition of Data Element(s)	4		vols 8/9, DIC KAD
Approval	4,6		vols 8/9, DIC KNA
Approval, SSR Transaction Change to Standardization Decision Data	6.7 4		vol 8, DIC KHP vols 8/9, DIC KNS
Conflict	4		vols 8/9, DIC KNI
DLSC Change Data, Segment 1	4		vols 8/9
Emergency Conditions Exact Match (Submitter)	4 4		vols 8/9, DIC KRM
FIIG Revision Notification Listing	4		
Item Management Coding Advice	2,6		vols 8/9, DIC KVI
Possible Duplicate (Submitter)	4		vols 8/9, DIC KRP
Possible Duplicate with Errors in Submitted FII (Submitter)	4		vols 8/9, DIC KPE
Return (Submitter)	4,5,6		vols 8/9, DIC KRE
Return of Cancellation Action, Retained FII Invalid	4		vols 8/9, DIC KRF
NOTIFICATIONS, TYPES OF WITHIN II NSCM/FG CODIFICATION BUREAU CODES	1.3.3.f(1)(b)	1.3-6	vol 10, table 131
NSN ASSIGNMENT UNDER EMERGENCY CONDITIONS	4		
NSN DEMILITARIZATION CODE LIST	15		15-14-A
NSN POPULATION INDEX, IMSS-15	14		14-11-A
NUCLEAR ORDNANCE CATALOGING OFFICE (NOCO)	2,4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
NUCLEAR ORDNANCE CONTROL ACTIVITY	4		
(NOCA) NUCLEAR ORDNANCE ITEMS			
Cataloging of	2		
Definitions	4		
Dissemination of Data by Services/Agencies	4		
Preparation of Data	4		
Release of Cataloging Data to NATO and Other Foreign Governments	4		
Safeguarding Classified Data	4		
NUMBERING SYSTEM, DoD 4100.39-M	1.1.4	1.1-4	
O			
OCR - See Optical Character Reader			
OE - See Organizational Entity			
OPTICAL CHARACTER READER (OE)	2,7		7-1-B
ORGANIZATIONAL ENTITY (OE) (CAGE/NSCM)	1.3.11.e,7	1.3-19	10 575 7777
Add OE Data to Existing Record	7		vol 8, DIC LHN
Add Total OE Record	7		vol 8, DIC LHT
Change OE Data in Existing Record Change Total OE Record	7 7		vol 8, DIC LHP
Data Elements	7		vol 8, DIC LHY
DD Form 1939	7		7-1-B
DD Form 2051	7		7-1-B 7-1-C
Delete OE Data from Existing Record	7		vol 8, DIC LHQ
Delete Total OE Record	7		vol 8, DIC LHV
Design Features	7		VOI 0, DIC ZII V
Designator Codes	•		vol 10, table 88
Designator Codes (Status)			vol 10, table 19
NATO Form AC/135-Nr. 2			7-1-D
NIIN File Maintenance Update	7		
Organizations/Functions Eligible for CAGE Code Assignment	7		
Output Notifications			
Approval, SSR Transaction	7		vol 8, DIC KHP
Return, SSR Transaction	7		vol 8, DIC KHR
Unprocessable Package, SSR	7		vol 8, DIC KHS

TITLE	VOLUME	PAGE	OTHER REFERENCES
Reinstate Total OE SSR Record Requests for New OE Code Assignments	7 7		vol 8, DIC LHU
SSR File Maintenance Data	7		vol 8. DIC KHN
Status Code	7		vol 10, table 19
Terminology Types of OE in the System Support Record and the Agency Directorate/Office Responsible for Each	7		vol 10, table 90
Type ORIGINATING ACTIVITY CODE			vol 10, table 104
OUTPUT			vo. 10, table 10;
Codes, Single/Multiple			vol 10, table 11
Data Request Code - Access Key(s) Data Request Codes			vol 10, table 28 vol 10, tables 28,30,34
Distribution, Types of	1.3.3	1.3-3	
During MINIMIZE	2		2-3-B
Exceeds Electronic Data Transmission Limitations	4,5		vols 8/9, DIC KEC
File Data Header, Segment L			vols 8/9
Limitations, Screening	5		140 11 10
Mode/Media Code Table	1.001	101	vol 10, table 10
Sequence of File Maintenance Output Transactions OUTPUT CONTROL PARTICIPATING ACTIVITY CODE TABLE	1.3.3.b 1.3.3.c(2)	1.3-4 1.3-4	
OUTPUT HEADER			vols 8/9
OUTPUTS - See Document Identifier Codes, Output and/or appropriate functional area			
P			
PACKAGE SEQUENCE NUMBER - USE OF PART NAMES PERMANENT SYSTEM CONTROL NUMBER - See	1.3.1.d,2 3	1.3-1	
PSCN PHRASE CODE(S)			vol 10 4.11. 50
And Related Data			vol 10, table 52 vol 10, table 100
Collaboration	2		2-2-A
Correlation	۷		vol 10, table 108

TITLE	VOLUME	PAGE	OTHER REFERENCES
Package Combination			vol 10, table 96
PICA/SICA LEVEL OF AUTHORITY CODES	6,13		vol 10, table 74
PLUS OR MINUS (PORM) CRITERIA	3		
POSSIBLE DUPLICATE - See Duplicate			
PRECIOUS METALS INDICATOR CODE (PMIC)			vol 10. table 160
PREFERRED ITEM DATA, STANDARDIZATION			
RELATIONSHIP - See Standardization			
PREPARATION AND TRANSMITTAL OF DATA TO	2		
DLSC			
PREPARATION AND TRANSMITTAL OF	4		
NUCLEAR ORDNANCE CATALOGING DATA			
PREPARATION OF			
DD Form 180	3		3-1-A
DD Form 1939			7-1-B
DD Form 1982	4		4-3-A
DD Form 2021/2021-1	1.4.3	1.4-2	1-4-C
DD Form 2051			7-1-C
Descriptive Method Catalog Data Worksheets	4		
EAM Worksheets for Organizational Entity	2		7-1-A
Federal Item Identification Guide (FIIG)	3		3-3-A
Item Identification Data	4		
Logistics Reference Number for Transmittal to	2		
DLSC NATO Form AC/135-Nr.2			7 1 1
OCR Form for OE			7-1-D
PRICE VALIDATION CODE, AIR FORCE	11		7-1-B
PRIORITY FOR CANCELLATION	11		vol 10, table 177
PRIORITY INDICATOR CODES	2		vol 10, table 12 vol 10, table 24
Search/Interrogation	5		voi 10, table 24
PRIORITY INDICATOR CODES, FSS-3	14		14-22-A
PROBLEM REPORTING - See FLIS Problem	14		14-22-14
Reporting			
PROCESSING			
Item Logistics Data Under Emergency Conditions	4		
Nuclear Ordnance Items	4		
Security Classified Item Logistics	4		
PROCESSING MALFUNCTION	1.3.9	1.3-15	vols 8/9, DIC
	4,6		KPM
PROVISIONING AND PREPROCUREMENT	2,5		

TITLE	VOLUME	PAGE	OTHER REFERENCES
SCREENING			
PROVISIONING SCREENING MASTER ADDRESS	7		vol 10, table 23
TABLE (PSMAT)	-		10 575 775
Add Address	7		vol 8, DIC LUP
Change Address	7		vol 8, DIC LUR
Delete Address Destination Code	7 7		vol 8, DIC LUS
Destination Code Destination Code/Address Card	7		
Maintenance Responsibility	7		
Multiple Address Input	, 7		
Multiple Addressees	7		
Notification to Contractors	7		
Output for DICs LUP, LUR, LUS	7		
Registration	7		7-2-A, 7-2-B
Search Requirement	5		,
Single Address Input	7		
PROVISIONING SCREENING OPERATIONS	14		14-21-A
REPORT, FSS-2			
PSCN (PERMANENT SYSTEM CONTROL			·
NUMBER)			
Application	4,6		
Assignment - Preparation as Type 1	4,6		vols 8/9, DIC
C 1 DOGN . NONUDOCN			LNP
Cancel PSCN to an NSN/PSCN			vols 8/9, DIC
Change DSCN to a NIIN	16		KKP
Change PSCN to a NIIN	4,6		vols 8/9, DICs
Restriction	4		LCP,KCP
Format	4,6		
PSN, FORMATTING OF	1.3.1.d	1.3-1	vols 8/9,
	1.5.1.0	1.5-1	standard note
			DA
PUBLICATIONS			2.1
Changes to	15		
Distribution	1		
DoD 4100.39-M			
FLIS Advance Change Notices	1.1.3.a(3)	1.1-3	
Volume 13 Changes	1.1.3.a(3)(c)	1.1-3,	
	1.1.3.b(1)	1.1-4	

TITLE	VOLUME	PAGE	OTHER REFERENCES
Q			
Q	2		
QUALITY ASSURANCE OF DAAS SoS AND FLIS TBJ RECORDS	<i>L</i>		
CSS-6 Report	2,14		14-19-A
DAAS Interrogation Response Format (DIC QUR)			2-13-A
DAASO Responsibilities	2		
DLSC Responsibilities	2		
Document Formats, DAAS DICs QUE, QUR			2-13-A
Interrogation Format (DIC QUE)			2-13-A
QUALITY ASSURANCE OF ITEM INTELLIGENCE FILE DATA RECORDS (FILE COMPATIBILITY)	2		
Categories of Participants	2		vol 10, table 149
Comparison Frequency	2		
CSS-6 Report	2,14		14-19-A
DICs	2		vols 8/9/11,
			DICs
	_		LQS,KQF,KQS
DLSC Responsibilities	2		
Exception Steps for Air Force, Defense	2		
Supply Centers and Marine Corps Follow-Up	2		
FSC Schedule for Comparison Check	2		vol 10, table 148
Participants' Responsibilities	2		1.10
QUALITY CONTROL PLAN FOR SAMPLED UNITS			vol 10, table 147
QUALITY REVIEW OF CATALOGING DATA	2		
Action by Activities	2		
Action by DLSC	2		
Reject Credits	2		14.10.4
Cataloging Transactions Processed, IMSS-18	2,14		14-12-A
Communications Rejects	2		2201 10 toble 50
QUANTITY UNIT PACK CODES QUARTERLY CHANGES TO THIS MANUAL	1.1.2 (2)	112	vol 10, table 56 1-4-F
QUARTERLY CHANGES TO THIS MANUAL QUARTERLY FILES REPLACEMENT TO NATO	1.1.3.a(2)	1.1-3	
SUPPLY CENTERS			vol 8, DIC KFF

TITLE	VOLUME	PAGE	OTHER REFERENCES
RECORD FORMATS FOR FLIS SEGMENTS REFERENCE DRAWINGS	1.3.4	1.3-10	vols 8/9
Development/Grouping for FIIG Appendix B	3		3-3-A, parts 11 thru 14
Identification of Drawing Groups	3		unu 14
Legends, Use of	3		
Lettering	3		
MIL-STD-100, Conformance with	3		
New, Revised, Cancelled Styles	3		
Preparation	3		
Replies to Requirements REFERENCE NUMBER	4		
Add Reference Number and Related Codes	4		vols 8/9/11, DICs LAR, KAR
Ammunition Code	2		
Change Reference Number Related Codes	4		vols 8/9, DICs LCR,KCR
Collaboration	2		2-2-B
Delete Reference Number(s)	4		vols 8/9, DICs LDR,KDR
Differentiation Characteristics (MRC ZZZY)	4		·
Formatting and Transmittal	2		vol 10, table 22
Format Code (RNFC)	4		vol 10, table 1
Manufacturers Review, for a Specific CAGE Code	4		
Product Coding System	2	•	
Provisioning and Preprocurement Screening	2		
Revision of Descriptive Method FII	4		
Security Classified	2		
Segment C	1.3.4	1.3-10	vols 8/9
Specification/Standard	2		
Submittal of Reference Number Maintenance	4		
Submittal for Screening, Matched to a Security	5		vols 8/9, DIC
Classified Item			KMS
Transfer Actions	4		
Valid Combinations for Item-of-Supply Concept			vol 10, table 8
Verification of Manufacturers	4		4-3-A
Verification by GIRDER	4		

TITLE	VOLUME	PAGE	OTHER REFERENCES
REFERENCE NUMBER ACTION ACTIVITY CODE (RNAAC) REFERENCE NUMBER ACTUAL OR PROBABLE			vol 10, table 104, part 1 vol 10, table 32
MATCH SCREENING DECISION REFERENCE NUMBER CATEGORY CODES			vol 10, table 6
REFERENCE NUMBER DUPLICATION DECISION REFERENCE NUMBER FORMAT CODES			vol 10, table 13 vol 10, table 1
REFERENCE NUMBER FORMAT CONVERSION CRITERIA			vol 10, table 22
REFERENCE NUMBER JUSTIFICATION CODES REFERENCE NUMBER SCREENING RNCC/RNVC			vol 10. table 4 vol 10. table 31
ACCEPTABLE COMBINATION REFERENCE NUMBER STATUS CODES			vol 10, table 17
REFERENCE NUMBER VARIATION CODES (RNVC)			vol 10, table 7
REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE Fallow Up Broadway for RRDMRC 5	4		vol 10, table 3
Follow-Up Procedure for RPDMRC 5 REGISTRATION, ACTIVITY INTEREST, IMM REIMBURSEMENT CODES	4 13		vol 10, table 153
REIMBURSEMENT FOR CATALOGING SERVICES REINSTATE/REINSTATEMENT	1.5	1.5-1	voi 10, table 133
Cancelled Organizational Entity Record	7		vol 8, DIC LHU
Catalog Management Data	6		vols 8/9, DICs LAM, KAM
Full Descriptive Method II with Reference Number(s) (NIIN only)	4		vols 8/9, DIC LBR
Full Descriptive Method II without Reference Number(s) (NIIN only)	4		vols 8/9, DIC LBW
International Cataloging Considerations	4		
Partial Descriptive Method II (NIIN only)	4		vols 8/9, DIC LBC
Reference Method II (NIIN only)	4		vols 8/9, DIC LBK
REJECT CREDITS			
Communication Equipment Related	2		
Criteria for Credit	2		
Review for Denied Requests	2		

	TITLE	VOLUME	PAGE	OTHER REFERENCES
•	REJECTION NUMBER (Re) QUALITY ASSURANCE)	2		
d	REMOTE OUTPUT FORMAT CODES REMOTE TERMINALS	16		vol 10, table 170
	Remote Output Format Codes Remote Terminal (Category I) Interrogation by NIIN/PSCN			vol 10, table 170 vol 9, DIC LRI
	Remote Terminal (Category 1) Search by Characteristics Data			vol 9, DIC LRC
	Remote Terminal (Category 1) Search by NIIN Remote Terminal (Category 1) Search by Reference Number			vol 9, DIC LRF vol 9, DIC LRR
	Remote Terminal (Category 2) Interrogation by NIIN/PSCN			vol 9, DIC LWI
	Remote Terminal (Category 2) Search by Characteristics Data			vol 9, DIC LWC
	Remote Terminal (Category 2) Search by NIIN			vol 9, DIC LWF
	Remote Terminal (Category 2) Search by Reference Number			vol 9, DIC LWR
	Remote Terminal (Category 2) Search by Reference Number for Other Than Provisioning and Preprocurement Screening			vol 9, DIC LWN
	Tailored Data Chain Interrogations REPARABLE CHARACTERISTICS INDICATOR CODE - DLA			vol 10, table 171 vol 10, table 130
	REPLACEMENT OF A CANCELLED FSCM - See Search by Reference Number			
	REPLIES TO FIIG REQUIREMENTS	4		
	REPLY TABLES, FIIG APPENDIX A Development of Coded Replies	3 3		
	REPLACEMENT NSN/PSCN, FILE DATA FOR, WHEN NOT AUTHORIZED FOR PROCURE-	6		
	MENT			
	REPORT TITLES			
	Acquisition Advice Codes Assigned by Managing Activity, IMSS-9	14		14-6-A
	CMD Statistics, IMSS-20	14		14-13-A
	Descriptive Method Item Identifications and	14		14-18-A

TITLE	VOLUME	PAGE	OTHER REFERENCES
Transfers (Performance Against Goals), CSS-4			
Federal Cataloging Program - Status, Progress, Action Report, FSS-1	14		14-20-A
File Compatibility Summary, CSS-6	14		14-19-A
IMC Statistics	14		14-24-A
Input/Output DIC Summaries, CSS-2	14		14-16-A
Interchangeability and Substitutability (I&S) Statistics, IMSS-23	14		14-15-A
Item Additions and Reductions, IMSS-12	14		14-9-A
Item Commonality, IMSS-5	14		14-3-A
Item Standardization Codes, IMSS-10	14		14-7-A
Management Responsibility Codes, IMSS-8	14		14-5-A
MOE Rule Distribution, IMSS-21	14		14-14-A
NSN Population Index, IMSS-15	14		14-11-A
Priority Indicator Codes, FSS-3	14		14-22-A
Acquisition Method/Acquisition Method Suffix Code	14		14-8-A
Combinations, IMSS-11			
Provisioning Screening Operations Report, FSS-2	14		14-21-A
Total Transactions by Submitter and Originator -	14		14-12-A
Federal Cataloging Program, IMSS-18			
Types of Item Identification, IMSS-6	14		14-4-A
REPORTING ERRORS, DISCREPANCIES, COM-	15		
MENTS, AND SUGGESTIONS (FLIS PUBLICA-			
TIONS)			
REPORTS			
CSS-2 Input/Output DIC Summaries	14		14-16-A
CSS-4 Descriptive Method Item Identifications and Transfers (Performance Against Goals)	14		14-18-A
CSS-6 File Compatibility Summary	14		14-19-A
FSS-1 Federal Cataloging Program - Status,	14		14-20-A
Progress, Action Report			
FSS-2 Povisioning Screening Operations Report	14		14-21-A
FSS-3 Priority Indicator Codes	14		14-22-A
IMC Statistics	14		14-24-A
IMSS-5 Item Commonality	14		14-3-A
IMSS-6 Types of Item Identification	14		14-4-A
IMSS-8 Management Responsibility Codes	14		14-5-A

TITLE	VOLUME	PAGE	OTHER REFERENCES
IMSS-9 Acquisition Advice Codes Assigned by Managing Activity	14		14-6-A
IMSS-10 Item Standardization Codes	14		14-7-A
IMSS-11 Acquisition Method/Acquisition Method Suffix Codes	14		14-8-A
IMSS-12 Item Additions and Reductions	14	•	14-9-A
IMSS-15 NSN Population Index	14		14-11-A
IMSS-18 Total Transactions by Submiter and Originator - Federal Cataloging Program	14		14-12-A
IMSS-20 CMD Statistics	14		14-13-A
IMSS-21 MOE Rule Distribution	14		14-14-A
IMSS-23 Interchangeability and Substitutability	14		14-15-A
REPORTS CONTROL SYMBOL, USE OF	14		
REPORTS GENERATOR	1.3.14,5	1.3-25	
Output	1.3.14.b,5	1.3-25	
Request for	1.3.14.c,5	1.3-25	
REQUEST			
Request for Change to NIIN/PSCN Status Code	4		vol 8, DIC LCI
Request for Codification and Registration of User -			
See International Cataloging			
Request for Codification and Registration on Non- U.S. Manufactured Items - See International Cataloging			
Request for NIIN Assignment (Full Descriptive Method with Reference Numbers)	4		vols 8/9/11, DIC LNR
Request for NIIN Assignment (Full Descriptive Method without Reference Numbers)	4		vols 8/9/11, DIC LNW
Request for NIIN Assignment (Partial Descriptive Method)	4		vols 8/9/11, DIC LNC
Request for NIIN Assignment (Reference Method)	4.		vols 8/9/11, DIC LNK
Request for NSN Under Emergency Conditions	4		
Request for PSCN Assignment (Full Descriptive	4		vols 8/9/11, DIC
Method with Reference Numbers)			LNP
Request for Verification of Manufacturers Part Number	4		4-3-A
REQUEST SUBMITTAL FORM LETTER (MASS DATA RETRIEVAL)	5		5-1-B

TITLE	VOLUME	PAGE	OTHER REFERENCES
REQUIREMENT STRUCTURE, FIIG REQUIREMENTS/REPLY STRUCTURE CONCEPT, FIIG	3 3		
RESTRICTIONS AGAINST THE OUTPUT OF OTHER COUNTRIES' FILE DATA RESUBMITTAL	4		
Data to Correct Error of Suspended Item	4		vols 8/9, DIC LRN
Total Replacement of Suspended Item	4		vols 8/9, DIC LRT
RETURN ACTION CODES	10		
Use of	1.3.1,11	1.3-1	
RETURN ACTION CODES OUTPUT BY IMM AS A			vol 10, sect 10.3.8
RESULT OF PROCESSING IMC DATA			
RETURN CODE FOR DAAS REFERENCE			vol 10, table 76
NUMBER REQUISITION			
RETURN CODE RJ VALIDATION CRITERIA FOR DIC LCU			vol 10, table 155
REVISION NOTIFICATION LISTINGS, FIIG	4		
REVISION OF A DESCRIPTIVE METHOD	4		vols 8/9, DIC
FEDERAL ITEM IDENTIFICATION			LCC
International Cataloging Considerations	4		
REVISION OF A FEDERAL SUPPLY CLASSIFICA-	4		
TION (FSC) ASSIGNED TO AN ITEM			
REVISION TO DESCRIPTIVE METHOD TOOLS -			
See FIIG Revision			
ROUNDING INSTRUCTIONS - FIIG	3		

S

SADC - See Service/Agency Designator Codes
SAN (SYSTEM ADVISORY NOTICE) - See FLIS
Change Procedures
SCR (SYSTEM CHANGE REQUEST) - See FLIS
Change Procedures
SCREENING
Add New Destination Code, Screening (DLSC only)
7

vol 8, DIC LUP

TITLE	VOLUME	PAGE	OTHER REFERENCES
(PSMAT)			
Association Code Match	5		vols 8/9, DIC KMA
Characteristics Screening Criteria	3		
Codes	5		vol 10, table 33
DAAS Reference Number Screening Results	5		vol 8. DIC KSD
DAAS Screening by Reference Number	5		vol 8. DIC LSD
DAAS Screening, Reference Number Data, Segment 4			vol 8
Delete a Destination Activity Code/Address (DLSC only) (PSMAT)	7		vol 8, DIC LUS
Exact Match	5		vols 8/9, DIC KME
Exact Match with Errors in Submitted FII (Submitter)	4		vols 8/9, DIC KMU
FIIG Segment A - Screening for NSN Assignment	3		
Matching Reference Number	5		vols 8/9, DIC KMR
Negative Reply	5		vols 8/9, DIC KNR
Partial Match	5		vols 8/9, DIC KMP
Possible Match	5		vols 8/9, DIC KMG
Probable Match	5		vols 8/9, DIC KMQ
Reference Number Actual or Probable Match Screening Decision			vol 10, table 32
Related Screening Data, Segment S			vols 8/9
Request, NIIN Data, Segment 3			vols 8/9
Request, Reference Number Data, Segment 2			vols 8/9
Response Header, Segment J			vols 8/9
Results	5		vols 8/9, DIC
DNGC/DNN/C Accomtable Combinedian Defe			KSR
RNCC/RNVC Acceptable Combination, Reference Number Screening			vol 10, table 31
Single/Multiple Output Codes	_		vol 10, table 11
Types of Screening Concepts P, S, and F	5		vol 10, table 33

TITLE	VOLUME	PAGE	OTHER REFERENCES
SEARCH	1.3.3.f(9), (10) 5	1.3-9	
SEARCH BY CHARACTERISTICS	1.3.3.f(10) 3,5	1.3-9	vol 10, table 23 vols 8/9, DIC LSC
Authorized Submitters	5		vol 10, table 104
Description of Output	5		
FIIG Segment B - Characteristics Search	3		
Match Results	5		vols 8/9, DIC KSC
No-Match Results	5		vols 8/9, DIC KSN
Notification of Return, Submitter	5		vols 8/9, DIC KRE
Output Content Selection	5		
Output Data Request Code	5		vol 10, table 30
Output Exceeds Electronic Data Transmission Limitations	5		vols 8/9, DIC KEC
Procedures in FIIG Appendix E	3		3-3-A, parts 19 thru 24
Provisioning Screening Master Address Table	5,7		
Remote Terminals	16		vol 9, DICs LRC, LWC vol 10, table 170
Results Distribution	5		,
Screening/Search Results	5		vols 8/9, DIC KSR
SEARCH BY NATO - See Search by Reference Number			
SEARCH BY NIIN	5		
Authorized Submitters	5		vol 10, table 104
Error Conditions	5		vols 8/9, DIC KRE
Inputs	5		vols 8/9, DIC LSF
Limitations, Submittal	5		
Output Data Request Code	5		vol 10, table 30
Output Distribution	5		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Remote Terminals	16		vol 9, DICs LRF, LWF vol 10, table 170
Requested File Data Not Available	5		vols 8/9, DIC KTN
Security Classified/Cancelled NIIN	5		vols 8/9, DICS KFE,KFS
SEARCH BY REFERENCE NUMBER	1.3.3.f(9) 5	1.3-9	vol 10, table 23 vols 8/9, DIC LSR
Assets Availability Code	5		
Association Code Matches	5		
Authorized Submitters	5		vol 10, table 104
Defense Automatic Addressing System	5		vol 10, table 76
Destination Activity Code	5		vol 8, DICs LSD, KSD
Error Conditions	5		vols 8/9, DIC KRE
For Other than Provisioning and Preprocurement	5		vols 8/9, DIC LSN
Match Results	5		vols 8/9, DICs KSR, KMR, KMA, KME, KMG, KMH, KMP, KMQ
Match Results for DLSC Internal DIC LST	5		vols 8/9, DICs KSR, KMR, KFE
Matched Stock Number Assigned by Another NATO Country (Screening)	5		vols 8/9, DIC KMN
NATO/Other Foreign Countries	4,5		vol 8, DIC LSN vol 10, table 104
No-Match Results	5		vols 8/9, DICs KSR, KNR
Output Contents, Selection of	5		,
Output Distribution	5		
Output Limitations	5		
Output Results to NATO	4,5		
Preparation/Submission of Transactions	5		
r reparation submission of Transactions	J		

TITLE	VOLUME	PAGE	OTHER REFERENCES
Provisioning Screening Master Address Table	5,7		
Remote Terminals	16		vol 9, DICs LRR, LWN, LWR vol 10, table 170
Replacement of Cancelled CAGE Code	5		
Replacement of CAGE Code Notification	5		vols 8/9, DICs KSR, KMR
Returned Error Conditions	5		
Screening Codes	5		vol 10, table 33
Security Classified Match	5		vols 8/9, DICs KSR, KMS
Unprocessable Package	5		vols 8/9, DIC KRU
Without CAGE Code or NSCM (DLSC only, DIC LST)	5		
SEARCH ROUTINE OUTPUT DATA REQUEST CODES			vol 10, table 30
SECONDARY SEQUENCE CODED REPLIES	4		
SECONDARY SEQUENCING CODES, USE OF	3		
SECURITY CLASSIFIED CATALOG DATA	2,4		
Action by Activity	2		
Action by DLSC	2,4		
Action by Other Interested Activities	2		
Nuclear Ordnance	4		
Reference Numbers	2		
SECURITY CLASSIFIED DATA, FILE DATA MINUS	4		vols 8/9, DIC KFC
SECURITY CLASSIFIED CHARACTERISTICS SECURITY CLASSIFIED, SUBMITTED NIIN/PSCN (ORIGINATOR ONLY)	4		vols 8/9, DIC KSE
SEGMENT 1 - NOTIFICATION OF DLSC CHANGE DATA	1.3.4,4,5	1.3-10	vols 8/9 vol 10, table 120
SEGMENT 2 - SCREENING REQUEST, REFERENCE NUMBER DATA	1.3.4	1.3-10	vols 8/9/11
SEGMENT 3 - SCREENING REQUEST, NIIN DATA	1.3.4	1.3-10	vols 8/9/11
SEGMENT 4 - DAAS SCREENING, REFERENCE	1.3.4	1.3-10	vols 8/11
NUMBER DATA		· -	

TITLE	VOLUME	PAGE	OTHER REFERENCES
SEGMENT 5 - DAAS CRITICAL SOURCE OF SUPPLY UPDATE	1.3.4	1.3-10	vols 8/9/11
SEGMENT 6 - DAAS SOURCE OF SUPPLY UP- DATE	1.3.4	1.3-10	vol 8
SEGMENT 7 - ITEM MANAGEMENT CODING ADVICE NOTIFICATION	1.3.4	1.3-10	vols 8/9
SEGMENT 9 - ITEM MANAGEMENT CODING DATA	6		vols 8/9/11
SEGMENT A - IDENTIFICATION DATA	1.3.4 5	1.3-10	vols 8/9/11
SEGMENT B - MOE RULE DATA	1.3.4	1.3-10	vols 8/9/11
SEGMENT C - REFERENCE NUMBER DATA	1.3.4	1.3-10	vols 8/9/11
SEGMENT D - FLIS DATA MESSAGE CONTROL	2		vol 8
SEGMENT E - STANDARDIZATION DECISION DATA	1.3.4	1.3-10	vols 8/9/11
SEGMENT F - FLIS I&S RELATIONSHIP DATA	1.3.4	1.3-10	vols 8/9
SEGMENT G - FREIGHT CLASSIFICATION DATA	1.3.4	1.3-10	vols 8/9/11
SEGMENT H - CATALOG MANAGEMENT DATA	1.3.4	1.3-10	vols 8/9/11
SEGMENT J - SCREENING RESPONSE HEADER	1.3.4	1.3-10	vols 8/9
SEGMENT K - NIIN/PSCN	1.3.4	1.3-10	vols 8/9
STATUS/CANCELLA TION			
SEGMENT L - OUTPUT FILE DATA HEADER	1.3.4	1.3-10	vols 8/9
SEGMENT M - CLEAR TEXT CHARACTERISTICS	1.3.4	1.3-10	vols 8/9
SEGMENT N - NARRATIVE FORM CHARACTER- ISTICS	1.3.4	1.3-10	vols 8/9
SEGMENT P - DATA ELEMENT ORIENTED WITH- OUT VALUE	1.3.4	1.3-10	vols 8/9
SEGMENT Q - DATA ELEMENT ORIENTED WITH VALUE AND RETURN/ACTION CODE	1.3.4	1.3-10	vols 8/9/11
SEGMENT R - DATA ELEMENT ORIENTED WITH VALUE	1.3.4	1.3-10	vols 8/9/11
SEGMENT S - RELATED SCREENING DATA	1.3.4	1.3-10	vols 8/9/11
SEGMENT T - CANCELLATION/DELETE MOE RULE	1.3.4	1.3-10	vols 8/9/11
SEGMENT V - CODED ITEM CHARACTERISTICS DATA	1.3.4	1.3-10	vols 8/9/11
Extract and Edit Process	5		vols 8/9/11, DICs LVE,KVE
SEGMENT Y - DECLARED EXCESS PROGRAM	1.3.4	1.3-10	vols 8/9

TITLE	VOLUME	PAGE	OTHER REFERENCES
ASSETS DATA			
SEGMENT Z - FUTURE DATA Availability	1.3.4 1.3.10	1.3-10 1.3-15	vols 8/9
SEGMENT PARAMETERS	1.5.10	1.5-15	vol 9, chap 4
SEGMENT WORKSHEETS FOR DESCRIPTIVE	4		r ,
METHOD FII			
SERIAL NUMBER CONTROL CODE, COAST GUARD			vol 10, table 150
SERVICE/AGENCY-CONTROLLED TABLES - See			
Tables			
SERVICE/AGENCY DESIGNATOR CODES	4		vol 10, table 154
SERVICE CODE, PROVISIONING SCREENING MASTER ADDRESS TABLE			vol 10, table 42
SERVICE NUCLEAR ORDNANCE CATALOGING	4		
ACTIVITY (SNOCA)			
SHELF-LIFE CODES			vol 10, table 50
SIMPLIFIED FILE MAINTENANCE	1.3.15,2	1.3-25	2 11 A 41
Cumulative Basic Records (Monthly)	2		2-11-A thru 2-11-J
Data Available	2		2 11 3
File Maintenance Update (Monthly)	2		vol 8, chap 2
Futures Data	2		2-11-J
Monthly Cumulative/Semiannual Replacement	2		2-11-A thru 2-11-J
Formats Output Media	2		vol 10, table 10
Participation and Data Receivers	2		2-11-K
Replacement Files (Semiannual)	2		2-11-A thru
	_		2-11-J
Restrictions	2		.1.10 . 1.1 . 1.1
SINGLE/MULTIPLE OUTPUT CODES (PSMAT) SINGLE QUALITY NUCLEAR ORDNANCE ITEMS	4		vol 10, table 11
SINGLE QUALITY NUCLEAR ORDINANCE ITEMS SINGLE SUBMITTER	2		
SMR (SYSTEM MANAGEMENT RELEASE) - See	_		
FLIS Change Procedures			
SOURCE CONTROLLED ITEM OF SUPPLY	4		
SOURCE OF SUPPLY	6		1.10 . 11 . 100
Codes Defense Automatic Addressing System Acquisition	6		vol 10, table 103
Advice Code Application	U		vol 8, DIC KSS

ITLE	VOLUME	PAGE	OTHER REFERENCES
Critical Source of Supply Update	6		vols 8/9, DIC LSS
Follow-Up	6		
Last-Known Source of Supply	6		vol 8, DIC KSS
Phrase Code Application	6		vol 8, DIC KSS
Service/Agency Notification to Users	6		
Output to			
Defense Nuclear Agency (DNA)	6		
Add Nuclear Ordnance Source of Supply	6		vol 8, DIC LTU
Change Nuclear Ordnance Source of Supply	6		vol 8, DIC LTV
Delete Nuclear Ordnance Source of Supply	6		vol 8, DIC LTW
Effective Date Criteria	6		
FSC Changes	6		
Logistics Transfer	6		
Rejects	6		
Emergency Updates	6		
Error Reporting	6		
FSC Change	6		
J Series Codes	6		
Maintenance Action Codes (MAC) Notification - See Outputs	6		
Output			1 0 DIC 1/CC
DAAS Source of Supply Update	6		vol 8, DIC KSS
Notification of Approval	6		vols 8/9, DIC KNA
Notification of Return (Submitter)	6		vols 8/9, DIC KRE
Notification of Unprocessable Package (Submitter)	6		vol 8, DIC KRU
Processing Malfunction	6		vol 8, DIC KPM
Pseudo Codes	6		vol 10, table 110
Service/Agency Update Criteria	6		
Tables	6		vol 10, tables 103,114
Transactions Effecting Update	6		
Types of Update	6		
Update Distribution (DAAS)	6		
Updates Under Emergency Conditions	4		
OURCE OF SUPPLY MODIFIER CODES			vol 10, table 59

TITLE	VOLUME	PAGE	OTHER REFERENCES
SPECIAL HANDLING CODES SPECIAL MATERIAL IDENTIFICATION CODES, NAVY			vol 10, table 83 vol 10, table 60
SPECIAL MATERIAL CONTENT CODES SPECIAL PROCEDURES FOR INTEGRATED MANAGEMENT FEDERAL SUPPLY CLASSES	2		vol 10. table 102
SPECIAL PACKAGING REQUIREMENT SPECIAL PROCESSING AT DLSC			vol 10, table 140
Notification of Impact to Services/Agencies SPECIAL PROCESSING INDICATOR CODES, TYPE OF	2		vol 10, table 125
SPECIFICATION/STANDARD REFERENCE NUMBERS	2		
SSR (SYSTEM SUPPORT RECORD) PROCESSES - Also see Freight, MOE Rule and Organizational Entity (OE)	1.3.3.f(15), 1.3.11	1.3-10, 1.3-17	
EAM Card Usage			vol 10, sect 10.3.4
File Maintenance to Services/Agencies	1.3.3.f(14), 1.3.11	1.3-10, 1.3-17	
Input/Output Formats	1.3.11	1.3-17	
Mass Change Processing	1.3.12	1.3-17	
Mass Data Retrieval	1.3.3.f(14),	1.3-10,	
	1.3.13, 5	1.3-22	
Master Freight Table Maintenance	1.3.11.f,6	1.3-21	
MOE Rule File Maintenance	1.3.11.c	1.3-19	
Organizational Entity File	1.3.11.e,7	1.3-19	
OE Tailored Interrogations	1.3.11.e(4)5	1.3-20	
Segments, Explanation	1.3.1.b(2),	1.3-1,	vol 10, table 120
	1.3.11.b	1.3-18	
Standard FSC Table	1.3.11.d	1.3-19	
Tailored Interrogations	1.3.3.f(13),5		
SSR SEGMENTS UTILIZED FOR OE FILES	1.3.11.b	1.3-18	
FSCM/FSCNM/NSCM			
STANDARD FSC TABLE	1.3.11.d,13	1.3-19	13-2-A
STANDARD INTERFACE TEST CAPABILITY - See			
Standard Test Data Base			
STANDARD MRC DATA FOR FIIG ITEMS	4		
STANDARD REPLY CODES FOR FIIG ITEMS	3		

TITLE	VOLUME	PAGE	OTHER REFERENCES
STANDARD TEST DATA BASE (STDB)			
Description	1.7.2.a	1.7-1	
Interface Testing Conditions	1.7.2.h	1.7-2	
Participants	1.7.2.b	1.7-1	
Procedures	1.7.7	1.7-4	
Maintenance	1.7.2.c	1.7-1	
	1.7.5.a	1.7-2	
Maintenance Periods/Cycles	1.7.2.d,h	1.7-1,	
·		1.7-2	
	1.7.4	1.7-2	
	1.7.5.a	1.7-2	
Output (Revised STDB)	1.7.6.b	1.7-3	vols 8/9, DIC KIR
Participation, Procedures for	1.7.3	1.7-2	
	1.7.5.f	1.7-3	
Preparation of Input Data	1.7.5.b	1.7-2	
Effective Dated Transactions	1.7.5.d,e	1.7-3	
FLIS Data Base, Changes to	1.7.2.f	1.7-1	
Transmittal			
Input Data	1.7.5.c	1.7-3	vol 10, table 10
Output Data	1.7.6	1.7-3	vol 10, table 10
STANDARDIZATION	1.3.3.f(3)	1.3-6	
Add Standardization Relationship	4,6		vols 8/9, DICs LAS,KAS
Cancel PSCN to an NSN/PSCN	6		vols 8/9, DIC KKP
Change Standardization Decision Data in a Standardization Relationship	4		vols 8/9, DICs LCS, KCS
Permissible ISC Changes	6		LCS, RCS
Change Standardization Decision Data	6		vols 8/9, DICs
Not in a Standardization Relationship	O		LCZ, KCZ
Delete Standardization Relationship	4,6		vols 8/9, DICs LDS,KDS
Generic Relationship	6		
National Stock Number	6		
Cancelled NSNs	6		
Cancellation of Replacement NSN	6		
New NSN Assignments	6		
Reinstatement of Cancelled NSN	6		

TITLE	VOLUME	PAGE	OTHER REFERENCES
NSN/PSCN Replacement for NSN Outputs	6		
Add Standardization Relationship	4,6		vols 8/9, DIC KAS
Cancel PSCN to an NSN/PSCN	6		vols 8/9. DIC KKP
Change Standardization Decision Data in a Standardization Relationship	4,6		vols 8/9, DIC KCS
Change Standardization Decision Data Not in a Standardization Relationship	6		vols 8/9, DIC KCZ
Delete Standardization Relationship	4		vols 8/9, DIC KDS
Notification of Approval	6		vols 8/9, DIC KNA
Notification of Return (Submitter)	6		vols 8/9, DIC KRE
Permanent System Control Number	6		
Change PSCN to NIIN	4		vols 8/9, DIC LCP
PSCN/NSN Superseding PSCN	6		
Request for PSCN Assignment	6		vols 8/9, DIC LNP
Relationship Preferred Item Data	5		vols 8/9, DIC KMT
STANDARDIZED DIC INPUT/OUTPUT NOTES	8,9		
STATISTICAL INDICATOR CODES (SCREENING/ SEARCH)			vol 10, table 37
STATISTICS - See Reports and Report Titles			
STATISTICS (REPORTS GENERATOR OUTPUT)	1.3.14.d,5	1.3-25	
STATUS CODE, ORGANIZATIONAL ENTITY	7		vol 10, table 19
STOCK FUND - See Annual DoD Stock Fund Price Change Procedure			
SUBMITTALS - EAM CARDS, MAGNETIC TAPE, OCR INPUT, FLIS PROBLEM REPORT (DD FORM 2029)	2		
SUBMITTED NIIN/PSCN SECURITY CLASSIFIED (ORIGINATOR ONLY)	4		vols 8/9, DIC KSE
SUBORDINATE REQUIREMENTS	3		INOL
SUBSTITUTION CRITERIA (FIIG)	3		

TITLE	VOLUME	PAGE	OTHER REFERENCES
SUPPLY MANAGEMENT OVERVIEW - Also see appropriate functional area	1.3.3.f(2),(7)		
SUPPLY SUPPORT REQUEST (SSR) SURCHARGE PROCESSING	6 2,6,13 6	1.3-8	
SUSPENDED ITEMS Resubmittal to Correct Error	4		vols 8/9, DIC LRN
Total Replacement	4		vols 8/9, DIC LRT
SUSPENSE FILES Interrogation of Master Error Suspense File SYSTEM ADVISORY NOTICE (SAN) - See FLIS Change Procedures SYSTEM CHANGE REQUEST (SCR) - See FLIS Change Procedures	1.3.6 5	1.3-14	
SYSTEM ERRORS SYSTEM MANAGEMENT RELEASE (SMR) - See FLIS Change Procedures SYSTEM SUPPORT RECORD PROCESSES - See SSR Processes	1.3.8.b	1.3-15	
Т			
TABLES Data Code Tables DRN to Table Number Cross Reference	10		vol 10, sect
MOE Rule Tables Participating Activity Code (PAC) Table Provisioning Screening Master Address Table Segment/DIC Output Drop Table	13 1.3.3.c(2) 5,7 1.3.3.c(1)	1.3-4 1.3-4	10.3.2 13-6-B vol 10, table 23 vol 10, table
Service/Agency-Controlled Tables Standard Federal Supply Class Table Title to Table Number Cross Reference TAILORED DATA CHAIN INTERROGATIONS	1.4.2.f 13	1.4-2	104, part 3 1-4-B 13-2-A vol 10, sect 10.3.1 vol 10, table 171

DoD 4100.39-M Volume 1

TITLE	VOLUME	PAGE	OTHER REFERENCES
TECHNICAL AND MANAGEMENT DATA FOR FIIG ITEMS	3		3-3-A, part 7
TECHNICAL DATA SUPPORT CODE COMPUTATION			vol 10, table 14
TECHNICAL DATA TABLES (FIIG APPENDIX C)	3		3-3-A. parts 15-17
TECHNICAL DEFINITIONS, USE OF STANDARD	3		
TELECOMMUNICATIONS PROCEDURE FOR AUTODIN TRANSMISSION	2		
TRADEMARK	3		
TRAINING QUALITY NUCLEAR ORDNANCE ITEMS	4		
TRANSFER OF A FEDERAL ITEM IDENTIFICATION	4	•	
Descriptive to Reference Method	4		
International Cataloging Considerations	4		
Reference to Descriptive Method TRANSMITTAL OF	4		
Basic OE File on Magnetic Tape	7		
Catalog Data to DLSC by Mail	2		fig 2.3.2-b
Data Under Emergency Conditions	4		
Data by AUTODIN	2		
Excessively Large Volumes of Transactions	2		
Letters/Forms for OE Maintenance	7		
Magnetic Tape by Mail	2		
OCR Documents	2		
OE Data by AUTODIN	7		
OE Data by other than AUTODIN	7		
TRANSPORTATION - See Freight Classification Data			
TYPE OF ADDRESS CODES			vol 10, table 29
TYPE OF FINANCIAL MANAGEMENT CONTROL			vol 10, table 142
TYPE OF ITEM IDENTIFICATION	4		vol 10, table 2
Assigned under Emergency Conditions	4		
Change Type with FSC and/or Item Name	4		1.40
TYPE OF SCREENING CODE	5		vol 10, table 33
TYPES OF ITEM IDENTIFICATION, IMSS-6	14		14-4-A

TITLE	VOLUME	PAGE	OTHER REFERENCES
UNIQUE REPLY FOR FIIG REQUIREMENT UNIT OF ISSUE CHANGE	3		vols 8/9 DICs LCD, LCM,
UNIT OF ISSUE CODES UNIT OF ISSUE CONVERSION FACTORS UNIT OF MEASUREMENT DESIGNATIONS UNIT PRICE AND ACQUISITION ADVICE CODES UNPROCESSABLE TRANSACTIONS USING SERVICE CODES	1.3.7	1.3-14	LTI. KIF vol 10, table 53 vol 10, table 79 vol 10, table 81 vol 10, table 97 vols 8/9, DIC KRU vol 10, table 39
V			vol 10, table 46
VALID ITEM MANAGEMENT CLASSIFICATION AGENCY ACTIVITY CODES VALID REFERENCE NUMBER COMBINATIONS FOR ITEM-OF-SUPPLY CONCEPT VALIDATION CRITERIA - PROCUREMENT METHOD			vol 10, table 8 vol 10, table 70
CODE/PROCUREMENT METHOD SUFFIX CODE VALUE-FOR-VALUE MATCHING VARIABLE LENGTH SEGMENT PARAMETERS VERIFICATION OF MANUFACTURERS' REFERENCE NUMBERS Review by Manufacturer (GIRDER)	344		vol 9, chap 4 4-3-A
W			
WAR-RESERVE QUALITY NUCLEAR ORDNANCE ITEMS WHOLESALE-RETAIL GRID FOR SUPPLY MANAGEMENT RESPONSIBILITY	13		13-6-A
WIMM By-Item Basis of Assignment to Cataloging Action on Items	2		